

MATERIAL SAFETY 3M
 DATA SHEET 3M Center
 St. Paul, Minnesota
 55144-1000
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1996, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this
 information for the purpose of properly utilizing 3M products
 is allowed provided that:

- 1) the information is copied in full with no changes unless
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise
 distributed with the intention of earning a profit thereon.

DIVISION: HOME AND COMMERCIAL CARE DIVISION
 TRADE NAME:
 COMPULEND BRAND EXTRACTION CLEANER CONCENTRATE
 ISSUED: August 27, 1996
 SUPERSEDES: July 07, 1993
 DOCUMENT: 11-2608-5

1. INGREDIENT	C.A.S. NO.	PERCENT	
WATER.....	7732-18-5	60.0	- 100.0
ISOPROPYL ALCOHOL.....	67-63-0	7.0	- 13.0
ETHOXYLATED PROPOXYLATED SECONDARY ALCOHOL.....	68551-14-4	7.0	- 13.0
ETHYLENE DIAMINE TETRAACETIC ACID.....	64-02-8	3.0	- 7.0
2-BUTOXYETHANOL.....	111-76-2	1.0	- 5.0
POLY (ACRYLIC ACID) SODIUM SALT.....	9003-04-7	1.0	- 5.0

This product contains the following toxic chemical or chemicals subject to
 the reporting requirements of Section 313 of Title III of the Emergency
 Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:
 2-BUTOXYETHANOL

2. PHYSICAL DATA

BOILING POINT:..... ca. 100.00 C
 VAPOR PRESSURE:..... N/D
 VAPOR DENSITY:..... N/D
 EVAPORATION RATE:..... N/D
 SOLUBILITY IN WATER:..... complete
 SPECIFIC GRAVITY:..... ca. 1.000 Water=1
 PERCENT VOLATILE:..... ca. 85.00 %
 pH:..... ca. 10.50
 VISCOSITY:..... N/D
 MELTING POINT:..... N/D

Abbreviations: N/D - Not Determined N/A - Not Applicable

2. PHYSICAL DATA (continued)

APPEARANCE AND ODOR:
liquid, clear

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... 40.00 C TCC
FLAMMABLE LIMITS - LEL:..... N/D
FLAMMABLE LIMITS - UEL:..... N/D
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:
Water, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:
Not applicable

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Not determined.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 2 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:
Not applicable.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:
Carbon Monoxide and Carbon Dioxide.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:
Observe precautions from other sections. Extinguish all ignition
sources. Collect spilled material. Clean up residue with water.
For larger quantities: Cover with absorbent material.

Abbreviations: N/D - Not Determined N/A - Not Applicable

5. ENVIRONMENTAL INFORMATION (continued)

RECOMMENDED DISPOSAL:

Flush spent solutions and small quantities (less than 5 gal.(19 L)) to a wastewater treatment system. Reduce discharge rate if foaming occurs. For larger quantities: Incinerate in a permitted hazardous waste incinerator in the presence of a combustible material.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: N/D.
VOC Less H2O & Exempt Solvents: N/D.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = D001 (Ignitable)

EPCRA HAZARD CLASS:

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

Abbreviations: N/D - Not Determined N/A - Not Applicable

7. PRECAUTIONARY INFORMATION (continued)

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Avoid prolonged breathing of spray or mists.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Keep container closed when not in use. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Keep container tightly closed. Keep away from heat, sparks, open flame, and other sources of ignition. Combustible liquid and vapor.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATER.....	NONE	NONE	NONE	NONE	
ISOPROPYL ALCOHOL.....	400	PPM	TWA	ACGIH	
ISOPROPYL ALCOHOL.....	500	PPM	STEL	ACGIH	
ISOPROPYL ALCOHOL.....	400	PPM	TWA	OSHA	
ISOPROPYL ALCOHOL.....	500	PPM	STEL	OSHA	
ETHOXYLATED PROPOXYLATED SECONDARY ALCOHOL.....	NONE	NONE	NONE	NONE	
ETHYLENE DIAMINE TETRAACETIC ACID....	NONE	NONE	NONE	NONE	
2-BUTOXYETHANOL.....	25	PPM	TWA	ACGIH	Y
2-BUTOXYETHANOL.....	25	PPM	TWA	OSHA	Y
POLY (ACRYLIC ACID) SODIUM SALT.....	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NONE: None Established

Abbreviations: N/D - Not Determined N/A - Not Applicable

8. HEALTH HAZARD DATA

EYE CONTACT:

Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, and hazy vision.

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching.

May be absorbed through the skin and produce effects similiar to those caused by inhalation and/or ingestion.

INHALATION:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

SECTION CHANGE DATES

HEADING	SECTION CHANGED SINCE July 07, 1993	ISSUE
---------	-------------------------------------	-------

Abbreviations: N/D - Not Determined N/A - Not Applicable

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.