

TRU-TEST MANUFACTURING -- HT-7 TRU-TEST HUMIDIFIER WATER TREATMENT
MATERIAL SAFETY DATA SHEET
NSN: 793000F021089
Manufacturer's CAGE: TRUTE
Part No. Indicator: A
Part Number/Trade Name: HT-7 TRU-TEST HUMIDIFIER WATER TREATMENT

=====
General Information
=====

Company's Name: TRU-TEST MANUFACTURING CO
Company's Street: 201 JANDUS ROAD
Company's City: CARY
Company's State: IL
Company's Zip Code: 60013
Company's Emerg Ph #: (312) 639-5383
Company's Info Ph #: (312) 639-5383
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Date MSDS Prepared: 22JUN88
Safety Data Review Date: 06FEB92
MSDS Preparer's Name: GEORGE J. M
Preparer's Company: TRU-TEST MANUFACTURING CO
Preparer's St Or P. O. Box: 201 JANDUS ROAD
Preparer's City: CARY
Preparer's State: IL
Preparer's Zip Code: 60013
MSDS Serial Number: BMKZK

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: WEIGHT PER GALLON IN POUNDS: 8.4
Ingredient Sequence Number: 01
NIOSH (RTECS) Number: 9999999WG

Proprietary: NO
Ingredient: TETRASODIUM SALT OF ETHYLENEDIAMINETETRAACETIC ACID SODIUM
EDTA, SODIUM (DI) ETHYLENEDIAMINE TETRAACETATE
Ingredient Sequence Number: 02
Percent: 2-8%
NIOSH (RTECS) Number: AH5075000
CAS Number: 64-02-8

Proprietary: NO
Ingredient: QUATERNARY AMMONIUM CHLORIDE
Ingredient Sequence Number: 03
Percent: 1-4%
NIOSH (RTECS) Number: 1001813QA
CAS Number: 68187-69-9

=====
Physical/Chemical Characteristics
=====

Appearance And Odor: CLEAR GREEN LIQUID W/PINE ODOR.
Boiling Point: 212F
Vapor Pressure (MM Hg/70 F): 17.5
Vapor Density (Air=1): <1
Specific Gravity: 1.01
Evaporation Rate And Ref: (BU AC = 1): <1
Solubility In Water: MISCIBLE
pH: 7-8

=====
Fire and Explosion Hazard Data
=====

Flash Point: NONE

Flash Point: NONE
Extinguishing Media: WATER

=====
Reactivity Data
=====

Stability: YES
Cond To Avoid (Stability): FREEZING
Materials To Avoid: ACIDS & BLEACH
Hazardous Decomp Products: CO, CO2, & NITROGEN OXIDES
Hazardous Poly Occur: NO

=====
Health Hazard Data
=====

Route Of Entry - Inhalation: YES
Route Of Entry - Skin: YES
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: EYES/SKIN: IRRITATION. INHALATION: LUNG IRRITATION. INGESTION: HARMFUL & FATAL.
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Explanation Carcinogenicity: NONE
Signs/Symptoms Of Overexp: EYES/SKIN: IRRITATION. INHALATION: LUNG IRRITATION. INGESTION: HARMFUL & FATAL.
Emergency/First Aid Proc: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK WATER. DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: FLUSH W/WATER. PICK-UP & STORE IN SOUND DRUMS. DON'T RELEASE INTO SEWERS. FLOORS MAY BE SLIPPERY. SCRUB FLOOR W/ GENERAL PURPOSE CLEANER, THEN RINSE W/WATER.
Waste Disposal Method: LANDFILL IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.
Precautions-Handling/Storing: KEEP CONTAINER CLOSED. KEEP FROM FREEZING. STORAGE STABILITY IS OVER 1 YEAR.
Other Precautions: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT W/SKIN, EYES, CLOTHING, & FOOD. AVOID INHALATION OF VAPORS. IF FROZEN, THAW & MIX BEFORE USE. USE W/ADEQUATE VENTILATION.

=====
Control Measures
=====

Respiratory Protection: AS REQUIRED
Ventilation: LOCAL EXHAUST/MECHANICAL/GENERAL
Protective Gloves: RUBBER, NEOPRENE
Eye Protection: CHEMICAL GOGGLES
Other Protective Equipment: EYE WASH, SAFETY SHOWER
Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE.
Suppl. Safety & Health Data: PERCENT OF SOLIDS: 5-6. THIS PRODUCT PREVENTS SCALE BUILDUP & UNPLEASANT ODORS IN HUMIDIFIERS & WATER BEDS.

=====
Transportation Data
=====

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES
Label Status: G
Common Name: HT-7 TRU-TEST HUMIDIFIER WATER TREATMENT

Special Hazard Precautions: EYES/SKIN: IRRITATION. INHALATION: LUNG
LUNG IRRITATION. INGESTION: HARMFUL & FATAL.

Label Name: TRU-TEST MANUFACTURING CO

Label Street: 201 JANDUS ROAD

Label City: CARY

Label State: IL

Label Zip Code: 60013

Label Emergency Number: 312) 639-5383

=====
URL for this msds <http://siri.org>. If you wish to change, add to, or
delete information in this archive please sent updates to dan@siri.org.