

ALCOHOL

CHEMICAL FAMILY

MATERIAL SAFETY DATA SHEE

MIXTURE

SECTION I. Identity of Material

70% ISOPROPYL ALCOHOL, RUBBING PRODUCT NAME OR NUMBER

ISOPROPYL ALCOHOL SYNONYMS

CH3 2CHOH

FORMULA

SECTION II-A Hazardous Product/Ingredient Per 29 CFR 1910, 1200

PERCENT CAS NUMBER COMPOSITION NO. 100% MIXTURE 70% ISOPROPYL ALCOHOL PRODUCT 67-63-0 70% I SOPROPANOL 1

THERE ARE NO OTHER LISTED INGREDIENTS CONSIDERED TO BE HAZARDOUS.

CAS NUMBER

SECTION II-B ACUTE TOXICITY DATA

ACUTE ORAL LDS0 NO.

ACUTE DERMAL LDSO

ACUTE INHALATION LCSO

5840 MG/KG 1. FOR RATS

13000 MG/KG FOR RABBITS 12000 MG/KG FOR RATS 8 HRS.

FOR CONCENTRATIONS OF 100%

SECTION III PHYSICAL DATA

BUILING POINT:

SPECIFIC GRAVITY: 0.878

VAPOR PRESSURE: 20 C (MM HG)

(DEG FI

(H20 = 1)

(DEG P) MEI TING POINT

(DEG F)

SOLUBILITY: COMPLETE

IN WATERS

VAPOR DENSITY: 1.6 (AIR = 1)

EVAPORATION RATE IN-BUTYL ACETATE = 1: 1 . 7

APPEARANCE AND ODOR:

CLEAR, COLORLESS LIQUID WITH MILD ALCOHOL ODOR.

SECTION IV FIRE AND EXPLOSION HAZARDS

70.5 FLASH POINT AND METHOS TAG OPEN CUP

FLAMMABLE LIMITS 1% VOLUME IN AIR UPPER: 12% LOWER: 2%

USE WATER FOG, ALCOHOL FOAM, DRY CHEMICAL, CO. EXTINGUISHING MEDIA

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS WARNING - FLAMMABLE, CLEAR FIRE AREA OF UNPROTECTED PERSONNEL. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES, AND RUBBER BOOTS. INCLUDE A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPRATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

UNUSUAL FIRE AND EXPLOSION HAZARDS CONTAINERS EXPOSED TO INTENSE HEAT FROM FIRES SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILDUP WHICH COULD RESULT IN CONTAINER RUPTURE. CONTAINER AREAS EXPOSED TO DIRECT FLAME SHOULD BE COOLED WITH LARGE AMOUNTS OF WATER.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information set forth herein is furnished free of charge and is based on technical data that CUMBERLAND believes to be reflable. It is intended for use by persons having technical skill and st their own discretion and risk. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no itability in connection with any us of this information. Nothing herein is to be take as a license to operate under or a recommendation to infringe any patents.

NO. PEUT	OSHA WA	PELICEILING	ACGIM TLY/TWA	TLVISTEL	OTHER		
1 40	0 PPM		400 PPM 980 MG/M	500 PPM 1225 MG/M	50% ODOR RECOGNITION THRESHOLD IS 7.5 PP		
CARCINOGE	<u>ч:</u> оsна-1	10, NTP-NO, LA	RC - NO		·		
VHALATION:			TION TO THE N		PIRATORY TRACT AND MAY RESULT		
KIN CONTACT:	MILDLY	IRRITATING TO	THE SKIN.				
KIN ABSORPTION:	MILDLY	IRRITATING TO	THE SKIN.				
YE CONTACT:	MODERAT	ELY IRRITATING	TO THE EYES.				
NGESTION:	GENERAL	LY CONSIDERED	TO HAVE A LOW	ORDER OF ACUTE OR	AL TOXICITY.		
CUTE: 0		OCAL - IRRITAN	NT 1 FION 2, INHALA	TION 2			
CHRONIC: [©]			DRMATION ON HU	MANS CONSIDERED VAL ATION 2	LID BY AUTHORS.		
SECTION VI	EMERGE	NCY AND FIRST	AID PROCEDURE	ES			
EYES:	MMEDIA	TELY FLUSH EYE	ES WITH PLENTY	OF WATER FOR AT L	EAST 15 MINUTES. OBTAIN		
SKIN:	FLUSH S	KIN WITH PLEN	TY OF WATER. I	F IRRIATION OCCURS	, SEEK MEDICAL ATTENTION.		
NHALATION:	REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. OBTAIN MEDICAL ATTENTION.						
NGESTION:	DO NOT GIVE LIQUIDS IF VICTIM IS UNCONSCIOUS OR DROWSY. OTHERWISE GIVE NO MORE 2 GLASSES OF WATER AND INDUCE VOMITING BY GIVING 30CC 2 TABLESPOONS SYRUP OF IPECAC. OBTAIN MEDICAL ATTENTION. AN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN I GLASS OF WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESPOON SAN: IF VICTIM IS WATER AND 15CC ! TABLESP						
OTES TO PHYSICIA	OF IPEC	TIM IS A CHILD CAC.IF SYMPTOM SEFORE EMESIS, TO ENDOTRACHEA	GASTRIC LAVAG	THAN 1 GLASS OF WA'S OF GAG REFLEX, CONSIDER SHOULD BE CONSIDER	TER AND 15CC 1 TABLESPOON STR VULSIONS, OR UNCONSCIOUSNESS ERED FOLLOWING INTUBATION WIT		

CONDITIONS AND MATERIALS TO AVOID HEAT, SPARKS, FLAME, AND CONTACT WITH OXIDIZING AGENTS. DO NOT STOF OR HANDLE IN ALUMINUM CONTAINERS OR EQUIPMENT AT TEMPERATURES ABOVE 120 F.

STABLE

STABILITY:

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

ECTION VIII EMP	LOYEE PROTECTION						
ONTROL MEASURES: EX	PLOSION PROOF VENT	ILATION AS	REQUIRED TO CONTRO	DL VAPOR CONCENTRATIONS.			
RESPIRATORY PROTECTION:	USE NIOSH APPROVED 1910.134 USE EITHE RERPIRATOR FOR ORG	R AN AIMOS	TO PREVENT OVER EXPOSURE. IN ACCORD WITH 29CFF HERE SUPPLYING RESPIRATOR OR AN AIR PURIFYING				
PROTECTIVE CLOTHING:	AVOID CONTACT WITH EYES, WEAR CHEMICAL GOGGLES IF THERE IS A LIKELIHOOD OF CONTACT WITH THE EYES, AVOID REPEATED CONTACT WITH THE SKIN, WEAR CHEMICAL PESISTIVE GLOVES.						
YE PROTECTION:	AVOID CONTACT WITH THE EYES. WEAR CHEMICAL GOGGLES IF THERE IS A LIKE OF CONTACT WITH THE EYES.						
SECTION IX ENVI	RONMENTAL PROTEC	TION					
PILL OR LEAK PROCEDURES:	DURES: WARNING, FLAMMABLE.ELIMINATE ALL IGNITION SOURCES.HANDLING EQUIPMENT MUST BE PROPERLY GROUNDED TO ELIMINATE SPARKING. FOR LARGE SPILLS, EVACUATE AREA OF ALL UNAUTHORIZED PERSONNEL.PERSONS ENTERING AFFECTED AREA MUST WEAR PERSONAL PROTECTIVE CLOTHING AND EQUIPMENT. SHUT OFF SOURCE OF SUPPLY.						
WASTE DISPOSAL:	UNDER EPA-RACA 400	FR261.21,PI	RODUCT BECOMES A WASTE MATERIAL.IT WOULD BE STE. REFER TO EPA OR STATE REGULATIONS FOR DISPO				
(NVIRONMENTAL HAZARDS:	S: RELEASES TO AIR, LAND, WATER, MAY BE REPORTABLE. CIRCUMSTANCES SURROUNDING RELE AND CLEANUP DETERMINE REPORTABILITY.						
COTION Y SPECI	AL PROTECTION INFO	RMATION					
			TION AS PEOUPED 1	TO CONTROL VAPOR CONCENTRATIONS			
ENTICATION REQUIREMENTS	USE EXPLOSION P	WOL ASILTY	11011 122 122 12				
		PECIFIC PERSONAL R	PROTECTIVE EQUIPMENT				
ESPIRATORY (SPECIFY IN DE	VIII EMPLOYEE P						
EFER TO SECTION	4 Alli Financoine i						
YE EFER TO SECTION	N VIII EMPLOYEE PE	ROTECTION	GLOYES:				
THER CLOTHING AND EQUIP	EYE WASH FOU	CMA NIATM	SAFETY SHOWER SHOU	JLD BE AVAILABLE FOR EMERGENCY			
ECTION XI TRAN	SPORTATION DATA						
		HAZARDOUS CH	ARACTERISTICS				
CORROSIVE	FLAMMABLE LIQUID		FLAMMABLE SOLIDS	EXPLOSIVES			
OXIDIZER	POISON		MAGNETIC	☐ NON—FLAMMABLE GAS			
FLAMMABLE GAS	RADIOACTIVE	NONE	X OTHER CONSUMER	COMMODITY-ORM-D			
O.O.T. LASSIFICATION	CONSUMER COMMODITY	·		FLASH POINT 70.5 F			
SECTION XII MAN	UFACTURER OR SUPP	LIER DATA					
IRM'S NAME & MAILING ADDRESS			HAME (PRINT) JAMES R. BEAVER				
			SIGNATURE AND PROPERTY				
CUMBERLAN	D-SWAN, INC.		TITLE / RISK MANAGER DATE 7/10/90				
ONE SWAN							
SMYRNA, TN 37167			EMERGENCY TELEPHONE NO. 615 459-8900				
			EMERGENCE I LEFER HOLE NO.	. 613 494-4444			

BE SAFE READ OUR PRODUCT