



Material Safety Data Sheet

1.0 Product and Company Identification

Identification of the preparation: **92261A Black**

Use of the preparation: Inkjet printing

Company Identification: Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, Oregon 97330-4239
United States

Emergency telephone number: 1-800-457-4209 (USA and Canada)
Hewlett-Packard Health Effects Line: 503-494-7199 (USA direct)
Singapore: +001-800-332-13321

General information telephone number: 208-323-2551 (USA direct)

Local Contact Information

Ireland
Liffey Park Technology Campus
Barnhall Road,
Leixlip, Co. Kildare
Phone: 01 6150000

United Kingdom
Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN
Phone: 1344 36-0000

Hazard Rating	NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	none

2.0 Composition/Information on Hazardous Ingredients

This ink supply contains an aqueous ink formulation

Component/Substance	CAS Number	EU Number	% by Weight	EU classification
Diethylene glycol	111-46-6	203-872-2	<55	Xn; R22
Food Black 2 acid salt #1	confidential	confidential	<5	not classified
Food Black 2 acid salt #2	confidential	confidential	<4	not classified
Water	7732-18-5	231-791-2	> 40	not classified

3.0 Hazard Identification

The black ink is classified for health effects according to EU Directive 1999/45/EC with Xn; R22.



Material Safety Data Sheet

3.1 Routes of Exposure Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

3.2 Acute Health Hazards Any potential hazards are presumed to be due to exposure to the components.

Diethylene glycol: Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Food Black 2 Acid salt #1: Contact with eyes may cause mild irritation.

Food Black 2 Acid salt #2: Contact with eyes may cause mild irritation.

3.3 Chronic Health Hazards None noted

3.4 Carcinogenicity None of the components present in this material at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP, or OSHA.

4.0 First Aid Measures

Emergency telephone number 1-800-457-4209 (USA and Canada)
Hewlett-Packard Health Effects Line: 503-494-7199 (USA direct)
Singapore: 001-800-332-13321

Inhalation: Remove to fresh air. If symptoms persist, consult a physician.

Ingestion: If stomach upset persists, consult a physician.

Skin: Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media: Water, dry chemical, carbon dioxide, foam

Unsuitable Extinguishing Media: None known



Material Safety Data Sheet

Special Firefighting Procedures: None known
Unusual fire and explosion hazards: No special hazards known
Auto-ignition temperature: Not determined
Flashpoint (method): > 200° F, > 93.3° C (US EPA Method 1020)
Hazardous Combustion Products: Refer to section 10.

6.0 Accidental release measures

Spill or Leak Procedures: Standard eye and skin protection is recommended.
Environmental precautions: Do not discharge into drains (See also Section 13, Disposal considerations)

7.0 Handling and Storage

Storage Temperature: 59° F to 95° F; 15° C to 35° C
Handling and Storage precautions: Keep out of the reach of children
Keep away from extreme heat or cold.
Shelf Life: 1 year
Special Sensitivity: None

8.0 Exposure control/ personal protection

8.1 Exposure Limit Values: Diethylene glycol: Germany (TRGS 900) = 10 ppm; Austria, Sweden, Switzerland, TWA=10ppm; Ireland, UK TWA=23ppm; Denmark TWA=2.5ppm
8.2 Exposure Controls: Standard eye and skin protection for laboratory chemical safety is recommended. Use in a well ventilated area.

9.0 Physical and chemical properties

pH: 7.7 – 8.3
Boiling point: Not Determined
Flash point: > 200° F, > 93.3° C
Flammability: US NFPA/HMIS Flammability rating = 1
Explosive properties: Not applicable
Oxidizing properties: Not applicable
Vapor Pressure: Not applicable
Relative density: Specific Gravity 1.0 to 1.2
Solubility: Soluble in water
Partition coefficient: Not determined



Material Safety Data Sheet

Viscosity: Not determined
Vapor density: >1 (air = 1.0)
Evaporation rate: Not applicable
Other: Not applicable

10.0 Stability and reactivity

Stability: Stable under normal storage conditions
Incompatibilities: Strong oxidizers
Thermal decomposition products: Oxides of carbon/nitrogen/sulfur, water
Hazardous polymerization: None

11.0 Toxicological information

Refer to Section 3 for potential health effects and Section 4 for first aid measures
Ink formulation has not been tested.

12.0 Ecological information

96-hour LC50 LC50 >750mg/L Fathead minnow

13.0 Disposal considerations

Dispose in accordance with all applicable US Federal, state, local, and country laws.

14.0 Transportation information

Not a regulated article under United States DOT, IATA, ADR, or RID.

UN Number: Not applicable
Class: Not applicable
Proper Shipping Name: Not applicable
Packing Group: Not applicable
Marine Pollutant: Not listed
Special Precautions: None noted

15.0 Regulatory information

US EPA TSCA Inventory: All ingredients are listed or exempt.
US EPA TSCA 12(b): Does not contain listed chemicals.
EU Notification: All ingredients are listed on EINECS and/or ELINCS or exempt.



Material Safety Data Sheet

EU Hazard Label
(1999/45/EC):

Symbol – Xn
Risk phrase – harmful if swallowed (R22)
Safety phrase – Keep out of the reach of children (S2)
Contains diethylene glycol

16.0 Other information

Date Prepared: July 12, 2002
HP-DMS Document Control Number: 09000de780229f6f-eng
Revision Information: This document replaces all prior versions of the MSDS
EU Risk (R) Phrase definitions: R22: Harmful if swallowed
Other Information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.