MATERIAL SAFETY DATA SHEET

PRODUCT

922 & 7622 Opiates Reagent

O D INCORPORATED
2.0. BOX 180 SO. PARIS, MAINE 04281 USA
50. PARIS, MAINE 04281 USA
FAX 207-743-7712

SECTION 1 - IDENTITY								
Name ODV, Inc.		Address	ss P.O. Box 180, 9 Swallow Road, S. Paris, ME 04281					
Telephone Number 207-743-7712	For Additional Information Contac Larry Dow			Date Prepared May 1, 1997				
Common name (used on Label) 922 or 7622 Opiates Reagent								
Trade name & Synonyms NarcoPouch® Chemical Family Does Not App			ply					
Chemical Name Does Not Apply	Formula Does Not							
SECTION 2 – HAZARDOUS INGREDIENTS								
HAZARDOUS COMPONENT		CAS	#	% (wt)		TLV	PEL	
Sulfuric Acid concentrated Ammonium Molybdate		7664-93- 13106-76	-	99 0.5		1 mg/m³/10 hr. 5 mg/m³	1 mg/m³ 5 mg/m³	
PEL: Permissible Exposure Limit established by the Occupational Safety and Health Administration TLV: Threshold limit Value established by the American Conference of Governmental Industrial Hygienists, 1987-88. SECTION 3 — PHYSICAL DATA BOILING POINT Pot determined SPECIFIC GRAVITY (H ₂ O = 1) VAPOR PRESSURE (mm Hg)								
not determined PERCENT VOLATILE BY VOLUME VAPOR DENSITY (AIR			1.56-1.84		Low EVAPORATION RATE			
not determined SOLUBILITY IN WATER Complete			EACTIVITY IN WATER		not determined Reacts violently when water is added with			
APPEARANCE AND ODOR Clear liquid and Odorless			evolution of heat.					
Groun rights and Outriess								
SECTION 4 - FIRE AND EXPLOSION DATA								
FLASH POINT not determined			FLAMMABLE LIMITS IN AIR (% By Volume) LOWER: not determined UPPER: not determined					
EXTINGUISHING MEDIA suitable dry chemical		AU	AUTO IGNITION TEMPERATURE not determined					
UNUSUAL FIRE AND EXPLOSION HAZARDS Reacts violently when water is added or with organic materials with evolution of heat.								
SPECIAL FIRE FIGHTING PROCEDURES Do not use water to put out fire if the water can get into concentrated sulfuric acid. Use proper respiratory protection against fumes.								



SECTION 5 - HEALTH INFORMATION PRIMARY ROUTES OF EXPOSURE Inhalation, contact with eyes or skin. SIGNS AND SYMPTOMS OF EXPOSURE Irritation of eyes, nose and throat. Splashes in the eyes or on the skin will cause severe skin burns. (1) ACUTE OVEREXPOSURE -Repeated or prolonged exposure to dilute solutions of sulfuric acid may cause irritation of the skin. (2) CHRONIC OVEREXPOSURE -Repeated or prolonged exposure to mists or vapors of sulfuric acid may cause erosion of teeth, chronic irritation of the eyes, or chronic inflammation of the nose, throat, and bronchial tubes. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Impaired pulmonary function, pre-existing eye problems, pre-existing skin disorders. CHEMICAL/COMPONENT LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN NTP OSHA ☐Yes MNo ☐Yes TNo ☐Yes MNo OTHER EXPOSURE LIMITS None. **EMERGENCY & FIRST AID PROCEDURES** In the case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. If swallowed, do not give emetics. If conscious, give tap water, milk, or milk of magnesia. Call a physician. **SECTION 6 - REACTIVITY DATA** CONDITIONS TO AVOID Avoid adding water to the acid, large amounts of heat is produced. STABILITY Unstable Stable X INCOMPATIBILITY (MATERIALS TO AVOID) O.D./ Avoid contact of acid with organic materials (such as chlorates, carbides, fulminates, and picrates) may cause fires and explosions. Contact of acid with metals may form toxic sulfur dioxide fumes and flammable hydrogen gas. HAZARDOUS DECOMPOSITION PRODUCTS Heat, sulfur dioxide, hydrogen, ammonia CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION Not applicable to polymerization. May occur ☐ Will not occur 🔀 SECTION 7 - SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS LEAKED OR SPILLED Avoid adding water to the acid, large amounts of heat is produced. WASTE DISPOSAL METHOD Dispose of wastes in accordance with Federal, State and Local codes. Normal disposal includes neutralization and absorption in vermiculite, dry sand, earth, or similar material. SECTION 8 - PERSONAL PROTECTION INFORMATION Respiratory protection is not required under normal and intended uses. Selfcontained breathing apparatus required during fire fighting and spill clean-up. VENTILATION Room ventilation is expected to be adequate except during spills or fires. Required when possibility of contact with sulfuric acid exists. PROTECTIVE GLOVES Required when contact with sulfuric acid exists. EYE PROTECTION An eye wash fountain and safety shower should be readily available where contact with OTHER PROTECTIVE CLOTHING OR EQUIPMENT sulfuric acid exists. SECTION 9 - SPECIAL PRECAUTIONS PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Store and handle according to packaged instructions. Store in a cool well ventilated area. Keep away from reactive materials. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wash thoroughly after handling. Be prepared to neutralize. OTHER PRECAUTIONS

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. ODV, Inc. shall

not be held liable for any damage resulting from handling or from contact with the above product.