

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

Adhesive Tape Remover

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name H & P Industries, Inc.	Emergency Telephone Number 414-421-3300
Address (Number, Street, City, State, and ZIP Code) 9640 So. 60th Street	Telephone Number for Information 414-421-3300
Franklin, WI 53132	Date Prepared 2/15/93
	Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Liquid hydrocarbons, Mineral oil NF	5Mg/M³	5Mg/M³	NA	

Section III — Physical/Chemical Characteristics

Boiling Point	1BP>230°C	Specific Gravity (H ₂ O = 1)	0.840
Vapor Pressure (mm Hg.)	<.5MM	Melting Point	NA
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NIL @ 25°C
Solubility in Water	Negligible @ 25°C		
Appearance and Odor	Colorless viscous liquid with characteristic lemon scent		

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used) ASTM D-92 > 120°C	Flammable Limits NA	LEL NA	UEL NA
Extinguishing Media Dry chemical, CO₂, waterspray, foam, water fog, sand/earth			
Special Fire Fighting Procedures Self-contained breathing apparatus is recommended for firefighters, water spray must be used with caution to prevent spread of flames.			
Unusual Fire and Explosion Hazards None			

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid NA
	Stable	X	Excessive Heat

Incompatibility (*Materials to Avoid*) **Strong oxidizing agents**

Hazardous Decomposition or Byproducts **Upon combustion, CO₂ and CO are generated**

Hazardous Polymerization	May Occur		Conditions to Avoid NA
	Will Not Occur	X	

Section VI — Health Hazard Data

Route(s) of Entry:	Inhalation? NA	Skin? NA	Ingestion? X
--------------------	--------------------------	--------------------	------------------------

Health Hazards (*Acute and Chronic*) **NA**

Carcinogenicity:	NTP? NA	IARC Monographs? NA	OSHA Regulated? NA
------------------	-------------------	-------------------------------	------------------------------

Signs and Symptoms of Exposure **NDA**

Medical Conditions Generally Aggravated by Exposure **NDA**

Emergency and First Aid Procedures **Eyes - flush with water. If irritation exists consult a physician. If swallowed - do not induce vomiting, call a physician.**

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled
Shut off leak, dike up spills, absorb with inert material such as sand, earth or vermiculite. Sweep up and dispose of in accordance with federal, state and local regulations.

Waste Disposal Method **Use methods consistent with federal, state and local regulations.**

Precautions to Be Taken in Handling and Storing **Avoid heat (150°F max), flame and oxidizing agents.**

Other Precautions **NA**

Section VIII — Control Measures

Respiratory Protection (*Specify Type*) **NA**

Ventilation	Local Exhaust		Special NA
	Mechanical (<i>General</i>)	X	Other NA

Protective Gloves None	Eye Protection Chemical splash goggles
----------------------------------	--

Other Protective Clothing or Equipment **NA**

Work/Hygienic Practices **Good hygienic practice**