MSDS No.: GC3							
L Basic Information:				WEE			
Manufacturer: RADIATOR SPECIALTY COMPANY				NFP.			
Address: P.O. BOX 159, 600 RADIATOR ROAD Health Reactivity							
City, ST Zip: INDIAN TRAIL, NC 28079							
Emergency Contact: Rocky Mountain Poision Control Center							
Emergency Telephone Number: 303-623-5716							
Contact: Robert Geer							
Information Telephone Number: 704-688-3430							
Last Update: 04/11/2003							
Chemical State: X Liquid Gas Solid							
Chemical Type: Pure X Mixture				Α	Pers. Prot	ection	
II. Ingredients:							
Trade Secret							
	E	HS IAR		ARA 313	OSHA	ACGIH	Other
CAS No. Chemical Name	% Range	NTP	SUB Z		PEL	TLV	Limits
111762 2-Butoxyethanol				X	25 ppm	25 ppm	
106978 Butane					800 ppm	800 ppm	
67630 Isopropyl alcohol				X	400 ppm	400 ppm	
74986 Propane					1000 ppm	ASPHYXIA	1
III. Hazardous Identification:							
Hazard Category:				_			
X Acute Chronic	Fire X		Pressure			Reactive	
Hazardous Identification Information: CAUTION: Eye Irritant, Contents Under Pressul N.F.P.A. Level 1 Aerosol	re.						
IV. First Aid Measures:							
Route(s) of Entry:							
Absorption, Eye, Inhalation, and Ingestion.							
Health Hazards (Acute and Chronic):							
Signs and Symptoms:							

Eye Contact: Direct spray of vapors may be irritating or harmful to eyes.

Skin Contact: Prolonged contact may cause irritation due to defatting of skin.

Inhalation: High concentration of vapors may irritate nose and throat and cause headaches and nausea.

Ingestion: Can cause irritation, gastric disturbances, and nausea...

Medical Conditions Generally Aggravated by Exposure:

MSDS No.: GC3

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with water for 15 minutes while lifting upper and lower eyelid. Get prompt medical attention.

Skin Contact: Wash with soap and water. If irritation persists, get prompt medical attention. Inhalation: Move to fresh air. If breathing becomes difficult get prompt medical attention.

Ingestion: Drink water or milk. Call Poison Control Center, physician, or hospital emergency room immediately.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: None

Lower Explosive Limit: N/D

Upper Explosive Limit: N/D

F.P. Method: TCC

Fire Extinguishing Media: Water Fog, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Wear self-contained, positive pressure breathing apparatus and protective clothes. Cool containers exposed to heat with water fog.

Unusual Fire and Explosion:

Use shield to protect from venting, rupturing, or bursting cans.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Use appropiate protective equipment. Contain spill and then absorb spill with inert material or rags and scoop into a chemical waste container. Neutralize remaining traces of material and flush with water followed by liberal covering with sodium bicarbonate. All clean-up material should be removed and placed in approved containers for disposal. Rinse water may be disposed of down a sanitary sewer system if authorized by the local municipality.

VII. Handling and Storage:

Precautions to be Taken:

Use with adequate ventilation. Do not take internally. Do not expose to heat or store at temperatures above 120 F. Do no puncture or incinerate container.

Other Precautions:

Avoid contact with strong oxidizing agents.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

See Section 2 for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

MSDS No.: GC3

Personal Protective Equipment:

See Section 2 for applicable exposure limits. For prolonged exposure wear protective safety glasses, gloves, and apron.

IX. Physical and Chemical Properties:

Boiling Point: 212 F

Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): < 1

Vapor Pressure (mm Hg.): N/D

Specific Gravity (H20 = 1): 0.97500

Vapor Density (AIR = 1): N/D

Solubility In Water: Soluble

Appearance and Odor: Clear liquid with alcohol odor.

Other Information: pH: 11-12

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Avoid contact with strong oxidizing agents

Decomposition/By Products:

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

N/D.

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

DOT Hazard Class: ORM-D

Shipping Name: Consumer Commodity

XV. Regulatory Information:

See Section 2 for SARA Reportable Chemicals.

USA TSCA: All components of this material are listed on the US TSCA Inventory.

MSDS No.: GC3

XVI. Other Information:

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established N/D: Not Determined N/A: Not Applicable N/AV: Not Available

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered soley for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is repsonsible for full compliance.