NFPA
HAZARD RATING:
4-EXTREME
3-HGH
2-MODERATE
1-SUCHT
0-NSXNFCUNT



Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



anulacturer's Name MITA INDUSTRIAL CO., LTD. Iddress (Number, Sireel, City, State, and ZIP Code)	Emergency Telep	hone Number 200							
Idiess (Number Street City State, and ZIP Code)	1	(201)-286	Emergency Telephone Number 288-6900						
MITA COPYSTAR AMERICA, INC.	Telephone Number for Information (201)-288-6900 Date Prepared MARCH 1, 1990 Signature of Preparer (optional)								
777 TERRACE AVE., PO BOX 813									
THE PROVINCE WIT OFFICE WIT 07404									
<u> HASBROUCK HEIGHTS, NJ 07604</u> ection II — Hazardous Ingredients/Identity Informatic	 on								
azardous Components (Specific Chemical Identity; Common Name(s))		ACGIH TLV	Other Limits Recommended	TO NEARES?					
IRON OXIDE (CAS NO. 1309-37-1)	10mg/m ³	5mg/m ³	NONE	65%					
ZINC OXIDE (CAS NO. 1314-13-2)	5mg/m ³	5mg/m ³	NONE	15%					
BLACK TONER FOR DC-211				5%					
(NONE HAZARDOUS INGREDIENTS)				•					
COPPER OXIDE (CAS NO. 1317-38-0)			·	. 15%					
ection III — Physical/Chemical Characteristics				T					
iling Point N/A	Specific Gravity (H	20 = 1)		1.91					
por Pressure (mm Hg.) N/A	Melting Point			N/A					
por Density (AIR = 1) N/A	Evaporation Rate (Butyl Acetale = 1)			N/A					
ubility in Water	(Outy) Acetale = 1)			1					
TNSOLUBLE pearance and Odor FINE BLACK POWDER, PRACTICALLY	Y ODORLESS.								
ction IV — Fire and Explosion Hazard Data									
sh Point (Method Used) - HIGHER THAN 350°	Flammable Limits		LEL N/A	UEL N/A					
inguishing Media IF PRODUCT BECOMES INVOLVED IN A FIRE	, USE CARBON	DIOXIDE EXT	INGUISHER.						
ecial Fire Fighting Procedures	EXTINGUISHER								

Section V -	- Reactivity Data									
Stability	Unstable		Conditions to Avoid	NONE						
	Stable .	X								
Incompatibility	(Malerials lo Avoid)	1	STRONG OXIDIZI	NG AGE	INTS					
Hazardous Decr	omposition or Byprodu	cts	NONE IN NORMAL	HAND]	ING AN	D USE.				
Hazardous Polymerization	May Occur		Conditions to Avoid	ONE	-					
	Will Not Occur	X			77.7			-		
Section VI -	- Health Hazard		<u> </u>							
Route(s) of Entr	y: Inha	lation?	YES	Skin? NO)		ing POSSIBI	estion? E BUT	VERY U	NUSUAL
Health Hazards	(Acute and Chronic)		NONE IN NORMAL	HANDI	ING A	ND USE				
			NORTH THE MODELLE							
	.,			•						
Carcinogenicity:	NTP	7 N.	A .	VUC WO	nographs	7 N.A.	· os	HA Regula	ated? N.	Α.
								<u> </u>	\	
Signs and Symp			AL RESPIRATORY TR				Y OCCUR A	S WITH	ł	
	E	XPOS	URE TO LARGE AMOU	NTS OF	YMA	NON-TO	XIC DUST.			
Medical Condition	ons valed by Exposure	N	Α.					,		
	, , , , , , , , , , , , , , , , , , , ,									
OCCURS. F	First Ald Procedures LUSH THOROUGE CMACH CONTENT	ILY W	SKIN CONTACT CCCU ITH WATER AND SEE TH SEVERAL GLASSE	K MED	ICAL 3	REATME	NT. IF I	NGEST:	ION OCC	
			e Handling and Use				-			
Sleps to Be Tak	en in Case Material is	Releas	sed or Spilled .							
			CLEAN UP WITH	A VAC	UUM CI	EANER				
Waste Disposal	Method DISPOSE	IN A	CCORDANCE WITH LO	CAL,	STATE	AND FE	DERAL REC	ULATIO	ONS.	
Procautions to B	e Taken in Handling	and Sto	ring							
	CLOSE C	AP TI	GHTLY AND STORE I	N A C	OOL, [DRY AND	DARK PLA	CE.		
Other Precaution	AVOID CO	MRIIS	TTCN.							
	111010 0	<u>,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	22011					74'		
Section VIII	- Control Measi	ıres								
Respiratory Prote	ction (Specify Type)	IONE	REQUIRED UNDER NO	RMAT.	USE.					
Ventilation	Local Exhaust				Special	NONE	REQUIRED	IMDER	NORMAI	USE.
-	Machaniaal Cassen	1	UNDER NORMAL USE. UNDER NORMAL USE.		Other		REQUIRED			
Protective Glove			DER NORMAL USE.	Eye Pr	otection		REQUIRED			
Other Protective	Clothing or Equipmen	1		L	· · · · · · · · · · · · · · · · · · ·					
Work/Hyglenic P	NONE REQUIRED	O UNI	ER NORMAL USE.						- · · · · · · · · · · · · · · · · · · ·	
	AVOID INHALA	ricn.	INGESTION, SKIN	OR EY	E CON	PACT.				