



Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved



OMB No. 1218-0072

	171-07	110 111 11077 1505 1001 1705 2055 2555 2595 2255 2295
	BILLE WONER ROB	DC-111C,113,114,142RE,152Z,1001,1785,2055,2555,2585,3255,3285,
IDENTITY	DUOD TOURING LOW	50 1110,113,111,112,012
	South and all the control of the con	4055,4085,1205,1255,1605,1655,1656,1685,2254,2255,2285,CC-10,20
		4000,4000,1200,1200,1000,1000,1000,2200,22

Section I	
Manufacturer's Name MITA INDUSTRIAL CO., LTD.	Emergency Telephone Number 288-6900
Address (Number, Street, City, State, and ZIP Code) MITA COPYSTAR AMERICA, INC.	Telephone Number for Information (201) -288-6900
777 TERRACE AVE., PO BOX 813	Date Prepared MARCH 1, 1990
HASBROUCK HEIGHTS, NJ 07604	Signature of Preparer (optional)

## Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specia	fic Chemical Identity; C	Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	TO NEAREST 5 % (optional)
ZINC OXIDE		1314-13-2)	5mg/m <sup>3</sup>	5mg/m <sup>3</sup>	NONE	5%
ALUMINUM OXIDE	(CAS NO. I	1344-28-1)		$10 \text{mg/m}^3$	NONE	5%

(NONE HAZARDOUS INGREDIENTS)

POLYMER RESIN

(CAS NO. 25213-39-2)

α	Λ	9

oiling Point N/A Specific Gravity (H <sub>2</sub> O = 1)						1.1
Vapor Pressure (mm Hg.)	N/A	Melting Point				147°C
Vapor Density (AIR = 1)  Evaporation Rate  N/A (Butyl Acetate = 1)						N/A
Solubility in Water TUGOT UPLE						
INSOLUBLE		•				
	R, PRACTICALL		-			
Appearance and Odor FINE BLUE POWDE						
Appearance and Odor FINE BLUE POWDE	ird Data		LEL	N/A	UEL	N/A
Appearance and Odor FINE BLUE POWDE  Section IV — Fire and Explosion Haza Flash Point (Method Used) HIGHER T	nrd Data HAN 350°	Y ODORLESS.			UEL	N/A
Appearance and Odor FINE BLUE POWDE  Section IV — Fire and Explosion Haza Flash Point (Method Used) HIGHER T  Extinguishing Media IF PRODUCT BECOMES INVOLV	nrd Data HAN 350°	Y ODORLESS.    Flammable Limits  USE CARBON DIOXIDE EXT			UEL	N/A

Section V -	- Reactivity Dat	а								
Stability	Unstable	Condition	ns to Avoid	NONE						
	Stable .	X								
Incompatibility	(Materials to Avoid)	STR	ONG OXIDIZI	ING AG	ENTS					
Hazardous Dec	omposition or Byprod					ID USE.				
Hazardous Polymerization	Мау Оссиг	Condition	is to Avoid	ICNE				-	· · · · · · · · · · · · · · · · · · ·	
	Will Not Occur	X								
Section VI -	- Health Hazard	l Data								
Route(s) of Entr	y: inh:	alation? YES		Skin?	)		lng POSSTBI	estion?	VERY U	NUSUAL
Health Hazards	(Acute and Chronic)	NON	E IN NORMAI	HAND	LING A	ND USE				
		11011	J III IIOITIA					.^.		
Carcinogenicity:	NTF	P7 N.A.		IARC Mo	nographs	7 N.A.	os	HA Regula	aled? N.	Α.
Signs and Sym	otoms of Exposure	MINIMAL RES					Y CCCUR A		I	
Medical Condition	ons valed by Exposure	N.A.					· · · · · · · · · · · · · · · · · · ·			
	<u> </u>									
OCCURS, E	First Ald Procedures LUSH THOROUGE COMACH CONTEN	HLY WITH WA	ONTACT OCCU TER AND SEI ERAL GLASSI	EK MED	ICAL I	REATME	NT. IF	INGEST:	ION OCC	
Section VII	- Precautions for	or Sale Handli	ng and Use							
Sleps to Be Tak	en in Case Material I	s Released or Spil	led							
		CLE	AN UP WITH	A VAC	UUM CI	EANER				
										*
Waste Disposal	Method DISPOSE	IN ACCORDA	NCE WITH LO	CAL,	STATE	AND FE		•	ONS.	
Precautions to 8	e Taken in Handling	and Storing								
	CLOSE C	AP TIGHTLY	AND STORE	IN A C	00L, [	DRY AND	DARK PL	ACE.		
Other Precaution		OMBUSTION.								
				•						
Section VIII	— Control Meas	ures								
Respiratory Prote	ection (Specify Type)	NONE REQUIR	ED UNDER NO	ORMAL	USE.	<u> </u>				
Ventilation	Local Exhaust	IRED UNDER			Special	NCNE	REQUIRED	UNDER	NORMAL	. USE.
	Machanical (Coners				Other	*	REQUIRED			
Protective Glove:	<del></del>		<del></del>		olection	NONE	REQUIRED	UNDER	NORMAL	. USE.
Other Protective	Clothing or Equipmer NONE REQUIRE	nt		.1						<u></u>
Work/Hygienic P				OR EY	E CONI	RACT.				