

11/17/06

APR 17 1995

S.C. Johnson Wax  
 Racine, Wisconsin 53403-5011  
 Phone: (414) 631-2777  
 Emergency Phone: (800) 851-7145

4=Very High  
 3=High  
 2=Moderate  
 1=Slight  
 0=Insignificant

HAZARD RATING	
HMIS	NFPA
0 Health	0
2 Flammability	2
0 Reactivity	0

## MATERIAL SAFETY DATA SHEET

### SECTION I-PRODUCT IDENTIFICATION

PRODUCT NAME: BLUE WINDEX			PRODUCT CODE: 126000-3		
CHEMICAL OR COMMON NAME: NA	DATE ISSUED: 06/27/94	SUPERSEDES: 02/10/94	MSDS SECTIONS WITH CHANGES: XI	PREPARED BY: Terry A. Meyers Chemical Info. Adm.	

### SECTION II-INGREDIENT INFORMATION

INGREDIENTS	WEIGHT %	EXPOSURE LIMIT
[SARA, PA, NJ, MA] Ethylene Glycol Monobutyl Ether (CAS# 111-76-2)	1-3	25 PPM ACGIH/OSHA TWA (SKIN)
[PA, NJ, MA] Ammonium Hydroxide (CAS# 1336-21-6)	<0.5	25 PPM ACGIH/OSHA TWA; 35 PPM ACGIH/OSHA STEL
Isopropyl Alcohol (CAS# 67-63-0)	3-8	400 ppm OSHA/ACGIH TWA; 500 ppm OSHA/ACGIH STEL
Water (CAS# 7732-18-5)	>90.0	NA
See Regulatory Information (Section XII) for explanation of bracketed information.		

### SECTION III-PHYSICAL DATA

APPEARANCE/ODOR: Clear Blue with Liquid Ammonia Odor	SPECIFIC GRAVITY (H2O=1): 0.99
VAPOR PRESSURE (mm Hg): 17.6	PERCENT VOLATILE BY VOLUME (%): ND
SOLUBILITY IN WATER: Complete	VAPOR DENSITY (Air=1): 1.2
FREEZING POINT (°F): ND	BOILING POINT (°F): 212
pH: 10.3- 11.3	EVAPORATION RATE (Butyl Acetate=1): 0.3
VOC (as packaged, minus H2O): Glycol Ether, Isopropanol	THEORETICAL VOC (lb/gal): 0.373

### SECTION IV-FIRE AND EXPLOSION INFORMATION

FLASH POINT (°F) (Method Used): 117(TCC)
FLAMMABLE LIMITS: ND
EXTINGUISHING MEDIA: Foam. CO2. Dry Chemical. Water Fog.
SPECIAL FIREFIGHTING PROCEDURES: Normal fire fighting procedures may be used.
UNUSUAL FIRE AND EXPLOSION HAZARDS: No special hazards known.

### SECTION V-HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY: Eye contact.
SIGNS AND SYMPTOMS: Eye contact - sensation of irritation.

# MATERIAL SAFETY DATA SHEET

Page 2

S.C. Johnson Wax  
1525 Howe Street  
Racine, Wisconsin 53403

BLUE WINDEX  
Product Number: 126000  
Serial Number: 3

## SECTION V-HEALTH HAZARD DATA (cont.)

FIRST AID PROCEDURES: Flush eyes with water for 15-20 minutes. If irritation persists, seek medical aid. If product gets on skin, remove with soap and water. If product is swallowed, drink large amounts of water or milk and seek medical aid.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: None known to S.C. Johnson Wax

## SECTION VI-REACTIVITY DATA

STABILITY: Stable

STABILITY-CONDITIONS TO AVOID: None known

INCOMPATIBILITY: None known

HAZARDOUS DECOMPOSITION PRODUCTS: When exposed to fire, produces normal products of combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS POLYMERIZATION-CONDITIONS TO AVOID: None known

## SECTION VII-SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contains ammonia. Do not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize.

WASTE DISPOSAL INFORMATION: No special method. Observe all applicable Federal/State regulations and Local ordinances regarding disposal of non-hazardous materials. Waste from normal product use may be sewerer to a public-owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.

## SECTION VIII-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: No special requirements under normal use conditions.

VENTILATION: General room ventilation adequate.

PROTECTIVE GLOVES: No special requirements under label recommended use directions.

EYE PROTECTION: No special requirements under label recommended use directions.

OTHER PROTECTIVE MEASURES: Use good personal hygiene practices.

## SECTION IX-SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING: Unplug electrical appliances before using product on them.

OTHER HANDLING AND STORAGE CONDITIONS: Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue.

## SECTION X-ADDITIONAL INFORMATION

ADDITIONAL INFORMATION: NA

# MATERIAL SAFETY DATA SHEET

Page 3

S.C. Johnson Wax 1525 Howe Street Racine, Wisconsin 53403	BLUE WINDEX Product Number: 126000 Serial Number: 3
---	---

## SECTION XI-TRANSPORTATION INFORMATION

DOT CLASS: Combustible Non-Bulk Exemption
DOT #: NA
SHIPPING NAME: Cleaning, scouring or washing compounds, NOI, liquid.
DOT NOTES: None

## SECTION XII-REGULATORY INFORMATION

There are no ingredients subject to the reporting requirements under California's Proposition 65.

MA - These ingredients are subject to the reporting requirements under the Massachusetts Hazardous Substance List.

NJ - These ingredients are subject to the reporting requirements under the New Jersey Right to Know Hazardous Substance List.

PA - These ingredients are subject to the reporting requirements under the Pennsylvania Hazardous Substance List.

SARA - These ingredients are subject to the reporting requirements under the Superfund Amendments and Reauthorization Act of 1986 Title III, Section 313 and 40 CFR Part 372.

NA-Not Applicable, NE-Not Established, NSR-No Special Requirement, ND-Not Determined

The information herein is given in good faith. No warranty expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations. The information contained in this form is confidential and is submitted solely for your organization's internal use.

R-106 (Rev 5 - 10/90)