



Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043
314/291-1900

N. F. P. A.
4 = Extreme
3 = High
2 = Moderate
1 = Slight
0 = Insignificant

	HEALTH	0
	FLAMMABILITY	0
	INSTABILITY	0

Material Safety Data Sheet

24 Hour Medical Emergency Telephone Number: 1-800-303-0441. Outside North America call : 651-632-8956.

24 Hour Transportation Emergency Telephone Number: 1-800-535-5053. Outside North America call : 352-323-3500.

SECTION I - IDENTIFICATION				
PRODUCT NAME			DATE PREPARED	
BUCKEYE ARENA 300			December 27, 2011	
CHEMICAL FAMILY			CODE	
Wood Floor Coating, Water Based			5172	
PROPER D.O.T.				
SHIPPING NAME			Compound, Polishing or Wax, Liquid	
D.O.T. HAZARD				
CLASSIFICATION			None	
SECTION II - INGREDIENTS AND IDENTITY INFORMATION				
% By WGT	MATERIAL	PEL	T.L.V.	C.A.S. NO.
>80.0	Polyurethane Aqueous Dispersion*†	NE	NE	Blend
<18.0	Soft Water	NE	NE	7732-18-5
>2.0	3-Methoxy-3-Methyl-1-Butanol	NA	NA	56539-66-3
ITEMS MARKED * ARE SARA TITLE III SEC 313 REPORTABLES. ALL INGREDIENTS ARE ON TSCA INVENTORY.				
SECTION III - PHYSICAL DATA				
BOILING POINT °F	212°F	pH (CONC.)	7.7 ± 0.2	
SOLUBILITY IN WATER	Miscible	pH (USE DILUTION) RTU	7.7 ± 0.2	
% VOLATILE BY WEIGHT	70.0	EVAPORATION RATE (Water=1)	1.0	
SPECIFIC GRAVITY	1.02	PRODUCT FORM	Liquid	
APPEARANCE AND ODOR	White Opaque Solution; Sweet Polymer Scent - No Fragrance Added			
SECTION IV - FIRE AND EXPLOSION DATA				
FLASH POINT(Test Method)	Tag Closed Cup: None!	FLAMMABLE LIMITS		
EXTINGUISHING MEDIA	NA	UPPER LIMIT:	NA	LOWER LIMIT: NA
SPECIAL FIRE FIGHTING PROCEDURES	None			
UNUSUAL FIRE AND EXPLOSION HAZARDS	Products of combustion. Oxides of carbon and nitrogen.			
SECTION V - REACTIVITY DATA				
STABILITY	Stable			
CONDITIONS TO AVOID	None known.			
INCOMPATIBILITY	Acids, strong alkali and heavy metal salts.			
HAZARDOUS DECOMPOSITION PRODUCTS	None known.			
HAZARDOUS POLYMERIZATION	Will not occur.			

SECTION VI - HEALTH HAZARD DATA	
ROUTE(S) OF ENTRY:	INHALATION? No SKIN? Yes INGESTION? No
HEALTH HAZARDS (Acute and Chronic)	
May cause eye and skin irritation.	
CARCINOGENICITY:	NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No
SIGNS AND SYMPTOMS OF OVEREXPOSURE:	
For Eyes: Redness or burning sensation. For Skin: Redness of skin or a warming sensation.	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE	
None Known.	
EMERGENCY AND FIRST AID PROCEDURES:	
For Eyes: Flush with cool water for 15 minutes. If irritation occurs and persists, see physician.	
For Skin: Wash with soap and water. If irritation occurs and persists, see physician.	
For Ingestion: Give two large glasses of water. DO NOT induce vomiting. Call physician immediately.	
Never give anything by mouth to an unconscious person.	
SECTION VII - SPILL OR LEAK PROCEDURES	
SPILL RESPONSE	
Pick up with mop, wet/dry vac or absorbent material. Wash area with detergent solution followed by a clear water rinse. Allow floor to dry before allowing traffic.	
WASTE DISPOSAL METHOD	
Flush to sanitary sewer or send to sanitary landfill, following local, state and federal laws.	
SECTION VIII - SPECIAL PROTECTION INFORMATION	
EYE PROTECTION	VENTILATION
When eye contact may occur, wear safety glasses or chemical splash goggles.	Maintain adequate room ventilation.
SKIN PROTECTION	RESPIRATORY PROTECTION
Rubber gloves or other impervious gloves.*	None required.
OTHER PROTECTION	
Wash thoroughly with soap and water after handling.	
*Needed for clean up of spill or for possible prolonged skin contact.	
SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS IN HANDLING AND STORAGE	KEEP OUT OF REACH OF CHILDREN! Keep container closed when not in use. Keep from freezing! Store at room temperature. Do not store above 110°F.
OTHER PRECAUTIONS NA = Not Applicable NE = Not Established	‡Material contains 2-4% n-methyl-2-pyrrolidone and 1% Triethylamine. This product is not regulated under CERCLA or RCRA. Not reportable under SARA Title III, Section 311/312.
PREPARED BY:	Scott Maag, Vice President of Operations
Disclaimer of Liability As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, expressed or implied regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Conforms to OSHA 174, Sept. 1985	