

SAFETY DATA SHEET

FOR PRINTING INK AND RELATED MATERIALS

INFORMATION ON THIS FORM IS PROPRIETARY INFORMATION AND FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS

HAZARD RATINGS

Minimal..... 0
Slight..... 1
Moderate..... 2
Serious..... 3
Severe..... 4

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

DATE OF PREP. 6-18-89 PREPARED BY R. Voedisch

Section I

MANUFACTURER'S NAME: Lawter International, Inc.
 STREET ADDRESS: 990 Skokie Blvd. CITY, STATE AND ZIP CODE: Northbrook, IL 60062
 EMERGENCY TELEPHONE NUMBER: 312-498-4700
 PRODUCT CLASS: Ink Vehicle BURNT PLATE OIL / LITHO VARNISH
 TRADE NAME: _____ MANUFACTURER'S CODE IDENTIFICATION: SR 3 Pale #03

Section II - HAZARDOUS INGREDIENTS

Ingredient:	Hazard Data:
NONE	

Section III - PHYSICAL DATA

BOILING RANGE °F N/A	VAPOR DENSITY: HEAVIER <input type="checkbox"/> N/A vs. air LIGHTER <input type="checkbox"/>	LIQUID DENSITY: HEAVIER <input type="checkbox"/> N/A vs. water LIGHTER <input type="checkbox"/>	TYPE OF ODOR Vegetable Oil
APPEARANCE Amber	EVAPORATION RATE FASTER <input type="checkbox"/> N/A vs. Butyl Acetate SLOWER <input type="checkbox"/>	PERCENT VOLATILE WT. NONE	

Section IV - FIRE & EXPLOSION DATA

FLAMMABILITY CLASSIFICATION Combustible	OSHA III B DOT Not Regulated	FLASH POINT °F (Method Used) N/A	LEL
--	---------------------------------	-------------------------------------	-----

EXTINGUISHING MEDIA:
 FOAM "ALCOHOL" FOAM CO₂ DRY CHEMICAL WATER FOG OTHER

UNUSUAL FIRE AND EXPLOSION HAZARDS
 NONE

SPECIAL FIREFIGHTING PROCEDURES Water spray may be ineffective. Water may be used to cool closed containers to prevent pressure build-up and possible auto-ignition when exposed to extreme heat. If water is used, fog nozzles are preferable.

Section V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE

Non-vaporous - generally classified as non-toxic.
Eye and skin irritation is possible.

PRIMARY ROUTE(S) OF ENTRY:

DERMAL

INHALATION

EMERGENCY AND FIRST AID PROCEDURES

Eyes: Flush with water for 15 minutes

Skin: Wash with soap and water, remove contaminated clothing

Section VI - REACTIVITY DATA

PRODUCT STABILITY

STABLE

UNSTABLE

CONDITIONS TO AVOID Heat, sparks, open flames, oxidizing materials

Section VII - SPILL OR LEAK PROCEDURES

PROCEDURE WHEN MATERIAL SPILLED OR RELEASED

Remove all sources of ignition. Add absorbent and scoop into disposal container.
Wash or steam clean area.

WASTE DISPOSAL METHOD

Landfill or incinerate in approved manner.

Section VIII - SPECIAL PROTECTION INFORMATION

VENTILATION

Provide good ventilation

PROTECTIVE GLOVES

For repeated or prolonged contact

RESPIRATORY PROTECTION

Not required

EYE PROTECTION Safety glasses recommended

OTHER PROTECTIVE EQUIPMENT:

None

Section IX - SPECIAL PRECAUTIONS

HANDLING AND STORING

Keep away from heat, sparks and open flame. Store in sealed container. Fire extinguishers must be readily available and personnel trained in proper use.

OTHER PRECAUTIONS

Stable when stored in bulk drum or smaller containers; however, if large areas are exposed to air such as on rags and filters, spontaneous combustion may occur.

THIS FORM IS SUPPLIED AS AN INDUSTRY SERVICE BY THE NATIONAL ASSOCIATION OF PRINTING INK MANUFACTURERS, INC.
(Information on this form is supplied by the individual ink manufacturer)