MATERIAL SAFETY DATA SHEET

3M 3M Center St. Paul, Minnesota 55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1997, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and

2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: OCCUPATIONAL HEALTH & ENVIRON. SAFETY TRADE NAME:

C-SKFL31 and C-SKFL5 Chemical Spill Response Kits

ID NUMBER/U.P.C.:

70-0706-1180-4 00-51138-46287-6 70-0706-1181-2 00-51138-46288-3

70-0706-1320-6 00-51131-07175-9

ISSUED: March 05, 1997

SUPERSEDES: August 21, 1996

DOCUMENT: 07-3655-3

This product is a kit or a multipart product which consists of multiple, independently packaged components. An MSDS for each of these components is included. Please do not separate the component MSDSs from this cover page. The document numbers of the MSDSs for components of this product are: 06-5095-2

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

MATERIAL SAFETY DATA SHEET 3M

3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1999, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and

 neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910-1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

DIVISION: OCCUPATIONAL HEALTH & ENVIRON. SAFETY TRADE NAME:

3M BRAND HIGH PERFORMANCE CHEMICAL SORBENT

ID NUMBER/U.P.C.:

70-0704-0823-5 00-51138-29096-7 70-0704-0824-3 00-51138-29097-9 70-0704-0825-0 00-51138-29098-6 70-0705-1716-7 00-51138-29296-1

ISSUED: June 21, 1999

SUPERSEDES: March 03, 1997

DOCUMENT: 06-5095-2

1. INGREDIENT		
Polypropylene	9003-07-0 25038-59-9 9036-19-5	> 70.0 < 24.0 < 6.0
2. PHYSICAL DATA		
BOILING POINT: N/A VAPOR PRESSURE: N/A VAPOR DENSITY: N/A EVAPORATION RATE: N/A		

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M BRAND HIGH PERFORMANCE CHEMICAL SORBENT June 21, 1999	PAGE	2
2. PHYSICAL DATA (continued)		_
PERCENT VOLATILE:       N/A         pH:       N/A         VISCOSITY:       N/A         MELTING POINT:       N/D		
APPEARANCE AND ODOR: Non-woven material, yellow, no odor		
3. FIRE AND EXPLOSION HAZARD DATA		_
FLASH POINT:		
EXTINGUISHING MEDIA: Water, Carbon dioxide, Dry chemical		
SPECIAL FIRE FIGHTING PROCEDURES: None known.		
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.		
NFPA HAZARD CODES: HEALTH: O FIRE: 1 REACTIVITY: O UNUSUAL REACTION HAZARD: none		
4. REACTIVITY DATA		_
STABILITY: Stable		
INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: None known.		
HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.		
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide, Aldehydes, Ketones, Hydrocarbons Methane, Toxic Vapors, Gases or Particulates.	5,	

MSDS: 3M BRAND HIGH PERFORMANCE CHEMICAL SORBENT June 21, 1999 PAGE 3 \_\_\_\_\_ 5. ENVIRONMENTAL INFORMATION SPILL RESPONSE: Collect spilled material. RECOMMENDED DISPOSAL: Incinerate in an industrial or commercial facility. Dispose of waste product in a sanitary landfill. Reclaim if feasible. ENVIRONMENTAL DATA: Not applicable. REGULATORY INFORMATION: Volatile Organic Compounds: N/A. VOC Less H2O & Exempt Solvents: N/D. Since regulations vary, consult applicable regulations or authorities before disposal. OTHER ENVIRONMENTAL INFORMATION: When using chemical sorbent, follow the Spill Response information for spilled material. EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO 6. SUGGESTED FIRST AID EYE CONTACT: No need for first aid is anticipated. SKIN CONTACT: No need for first aid is anticipated. INHALATION: No need for first aid is anticipated. IF SWALLOWED: No need for first aid is anticipated. 7. PRECAUTIONARY INFORMATION EYE PROTECTION: Avoid eye contact.

MSDS: 3M BRAND HIGH PERFORMANCE CHEMICAL SORBENT

June 21, 1999

7. PRECAUTIONARY INFORMATION (continued)

SKIN PROTECTION: Not applicable.

RECOMMENDED VENTILATION: Not applicable.

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products. Not applicable.

PREVENTION OF ACCIDENTAL INGESTION: Not applicable.

RECOMMENDED STORAGE:

Keep container dry. Keep out of the reach of children.

No precautions required for normal handling of this product. However, flammable and other hazardous liquids when contained in any absorbent material may continue to be hazardous or unsafe and under certain conditions may spontaneously ignite. Therefore, wear appropriate respiratory protection/protective clothing and excercise extreme care when handling, storing or disposing of absorbent materials containing such liquids to avoid personal injury and environmental harm. Dispose of only in accordance with local, state and federal regulations.

FIRE AND EXPLOSION AVOIDANCE: Not applicable.

## EXPOSURE LIMITS

INGREDIENT	V1123 G 23	 TYPE	= '	
Polypropylene	NONE NONE NONE	NONE NONE NONE	NONE NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

NOV 29 1999

MSDS: 3M BRAND HIGH PERFORMANCE CHEMICAL SORBENT June 21, 1999	PAGE	
8. HEALTH HAZARD DATA		
EYE CONTACT: Eye contact is not expected to occur during normal use of the product.		
SKIN CONTACT: No adverse health effects are expected from skin contact.		
INHALATION: No adverse health effects are expected from inhalation exposure.		
IF SWALLOWED: Ingestion is not a likely route of exposure to this product.		
SECTION CHANGE DATES		
HEADING SECTION CHANGED SINCE March 03, 1997 ISSUE		
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approx		. <u>-</u> . У

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.