3M Center St. Paul, MN 55144-1000 612 733 1110

MAY 24 1995

MATERIAL SAFETY DATA SHEET

DIVISION: HOME AND COMMERCIAL CARE DIVISION TRADE NAME:

COMPUBLEND(tm) II BASE W

3M ID NUMBER/U.P.C.: 61-5000-6961-4 00-48011-14710-9

ISSUED: FEBRUARY 15, 1995 SUPERSEDES: FEBRUARY 15, 1994 DOCUMENT: 11-3760-3

1. INGREDIENT	C.A.S. NO.	PER	CENT	
NATER	5324-64-5	60 - 10 - 0.5 -	90 30 1.5	
NOTE: IN CASE OF EMERGENCY: THE NUMI HOUR RESPONSE FROM ANY PHONE I	BER AT THE TOP FOR ALL EMERGEN	OF THIS PA CIES WITH	GE PROVIDES THIS PRODUC	24 T
2. PHYSICAL DATA				
BOILING POINT: VAPOR PRESSURE: VAPOR DENSITY: EVAPORATION RATE: SOLUBILITY IN WATER: SP. GRAVITY: PERCENT VOLATILE: VOLATILE ORGANICS: VOC LESS H20 & EXEMPT SOLVENT PH: VISCOSITY: MELTING POINT APPEARANCE AND ODOR: Liquid,	212 F N/D N/D N/D complete ca. 1.0 Water ca. 98 % ca. 10 gms/lit Rule 443.1, ca. 10 gms/lit Rule 443.1, 6-8 < 100 CPS N/A clear, colorle	er SCAQMD calculated er SCAQMD calculated		lor, mild odor
3. FIRE AND EXPLOSION HAZARD DATA				
FLASH POINT:	N/A N/A N/A N/D hemical, Foam ES:	rav n		

4. REACTIVITY DATA

STABILITY: Stable

N/D - Not Determined N/A - Not Applicable Abbreviations:

MATERIAL SAFETY DATA SHEET

31/1

MSDS: COMPUBLEND(tm) II BASE W FEBRUARY 15, 1995

PAGE: 2 of 4

4. REACTIVITY DATA

(continued)

INCOMPATIBILITY - MATERIALS TO AVOID:
Not applicable.
HAZARDOUS POLYMERIZATION: Will Not Occur
HAZARDOUS DECOMPOSITION PRODUCTS:
Carbon Monoxide and Carbon Dioxide.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. In the U.S.A., call (612) 733-1110 or (612) 733-6100 for 24-hour spill assistance. Collect spilled material. Clean up residue with water.

RECOMMENDED DISPOSAL:

Flush spent solutions and small quantities (less than 5 gal.(19 L)) to a wastewater treatment system. Reduce discharge rate if foaming occurs. Incinerate in a permitted hazardous waste incinerator in the presence of a combustible material.

Empty containers may be sanitary landfilled.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

TSCA: All chemicals used in the manufacture of this material are listed on the US TSCA inventory.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

Do not induce vomiting. Drink two glasses of water. Call a physician.

MATERIAL SAFETY DATA SHEET

MSDS: COMPUBLEND(tm) II BASE W FEBRUARY 15, 1995

PAGE: 3 of 4

7. PRECAUTIONARY INFORMATION

EYE PROTECTION: Avoid eye contact. Wear vented goggles.

SKIN PROTECTION: Avoid prolonged or repeated skin contact. Wear appropriate gloves when handling this material.

VENTILATION PROTECTION: Not applicable.

RESPIRATORY PROTECTION: Not applicable.

PREVENTION OF ACCIDENTAL INGESTION: Do not ingest.

RECOMMENDED STORAGE: Keep container closed when not in use. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE: Keep container tightly closed.

EXPOSURE LIMITS		UNTT	TVDE	AUTH	SKIN*
INGREDIENIS	NONE			NONE	
WATER				NONE	
SODIUM OCTYLSULFONATE				ACGIH	
ISOPROPYL ALCOHOL	200			ACGIH OSHA	
TSOPROPYL ALCOHOL	400			OSHA	
ISOPROPYL ALCOHOL	500	ppm	3166	UUIIA	

* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygine Assoc. Workplace Environmental Exposure Leve

- OSHA: Occupational Safety and Health Administration - NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT: Moderate Eye Irritation: signs/symptoms can include redness, swelling,

Abbreviations: N/D - Not Determined N/A - Not Applicable

MATERIAL SAFETY DATA SHEET

3M

MSDS: COMPUBLEND(tm) II BASE W FEBRUARY 15, 1995

PAGE: 4 of 4

8. HEALTH HAZARD DATA

(continued)

pain, tearing, and hazy vision.

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching.

INHALATION:

No adverse health effects are expected from inhalation exposure.

IF SWALLOWED:

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

SECTION CHANGE DATES

HEADING

SECTION CHANGED SINCE FEBRUARY 15, 1994 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this material under normal conditions. Any use of the material which is not in conformance with this Data Sheet or which involves using the material in combination with any other material or any other process is the responsibility of the user.