

ATTN: SAFETY DIRECTOR
UNIV OF WISCONSIN - WHITEWATER
PURCHASING OFFICE
800 W MAIN ST
WHITEWATER WI 53190-1705

EMERGENCY PHONE 1-314-771-5765

TE 02/15/00 CUST#: 0-495-04629 PO#: 2152000

7

SAFETY PAGE HEET THIS MSDS IS FOR A COMPONENT OF CATALOG #: BCA-1 - - CHEMICAL IDENTIFICATION- -SECTION 1. - -C2284 COPPER (II) SULFATE PENTAHYDRATE 4% SOLUTION CATALOG #: NAME: SECTION 2. - COMPOSITION/INFORMATION ON INGREDIENTS -CAS #: 7758-99-8 SYNONYMS NONYMS
BLUE COPPER AS * COPPER(II) SULFATE PENTAHYDRATE * COPPER(2+) SULFATE
PENTAHYDRATE * CUPRIC SULFATE PENTAHYDRATE * KUPFERSULFAT-PENTAHYDRAT
(GERMAN) * KUPFERVITRIOL (GERMAN) * SALZBURG VITRIOL * SULFURIC ACID,
COPPER(2+) SALT, PENTAHYDRATE * SULFURIC ACID COPPER(2+) SALT (1:1),
PENTAHYDRATE (8CI,9CI) * VENCEDOR * - HAZARDS IDENTIFICATION SECTION 3. LABEL PRECAUTIONARY STATEMENTS TOXIC (USA) HARMFUL (EU) MAY IMPAIR FERTILITY.
POSSIBLE RISK OF HARM TO THE UNBORN CHILD.
HARMFUL IF SWALLOWED.
RISK OF SERIOUS DAMAGE TO EYES.
IRRITATING TO RESPIRATORY SYSTEM AND SKIN.
MAY CAUSE SENSITIZATION BY SKIN CONTACT.
TARGET ORGAN(S): LIVER IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

SECTION 4. - - - - - - - FIRST-AID MEASURES - -

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.

CALL A PHYSICIAN.

CONTINUED ON NEXT PAGE

8008

We are Committed to the Success of our Customers through Science, Technology and Service.













CUST#: 0-495-04629 PO#: 2152000

2

MATERIAL SAFETY DATA SHEET PAGE THIS MSDS IS FOR A COMPONENT OF CATALOG #: BCA-1 C2284 COPPER (II) SULFATE PENTAHYDRATE 4% CATALOG #: NAME: SOLUTION REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY. - - - - FIRE FIGHTING MEASURES -SECTION 5. - - - -EXTINGUISHING MEDIA NONCOMBUSTIBLE. USE EXTINGUISHING MEDIA APPROPRIATE TO SURROUNDING FIRE CONDITIONS. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. UNUSUAL FIRE AND EXPLOSIONS HAZARDS EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES-WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS AND HEAVY RUBBER GLOVES.
ABSORD ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. - - - - - - - - HANDLING AND STORAGE-REFER TO SECTION 8. SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION - -WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.
USE ONLY IN A CHEMICAL FUME HOOD.
SAFETY SHOWER AND EYE BATH.
DO NOT BREATHE VAPOR.
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
KEEP TIGHTLY CLOSED.
WASH THOROUGHLY AFTER HANDLING.
STORE IN A COOL DRY PLACE. SECTION 9. - - - -- PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR LIQUID. PHYSICAL PROPERTIES SPECIFIC GRAVITY: 2.284 SECTION 10. - - -- -STABILITY AND REACTIVITY -INCOMPATIBILITIES SENSITIVE TO AIR

CONTINUED ON NEXT PAGE



CUST#: 0-495-04629 PO#: 2152000

PAGE

MATERIAL SAFETY DATA SHEET

THIS MSDS IS FOR A COMPONENT OF CATALOG #:

BCA-1

CATALOG #:

NAME:

C2284 COPPER (II) SULFATE PENTAHYDRATE 4% SOLUTION

CORRODES STEEL FINELY POWDERED METALS HEAT

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS FUMES OF: TOXIC SULFUR OXIDES

SECTION 11. - -TOXICOLOGICAL INFORMATION

ACUTE EFFECTS
HARMFUL IF SWALLOWED

HARMFUL IF SWALLOWED.

MAY BE HARMFUL IF INHALED.

MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.

CAUSES SEVERE EYE IRRITATION.

CAUSES SKIN IRRITATION.

MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER
RESPIRATORY TRACT.

MAY CAUSE ALLERGIC SKIN REACTION.

ABSORPTION INTO THE BODY LEADS TO THE FORMATION OF METHEMOGLOBIN

WHICH IN SUFFICIENT CONCENTRATION CAUSES CYANOSIS. ONSET MAY BE
DELAYED 2 TO 4 HOURS OR LONGER.

EXPOSURE CAN CAUSE:

EXPOSURE CAN CAUSE:
DAMAGE TO THE EYES
GASTROINTESTINAL DISTURBANCES

CHRONIC EFFECTS
POSSIBLE RISK OF CONGENITAL MALFORMATION IN THE FETUS.
MAY CAUSE REPRODUCTIVE DISORDERS.

TARGET ORGAN(S):

LIVER

KIDNEYS

BLOOD

ADDITIONAL INFORMATION
CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN
DAMAGE AND DEMYELINATION, KIDNEY DEFECTS, AND COPPER DEPOSITION IN THE
CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON'S DISEASE. IT HAS ALSO
BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND
ACCELERATES ARTERIOSCLEROSIS.

RTECS #: GL8900000 COPPER(II) SULFATE, PENTAHYDRATE (1:1:5)

TOXICITY DATA

ORL-HMN LDLO:1088 MG/KG
UNR-MAN LDLO:221 MG/KG
ORL-RAT LD50:300 MG/KG
SKN-RAT LD50:>2 GM/KG
IPR-RAT LD50:18700 UG/KG
IPR-MUS LD50:33 MG/KG 7<u>00</u>′ ÜĞ/KG MG/KG

18,807,1965 2,73,1970 2,182,1977 18,5161,1993 53(4),78,1988 14,289,1965 IPRAA8 85DCAI 85ARAE NNGADV GISAAA BCPCA6

CONTINUED ON NEXT PAGE


8010

We are Committed to the Success of our Customers through Science, Technology and Service.













CUST#: 0-495-04629 PO#: 2152000

PAGE MATERIAL SAFETY DATA SHEET THIS MSDS IS FOR A COMPONENT OF CATALOG #: BCA-1 C2284 COPPER (II) SULFATE PENTAHYDRATE 4% CATALOG #: NAME: JANSAG 55,337,1982 IPR-MAM LD50:7500 UG/KG TARGET ORGAN DATA
AUTONOMIC NERVOUS SYSTEM (OTHER: PARASYMPATHOMIMETIC)
BEHAVIORAL (SOMNOLENCE)
BEHAVIORAL (COMA) DINTESTINAL (CHANGES IN STRUCTURE OR FUNCTION OF SALIVARY GLANDS)
DINTESTINAL (HYPERMOTILITY, DIARRHEA)
DINTESTINAL (NAUSEA OR VOMITING)
(JAUNDICE, HEPATOCELLULAR)
(URETER, BLADDER (OTHER CHANGES)
(HEMORRHAGE)
(OTHER HEMOLYCIC GASTROINTESTINAL GASTROINTESTINAL GASTROINTESTINAL LIVER KIDNEY BLOOD BLOOD (OTHER HEMOLYSIS WITH OR WITHOUT ANEMIA)
NUTRITIONAL AND GROSS METABOLIC (WEIGHT LOSS OR DECREASED WEIGHT GAIN)
ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION. - ECOLOGICAL INFORMATION -SECTION 12. - - - -DATA NOT YET AVAILABLE. - - - - DISPOSAL CONSIDERATIONS -SECTION 13. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. - TRANSPORT INFORMATION SECTION 14. - -CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. SECTION 15. - - - - REGULATORY INFORMATION -EUROPEAN INFORMATION CAUTION: SUBSTANCE NOT YET FULLY TESTED. HARMFUL R 60 MAY R 63 IMPAIR FERTILITY. POSSIBLE RISK OF HARM TO THE UNBORN CHILD. HARMFUL IF SWALLOWED. \overline{R} OF SERIOUS DAMAGE TO EYES. R 37/38 TRRITATING TO RESPIRATORY SYSTEM AND SKIN. MAY CAUSE SENSITIZATION BY SKIN CONTACT. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE CONTINUED ON NEXT PAGE



CUST#: 0-495-04629 PO#: 2152000

PAGE

5

MATERIAL SAFETY DATA SHEET

THIS MSDS IS FOR A COMPONENT OF CATALOG #: BCA-1

CATALOG #:

NAME:

C2284 COPPER (II) SULFATE PENTAHYDRATE 4% SOLUTION

IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PROJECT AND SEEK MEDICAL ADVICE. S 36/37/39
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE RINSE IMMEDIATELY WITH PLENTY OF

PROTECTION.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION OF PERENCE 54,7740,1989
OEL-ARAB REPUBLIC OF EGYPT: TWA 0.1 MG(CU)/M3 (FUME) JAN 1993 EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION FEREAC 54,7740,1989
OEL-ARAB REPUBLIC OF EGYPT:TWA 0.1 MG(CU)/M3 (FUME) JAN 1993
OEL-AUSTRALIA:TWA 0.2 MG(CU)/M3 (FUME) JAN 1993
OEL-BELGIUM:TWA 0.2 MG(CU)/M3 (DUST) JAN 1993
OEL-BELGIUM:TWA 1 MG(CU)/M3 (DUST) JAN 1993
OEL-BELGIUM:TWA 1 MG(CU)/M3 (DUST) JAN 1993
OEL-FINLAND:TWA 1 MG(CU)/M3 (DUST) JAN 1993
OEL-FINLAND:TWA 1 MG(CU)/M3 (DUST) JAN 1993
OEL-GERMANY:TWA 0.1 MG(CU)/M3 (DUST) JAN 1993
OEL-GERMANY:TWA 0.2 MG(CU)/M3 (DUST) JAN 1993
OEL-GERMANY:TWA 0.2 MG(CU)/M3 (FUME) JAN 1993
OEL-HUNGARY:TWA 0.2 MG(CU)/M3 (FUME) JAN 1993
OEL-THE NETHERLANDS:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THE NETHERLANDS:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THE NETHERLANDS:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THE PHILIPPINES:TWA 1.0 MG(CU)/M3 (FUME) JAN 1993
OEL-SWEDEN:TWA 0.2 MG(CU)/M3 (RESP, DUST) JAN 1993
OEL-SWEDEN:TWA 0.2 MG(CU)/M3 (RESP, DUST) JAN 1993
OEL-SWEDEN:TWA 0.2 MG(CU)/M3 (FUME) JAN 1993
OEL-SWEDEN:TWA 0.2 MG(CU)/M3 (FUME) JAN 1993
OEL-SWEDEN:TWA 0.1 MG(CU)/M3 (FUME) JAN 1993
OEL-SWITZERLAND:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THAILAND:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THAILAND:TWA 1 MG(CU)/M3 (FUME) JAN 1993
OEL-THAILAND:TWA 1 MG(CU)/M3 JAN 1993
OEL-UNITED KINGDOM:TWA 0.2 MG(CU)/M3 JAN 1993
OEL-UNITED KINGDOM:TWA 1 MG(CU)/M3 JAN 1993
OEL-UNITED KIN (FUME) JAN 1993 1993

U.S. INFORMATION
THIS PRODUCT IS SUBJECT TO SARA SECTION 313 REPORTING REQUIREMENTS COPPER COMPOUNDS.

SECTION 16. - - - -- - - - OTHER INFORMATION-

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

CONTINUED ON NEXT PAGE

8012

We are Committed to the Success of our Customers through Science, Technology and Service.









CUST#: 0-495-04629 PO#: 2152000

PAGE

6

SHEET MATERIAL SAFETY DATA

THIS MSDS IS FOR A COMPONENT OF CATALOG #:

BCA-1

CATALOG #: NAME:

C2284 COPPER (II) SULFATE PENTAHYDRATE 4% SOLUTION

P.O. BOX 355 MILWAUKEE, WISCONSIN 53201, USA

COPYRIGHT 1999 SIGMA-ALDRICH CO. LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

MATERIAL WAS SHIPPED TO THIS ADDRESS:
UNIV OF WISCONSIN - WHITEWATER
PETER MESNER
UPHAM HALL
800 W MAIN ST
WHITEWATER WI 53190