THIS MATERIAL SAFETY DATA SHEET IS AVAILABLE IN SPANISH UPON REQUEST.

LOS DATOS DE SEGURIDAD DEL PRODUCTO PUEDEN OBTENERSE EN ESPANOL SI LO REQUIERE.

PRODUCT NAME UPC NUMBER

: DAP.COVE BASE ADHESIVE : 10934, 25032, 25053, 25054, 25055

PRODUCT USE/CLASS

: Cove Based Adhesive

MANUFACTURER: DAP INC. P.O. Box 277

24 HOURS EMERGENCY: INFO TRAC: 1-800-535-5053

DAP I>

Transfer interrupted!

Dayton, OH 45401-0277

GENERAL INFORMATION: PREPARE DATE: 01/17/96 DAP INC.: 1-800-543-3840 REVISION NO.: 7

REVISION DATE: 02/01/97

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

ITEM ----- CHEMICAL NAME ----- CAS NUMBER RANGE

NO HAZARDOUS MATERIALS ARE CONTAINED IN THIS PRODUCT.

----- EXPOSURE LIMITS ----OSHA COMPANY ITEM TLV-TWA TLV-STEL PEL-TWA PEL-CEILING TLV-TWA SKIN

(See Section 16 for abbreviation legend)

Ingredients are not considered hazardous per the OSHA Hazard Communication Standard.

Listed Permissible Exposure Levels (PEL) are from the U.S. Dept. of Labor OSHA Final Rule Limits (CFR 29 1910.1000); limits may vary between states.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION! In an emergency situation, this product should not pose a significant immediate concern for emergency response personnel.

POTENTIAL HEALTH EFFECTS:

EFFECTS OF OVEREXPOSURE - EYE CONTACT: May cause eye irritation.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Prolonged or repeated contact with skin may cause irritation.

(Continued on Page 2)

Product Name: DAP COVE BASE ADHESIVE Revision Date: 02/01/97	Page 2
SECTION 3 - HAZARDS IDENTIFICATION	
EFFECTS OF OVEREXPOSURE - INHALATION: Vapor may irritate nose and respiratory tract.	upper
EFFECTS OF OVEREXPOSURE - INGESTION: None.	
EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: Prolonged or repeated contact with skin may cause irritation.	
MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: None known.	
PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT INGESTION	
SECTION 4 - FIRST AID MEASURES	
EYE CONTACT: Flush with large quantities of water until irritation subsides. Contact a physician.	1
SKIN CONTACT: Wash with soap and water.	
INHALATION: Remove to fresh air. Contact a physician immediately.	•
INGESTION: DO NOT INDUCE VOMITING. Contact a physician or Regional Control Center immediately.	al Poison
COMMENTS: None.	
SECTION 5 - FIRE FIGHTING MEASURES	
FLASH POINT: >200 F (SETAFLASH CLOSED CUP) LOWER EXPLOSIVE LIMIT: UPPER EXPLOSIVE LIMIT:	
AUTOIGNITION TEMPERATURE: N.E.	
EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM WATER FOG	
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.	
SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contain breathing apparatus pressure-demand (MSHA/NIOSH approved or equival full protective gear. Use water spray to cool exposed surfaces.	ned .ent) and
SECTION 6 - ACCIDENTAL RELEASE MEASURES	
Transfer interrupted!	

 ${\tt SPILL}$ OR LEAK PROCEDURES: Use absorbent material or scrape up dried material and place into containers.

(Continued on Page 3)

Product Name: DAP COVE BASE ADHESIVE Revision Date: 02/01/97 SECTION 7 - HANDLING AND STORAGE HANDLING INFORMATION: KEEP OUT OF REACH OF CHILDREN. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. STORAGE INFORMATION: Store away from caustics and oxidizers. Keep containers tightly closed when not in use. Keep containers from excessive heat and freezing. Do not store at temperatures above 120 degrees F. OTHER PRECAUTIONS: Use in a well ventilated area. Provide fresh air such that chemical odors cannot be detected during use and while drying. |-----| SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: Good mechanical ventilation and local exhaust. RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Not required under normal usage and adequate ventilation. EYE PROTECTION: Safety glasses with side shields recommended. SKIN PROTECTION: Gloves recommended for repeated or prolonged contact with skin. OTHER PROTECTIVE EQUIPMENT: None. HYGIENIC PRACTICES: Although this product is not considered an eye irritant, inhalation hazard, or a skin contact hazard under normal conditions, it is advisable that personnel minimize skin contact, inhalation of vapors, and eye contact. Remove contaminated clothing and wash before reuse. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES |-----BOILING RANGE : 210 - 220 F VAPOR DENSITY : Is heavier than air ODOR : Sweet Odor
APPEARANCE : Off-White Paste EVAPORATION RATE: Is slower than Butyl SOLUBILITY IN H2O: N.E. Acetate SPECIFIC GRAVITY : 1.4686 VAPOR PRESSURE : 17.5 mm Hg@68F. PHYSICAL STATE : Paste (See Section 16 for abbreviation legend) (Continued on Page 4) Product Name: DAP COVE BASE ADHESIVE Revision Date: 02/01/97 Page 4

|------|

SECTION 10 - STABILITY AND REACTIVITY
CONDITIONS TO AVOID: Excessive heat and freezing.
INCOMPATIBILITY: Strong oxidizers and caustics.
HAZARDOUS DECOMPOSITION PRODUCTS: Normal decompositon products, i.e. COx , NOx
HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.
STABILITY: This product is stable under normal storage conditions.
SECTION 11 - TOXICOLOGICAL PROPERTIES
The toxicological properties of this material are unknown, however, based on the toxicity of its constituents, it is expected to have relatively low toxicity.
SECTION 12 - ECOLOGICAL INFORMATION
No Information.
SECTION 13 - DISPOSAL CONSIDERATIONS
WASTE MANAGEMENT/DISPOSAL: Dispose of according to Federal, State, and Local Standards. This product does not meet the definition of a hazardous waste according to U.S. EPA Hazardous Waste Management Regulations, 40 CFR Section 261. State and Local regulations/restrictions are complex and may differ from Federal regulations. Responsiblity for proper waste disposal is with the owner of the waste.
EPA WASTE CODE - If discarded (40 CFR 261): None.
SECTION 14 - TRANSPORTATION INFORMATION
DOT PROPER SHIPPING NAME: Not Regulated by D.O.T.
DOT HAZARD CLASS: NONE
DOT UN/NA NUMBER: NONE PACKING GROUP: NONE (Continued on Page 5)
Product Name: DAP COVE BASE ADHESIVE Revision Date: 02/01/97 Page 5
SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
No SARA Section 313 components exist in this product. WT/WT % RANGE
TOXIC SUBSTANCES CONTROL ACT: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:
CHEMICAL NAME CAS NUMBER None.
NEW JERSEY RIGHT-TO-KNOW: The following materials are non-hazardous, but are among the top five components in this product:
PENNSYLVANIA RIGHT-TO-KNOW: The following non-hazardous ingredients are present in the product at greater than 3%:
Water Acrylic Polymer Calcium Carbonate CAS NUMBER 7732-18-5 proprietary 1317-65-3
CALIFORNIA PROPOSITION 65: WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:
No Proposition 65 chemicals are known to exist in this product.
(Continued on Page 6)
Product Name: DAP COVE BASE ADHESIVE Revision Date: 02/01/97 Page 6
SECTION 15 - REGULATORY INFORMATION
INTERNATIONAL REGULATIONS: AS FOLLOWS -
CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.
CANADIAN WHMIS CLASS: No information available.

HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0

PREVIOUS MSDS REVISION DATE: 07/26/94

VOC LESS WATER, LESS EXEMPT SOLVENTS: 0 grams/ltr (Calculated)

VOC MATERIAL : 0 grams/ltr (Calculated)

LEGEND: ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

N.A. - NOT APPLICABLE

SECTION 16 - OTHER INFORMATION

PEL - PERMISSIBLE EXPOSURE LIMIT

NTP - NATIONAL TOXICOLOGY PROGRAM

CARDA CHERRELING AMENDMENTS AND REALITHORIZATION A

SARA - SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986

STEL - SHORT TERM EXPOSURE LIMIT

TLV - THRESHOLD LIMIT VALUE (8 HR. TIME WEIGHTED AVERAGE OR TWA)

VOC - VOLATILE ORGANIC COMPOUND NJRTK - NEW JERSEY RIGHT TO KNOW LAW

N.D. - NOT DETERMINED

N.E. - NOT ESTABLISHED

SUPERSEDES MSDS # 30802

This data is offered in good faith as typical values and not as a product specification. No warranty either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review the recommendations in specific context of the intended use and determine if they are appropriate.

< End OF MSDS >
