
Kewaunee County Development Center



MATERIAL SAFETY DATA SHEET



HMIS RATING

SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Dust-Cling

MSDS NUMBER: 1001

GENERIC NAME: Dust Mop Treatment

DATE ISSUED: Nov. 8, 1996

MANUFACTURER: Kewaunee County Development Center

EMERGENCY PHONE: 414-487-3541

ADDRESS: 813 Rabas Street

MANUFACTURER PHONE: 414-487-3541

CITY, STATE, ZIP: Agoma, WI 54201-1799

MANUFACTURER FAX: 414-487-3478

SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME CAS NUMBER % TLV PEL

Amyl Acetate 628-63-7 <1 100 ppm 100 ppm

Petroleum Hydrocarbon* 64742-80-9 >99 None None

Key: N/A = not applicable; N/D = not determined; TLV = ACGIH, 8 hr. time weighted average (TWA); PEL = OSHA permissible exposure limit

SECTION III - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a commercial cleaning compound which does not present an unusual risk in an emergency situation. However, your attention is directed to the potential health effects below.

HMIS RATING:

Health: 1

Fire: 2

Reactivity: 0

Other: 0

POTENTIAL HEALTH EFFECTS:

ROUTES OF ENTRY: Inhalation, Skin, Eye, Ingestion

INHALATION: Excessive inhalation may cause dizziness, drowsiness, headache, and nausea.

SKIN CONTACT: Defatting agent. May cause dermatitis. Prolonged contact may burn skin...

EYE CONTACT: Defatting agent. May cause eye irritation.

INGESTION: Moderately toxic if ingested.

OTHER: Prolonged exposure to high concentrations may damage central nervous system.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Chronic respiratory and skin diseases.

CARCINOGENICITY: Not listed by NTP or IARC. Not regulated as a carcinogen by OSHA.

Issued: November 8, 1996

Dust-Cling

MSDS Number: 1001

SECTION IV - FIRST AID MEASURES

INHALATION: Move to fresh air which is free from risk of further exposure. Symptomatic treatment if required. If not breathing, administer artificial respiration.

EYE CONTACT: Flush eyes with clean, lukewarm water at low pressure. Seek medical attention if irritation persists.

SKIN CONTACT: Wash exposed areas with soap and water. Seek medical attention if irritation persists.

INGESTION: Do not induce vomiting. Seek medical attention.

SECTION V - FIREFIGHTING MEASURES

NFPA RATING:

Health: 1

Fire: 1

Reactivity: 0

Other: 0

FLASHPOINT AND METHOD: 101° F. (closed cup).for n-Amyl Acetate

EXTINGUISHING METHOD: CO2, foam, dry chemical. Water not recommended.

FIRE OR EXPLOSION HAZARDS: Possible dense smoke. This material will not explode spontaneously.

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA). Appropriate protective equipment for combating hydrocarbon fires.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Wipe dry or mop with absorbent and discard in a tightly covered waste container.

SECTION VII - HANDLING AND STORAGE

STORAGE TEMPERATURE: Storage temperature should not exceed 120°F.

SHELF LIFE: Not limited.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Ground containers when pouring. Do not store near strong oxidizers or sources of heat, sparks or flame.

Dust Cling

MSDS Number: 1001

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Avoid splashing in eyes. If danger of splashing exists wear goggles or safety glasses with side shields.

SKIN PROTECTION: Optional use of gloves, impervious to oil and solvents.

RESPIRATORY PROTECTION: When over TLV/PEL wear half-face mask with cartridges approved for organic vapors.

ENGINEERING CONTROLS: Maintain sufficient ventilation to assure vapor concentrations remain below TLV/PEL. Use local exhaust if necessary.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Clear liquid

COLOR: Water white

ODOR: slight banana-like odor

BOILING POINT: N/D

SPECIFIC GRAVITY: ≈ 0.85

SOLUBILITY IN WATER: NII

PH: N/D

VOLAILES BY VOLUME: 100%

VAPOR PRESSURE: N/D

VOLATILE ORGANIC CONTENT: ≈ 850 g/L

VAPOR DENSITY: N/D

SECTION X - REACTIVITY

STABILITY: Stable under normal conditions of use.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents such as nitric acid, hydrogen peroxide, and chromic acid.

DECOMPOSITION PRODUCTS: Carbon monoxide, combustion products of nitrogen and sulfur.

SECTION XI - TOXICOLOGICAL/ECOLOGICAL INFORMATION

No information available.

SECTION XII - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Seal and label waste container. Send the container to an approved Transportation, Storage and Disposal (TSD) facility via an approved waste hauler. Be sure manifests have been completed and an adequate "Paper trail" has been established.

Dust-Cling

MSDS Number: 1001

SECTION XIII - TRANSPORTATION INFORMATION

DOT SHIPPING NAME: Compounds, Cleaning liquid

DOT LABEL: Not required

TECHNICAL SHIPPING NAME: None

DOT PLACARD: Not required

DOT HAZARD CLASS: Combustible Liquid

UN/NA NUMBER: UN-1993

SECTION XIV - REGULATORY INFORMATION

OSHA STATUS: This product is regulated under OSHA criteria.

TSCA STATUS: All applicable chemicals are registered under TSCA.

CERCLA REPORTABLE QUANTITY: Not regulated under CERCLA.

CALIFORNIA PROPOSITION 65: Not regulated under California Proposition 65

SARA TITLE III: Not regulated under SARA TITLE III

SECTION 302 EXTREMELY HAZARDOUS: N/A

SECTION 311/312 HAZARD CATEGORIES: N/A

SECTION 313 TOXIC CHEMICALS: N/A

RCRA STATUS: Not regulated under RCRA.

SECTION XV - APPROVALS

REASON FOR ISSUE: New MSDS

SUPERSEDES DATE: None

PREPARED BY: CCG, Inc.

APPROVAL DATE: November 8, 1996

SECTION XVI - DISCLAIMER

AS OF THE DATE OF THIS DOCUMENT, THE FOREGOING INFORMATION IS BELIEVED TO BE ACCURATE AND IS PROVIDED IN GOOD FAITH TO COMPLY WITH APPLICABLE FEDERAL AND STATE LAWS. HOWEVER, NO WARRANTY OR REPRESENTATION OF LAW OR FACT, WITH RESPECT TO SUCH INFORMATION, IS INTENDED OR GIVEN.