

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND IDENTIFICATION

PRODUCT NAME: X12873D - DUST BLASTER TRIAL SIZE 3.5 OZ.

SUPPLIER: KENSINGTON TECHNOLOGY GROUP
 2000 ALAMEDA DE LAS PULGAS
 SECOND FLOOR
 SAN MATEO, CA 94403

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053
 24 HOUR EMERGENCY PHONE

MANUFACTURER: AEROFIL TECHNOLOGY, INC.
 225 INDUSTRIAL PARK DRIVE
 SULLIVAN, MO 63080

EMERGENCY TELEPHONE (INFOTRAK): 800-535-5053
 24 HOUR EMERGENCY PHONE

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

ITEM	CHEMICAL NAME	CAS NUMBER	WT/WT %
<hr/>			
LESS THAN			
<hr/>			

01	ETHANE, 1, 1, 1, 2-TETRAFLUORO	811-97-2	100.0%
----	--------------------------------	----------	--------

EXPOSURE LIMITS

ITEM	ACGIH		OSHA		COMPANY
	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CEILING	
SKIN					
<hr/>					
01	NO INFO	NO INFO	NO INFO	NO INFO	1000 ppm
NO					

(See Section 16 for abbreviation legend)

A

Acco Part #	Description
--------------------	--------------------

X40827D	Static and Dust Control Kit
---------	-----------------------------

This item is a kit consisting of the X12873 Dust Blaster (3.5 oz) and the X81288 Dust Guardian Multipurpose Antistatic Spray. Each of these items has its own MSDS.

You should consult the individual MSDS for each item. They are attached for your convenience.

Please let us know if you have any further questions.

Attachments: X12873D MSDS and X81288D MSDS

SECTION 3 – HAZARDS IDENTIFICATION

*****EMERGENCY OVERVIEW***:** KEEP FROM REACH OF CHILDREN. DO NOT PUNCTURE, INCINERATE, OR PLACE AEROSOL PRODUCT CONTAINERS IN COMPACTORS. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED SINCE CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID, AND/OR SOLID). ALL HAZARD PRECAUTIONS GIVEN MUST BE OBSERVED. DO NOT FLAME CUT, BRAZE, OR USE WELDING TORCH. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THIS PRODUCT MAY BE HARMFUL OR FATAL.

EFFECTS OF OVEREXPOSURE – EYE CONTACT: MAY CAUSE IRRITATION, REDNESS, TEARING, BLURRED VISION.

EFFECTS OF OVEREXPOSURE – SKIN CONTACT: CONTACT WITH LIQUID FROM THIS PRODUCT MAY CAUSE FROST BITE. PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION DEFATTING, DERMATITIS.

EFFECTS OF OVEREXPOSURE – INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

EFFECTS OF OVEREXPOSURE – INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

EFFECTS OF OVEREXPOSURE – CHRONIC HAZARDS: No Information.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT

SECTION 4 – FIRST AID MEASURES

FIRST AID – EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY, GET MEDICAL ATTENTION.

FIRST AID – SKIN CONTACT: FLUSH THOROUGHLY WITH WATER TO WARM SKIN, TREAT FOR FROSTBITE IF NECESSARY.

FIRST AID – INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. KEEP PERSON WARM AND QUIET. GET MEDICAL ATTENTION.

FIRST AID – INGESTION: THIS IS NOT AN ANTICIPATED ROUTE OF ENTRY.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: N.A.

LOWER EXPLOSIVE LIMIT: N.A.
UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: N.D.

EXTINGUISHING MEDIA: CO₂, DRY CHEMICAL, WATER - FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND TRAVEL ALONG THE GROUND OR MAY BE MOVED BY VENTILATION TO LOCATIONS DISTANT FROM THE MATERIAL HANDLING POINT.

SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN FIGHTING FIRES. KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: VENTILATE AREA. PERSONS NOT PROPERLY EQUIPPED SHOULD BE EXCLUDED FROM AREA. STOP STILL AT SOURCE IF POSSIBLE. AVOID INHALATION OF VAPORS. AVOID CONTACT WITH LIQUID. THIS PRODUCT CONSISTS OF MATERIALS WHICH ARE GASES AT ROOM TEMPERATURE. IN THE EVENT OF AN ACCIDENTAL RELEASE, THE CONTENTS OF THIS PRODUCT WILL EVAPORATE. IF UNEMPTIED AEROSOLS ARE TO BE DISPOSED OF, DO SO IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION 7 – HANDLING AND STORAGE

HANDLING: No Information.

STORAGE: DO NOT STORE ABOVE 120F. DO NOT STORE IN DIRECT SUNLIGHT.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: PROVIDE SUFFICIENT MECHANICAL VENTILATION (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

RESPIRATORY PROTECTION: IF WORK PLACE EXPOSURE LIMITS OF PRODUCT OR ANY COMPONENT IS EXCEEDED, USE A NIOSH/MSHA APPROVED RESPIRATOR. CONSULT YOUR SAFETY EQUIPMENT SUPPLIER FOR RECOMMENDATIONS.

SKIN PROTECTION: NOT NECESSARY UNDER NORMAL CONDITIONS. WEAR INSULATED RUBBER GLOVES IF THERE IS ANTICIPATED EXPOSURE TO LIQUID PRODUCT.

EYE PROTECTION: SAFETY GLASSES ARE RECOMMENDED TO PROTECT AGAINST FLYING DIRT AND OTHER OBJECTS DISPLACED BY AIR DUSTER.

OTHER PROTECTIVE EQUIPMENT: NONE KNOWN

HYGIENIC PRACTICES: WASH HANDS BEFORE EATING OR SMOKING. SMOKE IN DESIGNATED AREAS ONLY. REMOVE AND LAUNDRER CLOTHING IF CONTAMINATED.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE	: -16 to -16F	VAPOR DENSITY	: Is heavier than air
ODOR	: SLIGHT ETHER-LIKE ODOR	THRESHOLD	: N.D.
APPEARANCE	: COLORLESS GAS	EVAPORATION RATE	: Is faster than Butyl
SOLUBILITY IN H ₂ O	: NEGLIGIBLE	SPECIFIC GRAVITY	: 1.2104 Acetate
FREEZE POINT	: N.D.	pH @ 0.0%	: N.A.
VAPOR PRESSURE	: N.D.	VISCOSITY	: N.D.
PHYSICAL STATE	: LIQUID		
COEFFICIENT OF WATER/OIL DISTRIBUTION	: N.D.		

(See Section 16 for abbreviation legend)

SECTION 10 – STABILITY AND REACTIVITY

CONDITIONS TO AVOID: EXTREME HEAT OR FLAMES.

INCOMPATIBILITY: ALKALI, AKALINE EARTH METALS.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROFLUORIC ACID AND POSSIBLY CARBONYL FLUORIDE. CARBON MONOXIDE AND CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

SECTION 11 – TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Information.

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: No Information.

SECTION 14 – TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Consumer Commodity ORM-D

DOT TECHNICAL NAME: 1, 1, 1, 2-TETRAFLUOROETHANE

DOT HAZARD CLASS: 2.2 HAZARD SUBCLASS: NONE

DOT UN/NA NUMBER: UN3159 PACKING GROUP: NONE RESP. GUIDE
PAGE: 126

ADDITIONAL INFORMATION: This product is packaged under DOT Exemption Number DOT-E 10232.

SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS –

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA – SARA HAZARD CATEGORY: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment

and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

—————CHEMICAL NAME—————CAS NUMBER—————WT/WT % IS
LESS THAN

No SARA Section 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

—————CHEMICAL NAME—————CAS NUMBER

No information is available.

INTERNATIONAL REGULATIONS: AS FOLLOWS –

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

SECTION 16 – OTHER INFORMATION

HMIS RATINGS – HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1

PREVIOUS MSDS REVISION DATE: 08/15/00

REASON FOR REVISION: NEW PRODUCT

VOC CONTENT: 0.0% BY WEIGHT, 0 GRAMS/LITER TOTAL PRODUCT, 0 GRAMS/LITER LESS WATER AND EXEMPT, 0.00 LBS/GAL

LEGEND: N.A. – Not Applicable
N.E. – Not Established
N.D. – Not Determined

DISCLAIMER

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations. The environmental information and hazardous materials identification system have been included by Aerofil Technology, in order to provide additional health and hazard classification information. The ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with Aerofil Technology's interpretation of the available data. Proper personal protective equipment varies widely with conditions of use and anticipated

exposure. We recommend that a supervisor or other qualified person determine proper PPE for intended use.