

APR 28 1995

MATERIAL SAFETY DATA SHEET 05002

National Gypsum Company
2001 Rexford Road
Charlotte, NC 28211

For emergency product safety information, call Mr. Thomas Welty, Director
Quality Services Management at 704-365-7543.

I PRODUCT IDENTIFICATION

This material safety data sheet is applicable to the following products:

- Gold Bond All Purpose Ready Mix Joint Compound
- Gold Bond Ready Mix Topping Compound
- Gold Bond Level 5 Compound
- Gold Bond Ready Mix Taping Compound
- Gold Bond ProForm
- Gold Bond Lite Ready Mix Joint Compound
- Gold Bond Easy Finish Ready Mix Joint Compound

Chemical Family: Mixture

II HAZARDOUS INGREDIENTS

Contains: <u>Chemical Identity</u>	<u>CAS-NO</u>	OSHA <u>PEL</u> ₃ (mg/m ³)	ACGIH <u>TLV</u> ₃ (mg/m ³)
Calcium Carbonate	1317-65-3	5	10*
Quartz **	14808-60-7	***	0.1

and may contain one or more of the following:

Mica	12001-26-2	20 mppcf	3
Talc (non-asbestiform)	14807-96-6	20 mppcf	2
Perlite	93763-70-3	5	10*
Attapulgate Clay	12174-11-7	NL	NL

Contains no asbestos.

NL - not listed.

* Total dust. All others are respirable dust.

** Present as a naturally occurring component of minerals. See Sec III

HEALTH HAZARD DATA.

*** Respirable dust. Use the formula $\frac{10 \text{ mg/m}^3}{\% \text{SiO}_2 + 2}$

Appearance and Odor

A white paste with no odor.

Fire Hazard Data - Not combustible

Extinguishing Media

Dry chemical, foam, water fog or spray.

Special Firefighting Procedures

Wear full protective equipment and an approved pressure demand self-contained breathing apparatus.

Reactivity Data

Gold Bond Ready Mix Products are stable and hazardous polymerization will not occur. When heated to decomposition oxides of carbon will

MATERIAL SAFETY DATA SHEET 05002

III HEALTH HAZARD DATA

Carcinogenicity

Substance	NTP	IARC	OSHA
Quartz (crystalline silica)	YES	2A	NO

Caution: Contains quartz (crystalline silica)

The International Agency for Research on Cancer (IARC) classes this substance in Group 2A, which IARC defines as "probably carcinogenic to humans". According to IARC there is sufficient evidence for the carcinogenicity of crystalline silica to experimental animals and limited evidence for the carcinogenicity of crystalline silica to humans. On the basis of sufficient evidence of carcinogenicity in experimental animals NTP (National Toxicology Program) places this substance in the group "which may reasonably be anticipated to be carcinogens". It is recommended that a NIOSH approved respirator, for toxic dusts, be worn whenever working with this product results in airborne dust exposure exceeding the prescribed limits. Quartz is not classified as a carcinogen by OSHA.

Substance	NTP	IARC	OSHA
Attapulгите	NO	3	NO

Note: IARC classes attapulгите clay in Group 3 which is used to describe substances whose carcinogenicity to humans because of inadequate evidence, cannot be classified as possible, probable, or definite.

IARC reported inadequate epidemiological evidence for the carcinogenicity of attapulгите clay to humans noting that injection of attapulгите clay into experimental rats has been shown to induce tumors. Attapulгите is not classified as a carcinogen by NTP or OSHA.

Skin Contact

Continued and prolonged contact may cause transient irritation to the skin.

Eye Contact

Direct contact may cause eye irritation.

Inhalation

Exposure occurs when sanding the dried product
Target Organ: respiratory system.

Signs and Symptoms of Exposure to Airborne Dust

Continued and prolonged exposure to airborne dust concentrations in excess of the PEL/TLV may result in cough, dyspnea, wheezing and impaired pulmonary function.

Medical Conditions Generally Aggravated By Exposure

Overexposure would generally aggravate respiratory system dysfunctions.

MATERIAL SAFETY DATA SHEET 05002

First Aid Procedures

Eye: Immediately flush eyes with water for 15 minutes and get medical attention.

Skin: Flush and wash skin with soap and water. Get medical attention if irritation persists.

Breathing: Move the exposed person to fresh air at once. If not breathing initiate pulmonary resuscitation. Get medical attention.

IV PRECAUTIONS for SAFE HANDLING

Steps to be Taken in Case Material is Released or Spilled

Shovel or scoop up back into container for use if possible or disposal.

Waste Disposal Method

Not a hazardous waste. Dispose of in accordance with applicable federal, state and local regulations.

Precautions to be Taken in Handling and Storing

Keep from freezing to preserve usefulness.

V CONTROL MEASURES

Work/Hygiene Practices

Avoid creating dust.

Ventilation

Provide ventilation to maintain a dust level below the PEL/TLV.

Respiratory Protection

A NIOSH approved respirator for toxic dusts is recommended if the PEL/TLV is exceeded.

Eye Protection

Safety glasses or goggles.

Effective Date: May 6, 1994 Supersedes MSDS dated October 1, 1993.

Prepared by: Norbert W. Kaleta

Disclaimer of Liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without any warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained for the use thereof.