

* * * * *
 * M S D S *
 *
 * Canadian Centre for Occupational Health and Safety *
 * * * * * (June, 2002) *

*** IDENTIFICATION ***

MSDS RECORD NUMBER : 2879050
 PRODUCT NAME(S) : GOOD RIDDANCE
 DATE OF MSDS : 2000-02-09
 CURRENCY NOTE : This MSDS was provided to CCOHS in electronic form on 2001-09-28

*** MANUFACTURER INFORMATION ***

MANUFACTURER : NATIONAL CHEMSEARCH
 DIV OF NCH CANADA INC
 ADDRESS : 245 Orenda Road
 Brampton Ontario
 Canada L6T 1E7
 Telephone: 905-457-5220

*** MATERIAL SAFETY DATA ***

MATERIAL SAFETY DATA SHEET : 00000997

NATIONAL CHEMSEARCH
 DIV. OF NCH CANADA INC.
 245 ORENDA ROAD. BRAMPTON, ONTARIO L6T 1E7
 (905) 457-5220

Product: GOOD RIDDANCE

SECTION 01: MANUFACTURER INFORMATION

MANUFACTURER.....NATIONAL CHEMSEARCH
 DIV. OF NCH CANADA INC.
 245 ORENDA ROAD.
 BRAMPTON, ONTARIO
 L6T 1E7
 (905) 457-5220
 WHMIS CLASS.....D2b.
 T.D.G. CLASSIFICATION.....COMPOUND CLEANING, NOI LIQUID.
 NFPA - HEALTH RISK.....1 = SLIGHT.
 NFPA - FLAMMABILITY.....1 = SLIGHT.
 NFPA - REACTIVITY.....0 = INSIGNIFICANT.
 MATERIAL CODE.....0963.
 MATERIAL USE.....CLEANER AND SPOT REMOVER.
 PRECAUTIONS.....READ ENTIRE LABEL BEFORE USING
 PRODUCT.KEEP OUT OF REACH OF CHILDREN.

SECTION 02: HAZARDOUS INGREDIENTS

%	CAS / TLV	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
SODIUM THIOSULFATE PENTAHYDRATE			
1 - 5	10102-17-7	IVN-DOG LDLO	NOT AVAILABLE
	NOT EST.	3000 MG/KG	
SODIUM LAURYL SULFATE			
1 - 5	151-21-3	1288 mg/kg	NOT APPLICABLE
	NOT ESTABLISHED	ORAL RAT	

SECTION 03: PHYSICAL DATA

PHYSICAL STATE.....LIQUID.
 ODOUR.....BABY POWDRE.
 COLOUR.....COLOURLESS.
 CLARITY.....TRANSPARENT.
 VAPOR PRESSURE (mm Hg).....18.
 VAPOUR DENSITY (AIR=1).....0.6.
 PERCENT VOLATILE BY VOLUME.....96.
 SOLUBILITY IN WATER (% W/W).....COMPLETE.
 EVAPORATION RATE.....0.1.
 MELTING POINT (deg C).....NOT APPLICABLE.
 BOILING POINT (deg C).....100.
 pH.....8 - 9.
 SPECIFIC GRAVITY.....1.024.

SECTION 04: FIRE & EXPLOSION DATA

FLAMMABILITY.....NOT FLAMMABLE.
 IF YES, UNDER WHICH.....
 CONDITIONS?
 EXTINGUISHING MEDIA.....DRY SAND. FOAM, "ALCOHOL" FOAM, CO2, DRY
 CHEMICAL, WATER FOG. WILL NOT SUPPORT
 COMBUSTION.
 SPECIAL PROCEDURES.....WEAR SELF CONTAINED BREATHING GEAR WHEN
 FIRE FIGHTING IN CONFINED SPACES.
 FLASH POINT (C).....NOT APPLICABLE.
 FLASH POINT METHOD.....NOT APPLICABLE.
 HAZARDOUS COMBUSTION PRODUCTS.....COMBUSTION WILL RESULT IN THE USUAL
 DECOMPOSITION PRODUCTS, INCLUDING OXIDES
 OF CARBON. OXIDES OF SULPHUR. SODIUM
 SULFIDE.

SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY.....
 YES.....STABLE, HAZARDOUS POLYMERIZATION WILL NOT
 OCCUR. UNDER NORMAL CONDITIONS.
 NO, WHICH CONDITIONS ?.....
 COMPATIBILITY WITH OTHER.....
 SUBSTANCES
 YES.....
 NO, WHICH ONES?.....REACTIVE METALS eg SODIUM, POTASSIUM,
 CALCIUM, MAGNESIUM OR ZINC. ACIDS. STRONG
 OXIDIZING AGENTS.
 REACTIVITY CONDITIONS ?.....CONTACT WITH ACIDS LIBERATES TOXIC GAS.

SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:.....
 ACUTE EFFECTS.....
 SKIN CONTACT.....CONTAINS MATERIALS THAT CAN CAUSE MODERATE
 IRRITATION TO THE SKIN.
 EYE CONTACT.....CONTAINS MATERIALS THAT ARE MODERATELY
 IRRITATING TO THE EYES.
 INHALATION.....NOT TYPICALLY A HAZARD. HIGH CONCENTRATIONS
 MAY CAUSE IRRITATION SEEN AS COUGHING AND
 SNEEZING.
 INGESTION.....CAUSES IRRITATION AND BURNING OF THE
 MUCOUS MEMBRANES OF THE GASTROINTESTINAL
 TRACT.
 EFFECTS OF CHRONIC EXPOSURE.....DEFATTING, DRYING AND CRACKING OF SKIN
 POSSIBLE ON REPEATED CONTACT. REPEATED
 EXPOSURE MAY CAUSE CHRONIC EYE
 IRRITATION. IRRITATION OF EYES, NOSE AND
 THROAT.

ADDITIONAL HEALTH HAZARDS.....
 IRRITANCY OF MATERIAL.....SLIGHT.
 CARCINOGENICITY OF MATERIAL.....NOT APPLICABLE.
 PRIMARY ROUTE OF ENTRY.....EYES CONTACT. INGESTION. INHALATION. SKIN CONTACT.

SECTION 07: PREVENTIVE MEASURES

PROTECTIVE EQUIPMENT.....
 GLOVES/ TYPE.....NO SPECIFIC HAND PROTECTION NOTED, BUT GLOVES MAY BE ADVISABLE.RUBBER OR PLASTIC GLOVES.
 RESPIRATORY/TYPE.....NONE REQUIRED UNDER NORMAL USE. AVOID BREATHING VAPOURS.
 EYE/TYPE.....WEAR CHEMICAL SAFETY GOGGLES WHERE EYE EXPOSURE IS REASONABLY PROBABLE.
 OTHER/TYPE.....NOT APPLICABLE.
 VENTILATION REQUIREMENTS.....NO SPECIFIC VENTILATION REQUIREMENTS NOTED.PROVIDE ADEQUATE GENERAL EXHAUST.
 LEAK/SPILL.....SMALL SPILLS: WASH TO DRAINS WITH COPIOUS AMOUNT OF WATER.STOP LEAK. CONTAIN SPILL, REUSE MATERIAL IF POSSIBLE. REMOVE BY WET VACUUM OR ABSORBENT.WASH DOWN AREA WITH WATER WELL AS PRODUCT IS SLIPPERY.
 WASTE DISPOSAL.....DISPOSE OF ALL PRODUCT WASTES AND WATER RINSES IN ACCORDANCE WITH CURRENT LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.
 HYGIENIC WORK PRACTICES.....WASH PROMPTLY IF SKIN BECOMES WET OR CONTAMINATED.
 HANDLING AND STORAGE.....STORE BETWEEN 0 & 49 C (32 & 120 F).
 PROCEDURES

SECTION 08: FIRST AID MEASURES

EYE CONTACT.....PROMPTLY WASH EYES WITH LOTS OF WATER FOR AT LEAST 15 MINUTES WHILE LIFTING EYE LIDS. GET MEDICAL ATTENTION IF ANY DISCOMFORT CONTINUES.
 INGESTION.....PROMPTLY LET THE VICTIM DRINK LOTS OF WATER TO DILUTE THE SWALLOWED CHEMICAL.DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS.
 INHALATION.....MOVE THE EXPOSED PERSON TO FRESH AIR AT ONCE.KEEP THE AFFECTED PERSON WARM AND AT REST. GET PROMPT MEDICAL ATTENTION.
 SKIN CONTACT.....REMOVE CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND WATER.GET MEDICAL ATTENTION IF IRRITATION PERSISTS AFTER WASHING.
 NOTES TO PHYSICIAN.....NOT APPLICABLE.

SECTION 09: PREPARATION INFORMATION

NOTICE.....THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.NATIONAL CHEMSEARCH, DIVISION OF NCH CANADA INC.THE MANUFACTURER ASSUMES NO RESPONSIBI LITY FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY THE USE, STORAGE OR DISPOSAL OF THE PRODUCT IN A MANNER NOT RECOMMENDED ON THE PRODUCT LABEL. USERS ASSUME ALL RISKS ASSOCIATED WITH SUCH UNRECOMMENDED USE, STORAGE OR DISPOSAL OF THE PRODUCT.

PREPARED BY.....TECHNICAL SERVICE GROUP.
DATED.....02092000

©2002 Canadian Centre for Occupational Health & Safety