

MATERIAL SAFETY DATA SHEET
(For Printing Ink and Related Materials)

MAR 10 1997

Date: March 7, 1997

SECTION I

MANUFACTURED BY: Graphic Chemical & Ink Company
P.O. Box 27
728 North Yale
Villa Park, IL 60181

EMERGENCY PHONE: 800-535-5053

PRODUCT CLASS: TRADE NAME: MANUFACTURERS CODE:
Pine Resin Graphic Powdered Rosin 11920,11925

SECTION II - HAZARDOUS INGREDIENTS

SECTION III - PHYSICAL DATA

Boiling Range:	N/A	Type of Odor:
Vapor Density:	Heavier than air	Evaporation Rate:
Liquid Density:		Percent Volatile Wt: N/A
Appearance:	Dark Tan Powder	

SECTION IV - FIRE & EXPLOSION DATA

Flash Point Category:
Lowest Flash Point: N/A
LEL:

Extinguishing Media: CO2, Dry Chemical, Water Fog

Special Fire Fighting Procedure: None

Unusual Fire & Explosion Hazards:

When dispersed in air (dust) can be highly flammable and may flash if exposed to a source of ignition. (Open flame, sparks, etc.)

Disclosure Information:
The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein.

SECTION X - DISCLOSURE

Storage & Handling: Store in cool, dry area away from oxidizing agents.

SECTION IX - SPECIAL PRECAUTIONS

Ventilation: Local exhaust.
Protective Equipment (Respiratory, Eye, Etc.):
Dust respirator, safety goggles, impervious gloves.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Procedure when material is spilled or released:
Place spilled material in metal container with tight-fitting lid. Wash residue with water.
Waste disposal method:
Incinerate or landfill according to local, state and federal regulations.

SECTION VII - SPILL OR LEAK PROCEDURES

Product stability: Stable
Conditions to Avoid: Minimize dust formation and remove all sources of ignition. (open flames, sparks, etc.)

SECTION VI - REACTIVITY DATA

Emergency First Aid:
Thoroughly wash with soap & water. For eye irritation, flush eyes with clean water. Call Physician. Remove to clean air if respiratory distress occurs. Call Physician.
Effects of Overexposure: N/A
Threshold Limit Value: 10 mg/M3 Treat as an inert or nuisance dust.

SECTION V - HEALTH HAZARD DATA

PRODUCT CLASS: Pine Resin
TRADE NAME: Graphic Powdered Rosin
MANUFACTURERS CODE: 11920, 11925
MAR 10 1997