

ATTN: SAFETY DIRECTOR UNIV OF WISCONSIN - W PURCHASING OFFICE 800 W MAIN ST WHITEWATER WHITEWATER 53190-1705 WI

EMERGENCY PHONE 1-314-771-5765 E 03/17/99 CUST#: 0-495-04629 PO#: CC/031799 DATE

٦

DATA S PAGE HEET SAFETY MATERI - CHEMICAL IDENTIFICATION- -SECTION 1. -G6279 CATALOG #: GLYCEROL, SIGMAULTRA NAME: SECTION 2. - - - - COMPOSITION/INFORMATION ON INGREDIENTS CAS #: 56-81-5 MF: C3H8O3 EC NO: 200-289-5 SYNONYMS CITIFLUOR AF 2 \* GLYCERIN \* GLYCERIN, ANHYDROUS \* GLYCERINE \*
GLYCERIN MIST (ACGIH,OSHA) \* GLYCERIN, SYNTHETIC \* GLYCERITOL \*
GLYCYL ALCOHOL \* CLYZERIN, WASSERFREI (GERMAN) \* GROCOLENE \* MOON
OSMOGLYN \* 1,2,3-PROPANETRIOL \* STAR \* SYNTHETIC GLYCERIN \* 90
TECHNICAL GLYCERINE \* TRIHYDROXYPROPANE \* 1,2,3-TRIHYDROXYPROPANE - - HAZARDS IDENTIFICATION SECTION 3. - - - -LABEL PRECAUTIONARY STATEMENTS IRRITANT
IRRITATING TO EYES AND SKIN.
TARGET ORGAN(S): KIDNEYS IN CASE OF CONTACT WITH EYES, RINS WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING. RINSE IMMEDIATELY WITH PLENTY OF - - FIRST-AID MEASURES- -SECTION 4. - -IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE. - - - FIRE FIGHTING MEASURES -SECTION 5. - - - -EXTINGUISHING MEDIA
WATER SPRAY.
CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPAR PREVENT CONTACT WITH SKIN AND EYES. APPARATUS AND PROTECTIVE CLOTHING TO UNUSUAL FIRE AND EXPLOSIONS HAZARDS CONTINUED ON NEXT PAGE

We are Committed to the Success of our Customers through Science, Technology and Service.











1172



DATA

CUST#: 0-495-04629 PO#: CC/031799

2

PAGE

SHEET

CATALOG #: G6279 NAME: GLYCEROL, SIGMAULTRA EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- -WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS AND HEAVY RUBBER GLOVES.
ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. - - - - HANDLING AND STORAGE- -SECTION 7. - - -REFER TO SECTION 8. ADDITIONAL INFORMATION
VIOLENT OR EXPLOSIVE REACTIONS HAVE OCCURED UPON DIRECT CONTACT OF
GLYCEROL WITH: SODIUM HYDRIDE, PHOSPHOROUS TRIOXIDE, PERCHLORIC ACID,
CHLORINE, CALCIUM HYPOCHLORITE, NITRIC ACID AND HYDROFLUORIC ACID,
NITRIC ACID AND SULFURIC ACID, SODIUM PEROXIDE, HYDROGEN PEROXIDE OR
POTASSIUM PERMANGANATE. SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - -WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, C. GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. MECHANICAL EXHAUST REQUIRED. SAFETY SHOWER AND EYE BATH. DO NOT BREATHE VAPOR. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE. WASH THOROUGHLY AFTER HANDLING. KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE. CHEMICAL-RESISTANT SECTION 9. - - - -- PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR VISCOUS COLORLESS LIQUID PHYSICAL PROPERTIES
BOILING POINT:
MELTING POINT:
FLASHPOINT 182 C/20MM. 20 C 320F 160C EXPLOSION LIMITS IN AIR: 0.9% LOWER AUTOIGNITION TEMPERATURE: VAPOR PRESSURE: <1MM SPECIFIC GRAVITY: 1.2 698 F 369C <1MM 20 C 1.261 VAPOR DENSITY: 3.1 SECTION 10. -- - - - STABILITY AND REACTIVITY -CONTINUED ON NEXT PAGE

SAFETY

MATERIAL



> CUST#: 0-495-04629 PO#: CC/031799

MATERIAL SAFETY DATA SHEET

PAGE 3

CATALOG #: NAME:

G6279 GLYCEROL, SIGMAULTRA

INCOMPATIBILITIES
STRONG OXIDIZING AGENTS
STRONG BASES
PROTECT FROM MOISTURE.

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS CARBON MONOXIDE, CARBON DIOXIDE

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

SECTION 11. - - - - - - TOXICOLOGICAL INFORMATION - -

ACUTE EFFECTS

MAY BE HARMFUL BY INHALATION, INGESTION, OR SKIN ABSORPTION.

CAUSES EYE AND SKIN IRRITATION.

MATERIAL MAY BE IRRITATING TO MUCOUS MEMBRANES AND UPPER
RESPIRATORY TRACT.

PROLONGED EXPOSURE CAN CAUSE:
NAUSEA, HEADACHE AND VOMITING

CHRONIC EFFECTS TARGET ORGAN(S): KIDNEYS

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

RTECS #: MA8050000 GLYCEROL

IRRITATION DATA
SKN-RBT 500 MG/24H MLD
EYE-RBT 126 MG MLD
EYE-RBT 500 MG/24H MLD

TOXICITY DATA
ORL-RAT LD50:12600 MG/KG
IHL-RAT LC50:>570 MG/M3/1H
IPR-RAT LD50:4420 MG/KG
SCU-RAT LD50:100 MG/KG
IVN-RAT LD50:5566 MG/KG
ORL-MUS LD50:4090 MG/KG
IPR-MUS LD50:4090 MG/KG
IPR-MUS LD50:8700 MG/KG
SCU-MUS LD50:91 MG/KG
SCU-MUS LD50:91 MG/KG
IVN-MUS LD50:27 GM/KG
ORL-RBT LD50:27 GM/KG
SKN-RBT LD50:>10 GM/KG
IVN-RBT LD50:53 GM/KG
ORL-GPG LD50:7750 MG/KG

85JCAE -,207,1986 BIOFX\* 9-4/1970 85JCAE -,207,1986

FEPRA7 BIOFX\* 9-4/1970 RCOCB8 56,125,1987 NIIRDN 6,215,1982 ARZNAD 26,1581,1976 FRZKAP (6),56,1977 ARZNAD 28,1579,1978 NIIRDN 6,215,1982 JAPMA8 39,583,1950 DMDJAP 31,276,1959 BIOFX\* 9-4/1970 BIOFX\* 9-4/1970 JIHTAB 23,259,1941

TARGET ORGAN DATA

CONTINUED ON NEXT PAGE

1174

We are Committed to the Success of our Customers through Science, Technology and Service.













DATA

CUST#: 0-495-04629 PO#: CC/031799

PAGE

SHEET

CATALOG #: GLYCEROL, SIGMAULTRA NAME: GASTROINTESTINAL (NAUSEA OR VOMITING)
PATERNAL EFFECTS (SPERMATOGENESIS)
PATERNAL EFFECTS (TESTES, EPIDIDYMIS, SPERM DUCT)
EFFECTS ON FERTILITY (MALE FERTILITY INDEX)
EFFECTS ON FERTILITY (POST-IMPLANTATION MORTALITY)
ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION. SUBSTANCES - - ECOLOGICAL INFORMATION -SECTION 12. - - - -DATA NOT YET AVAILABLE. - - - - DISPOSAL CONSIDERATIONS - - -SECTION 13. - - - -DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. - TRANSPORT INFORMATION - - -SECTION 14. - - - -CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. - - - REGULATORY INFORMATION SECTION 15. - - - -EUROPEAN INFORMATION IRRITANT
R 36/38
IRRITATING TO EYES AND SKIN. IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING. REVIEWS, STANDARDS, AND REGULATIONS OEL=MAK
ACGIH TLV-TWA 10 MG/M3, INHALABLE PARTICULATE DTLVS\* TLV/BEI,1997
EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION
FEREAC 54,7740,1989
MSHA STANDARD:NUISANCE PARTICULATES (MIST)
DTLWS\* 3,20,1973
OSHA PEL (GEN INDU):8H TWA 15 MG/M3, TOTAL DUST
CFRGBR 29,1910.1000,1994
OSHA PEL (GEN INDU):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGBR 29,1910.1000,1994
OSHA PEL (CONSTRUC):8H TWA 15 MG/M3, TOTAL DUST
CFRGBR 29,1926.55,1994
OSHA PEL (CONSTRUC):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGBR 29,1926.55,1994 OEL=MAK

CONTINUED ON NEXT PAGE

SAFETY

MATERIAL



CUST#: 0-495-04629 PO#: CC/031799

SHEET SAFETY DATA MATERIAL

PAGE 5

CATALOG #: NAME:

G6279

GLYCEROL, SIGMAULTRA

OSHA PEL (SHIPYARD):8H TWA 15 MG/M3, TOTAL DUST
CFRGBR 29,1915.1000,1993
OSHA PEL (SHIPYARD):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGBR 29,1915.1000,1993
OEL-AUSTRALIA:TWA 10 MG/M3 JAN 1993
OEL-BELGIUM:TWA 10 MG/M3 JAN 1993
OEL-FINLAND:TWA 20 MG/M3 JAN 1993
OEL-FRANCE:TWA 10 MG/M3 JAN 1993
OEL-THE NETHERLANDS:TWA 10 MG/M3 JAN 1993
OEL-UNITED KINGDOM:TWA 10 MG/M3 JAN 1993
OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA CHECK ACGIH TLV
OEL IN NEW ZEALAND, SINGAPORE, VIETNAM CHECK ACGIH TLV
NOHS 1974: HZD 35085; NIS 358; TNF 86657; NOS 198; TNE 10
NOES 1983: HZD 35085; NIS 310; TNF 67054; NOS 215; TNE 25
1346631 1085329 2135546; 1346631 EPA TSCA SECTION 8(B) EPA TSCA SECTION 8(D) EPA TSCA TEST SUBMISS SECTION 8(B) CHEMICAL INVENTORY SECTION 8(D) UNPUBLISHED HEALTH/SAFETY STUDIES TEST SUBMISSION (TSCATS) DATA BASE, DECEMBER 1998

- OTHER INFORMATION-SECTION 16.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1998 SIGMA-ALDRICH CO. LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

MATERIAL WAS SHIPPED TO THIS ADDRESS: UNIV OF WISCONSIN - WHITEW 800 W MAIN ST WHITEWATER WHITEWATER 53190

1176













