

### 1.0 Product and Company Identification

Identification of the preparation

HP LaserJet Print Cartridge 92275A

**Company Identification** 

Hewlett-Packard Company 11311 Chinden Boulevard Boise, Idaho 83714

United States

Emergency telephone number Hewlett-Packard Health Effects Line 1-800-457-4209 (USA and Canada) Intl: +1-503-494-7199 (all other areas)

Singapore: +001-800-332-13321

General information telephone number

1-208-323-2551 (USA and Canada) Intl: +1-208-323-2551 (all other areas)

**Local Contact Information** 

Ireland

Liffey Park Technology Campus

Barnhall Road, Leixlip, Co. Kildare

Phone: 01 6150000

United Kingdom

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS	
Health	1	
Flammability	1	
Instability/Reactivity	0	
Special	N/A	

### 2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard LaserJet IIP, IIP Plus, or IIIP series printers.

Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate Copolymer	-	-	55 - 65	-
Iron Oxide	1317-61-9	215-277-5	30 - 40	_

### 3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.



**Routes of Exposure** 

Inhalation, ingestion, skin and eyes

**Acute Health Hazards** 

Inhalation: Minimal respiratory tract irritation may occur with

exposure to large amount of toner dust

Ingestion: Ingestion is not applicable route of entry for intended

use.

Skin: Unlikely to cause skin irritation

Eyes: May cause transient slight irritation.

Chronic Health Hazards Prolonged inhalation of excessive amounts of any dust

may cause lung damage. Use of this product as intended does not result in inhalation of excessive

amounts of dust.

Carcinogenicity

Refer to section 11.

### 4.0 First Aid Measures

Inhalation: Move person to fresh air immediately. If symptoms

occur, consult a physician.

Ingestion: Rinse mouth with water. Drink one to two glasses of

water. If symptoms occur, consult a physician.

Skin: Wash affected areas thoroughly with soap and

water. If symptoms occur, consult a physician.

Eyes: Immediately flush with large amounts of clean,

lukewarm water (low pressure) for at least 15 minutes. If symptoms occur, consult a physician.

### 5.0 Fire Fighting Measures

Extinguishing media CO<sub>2</sub>, water, dry chemical

Unsuitable Extinguishing None known

Media

Special Firefighting None

**Procedures** 

MOHE

Unusual fire and explosion Toner material, like most organic material in powder

hazards form, is capable of creating a dust explosion

Auto-ignition temperature No data available

. =1==1==2==2=4 /===46== 15== 81=4 ==== 12==1=1=

Flashpoint (method) Not applicable

Hazardous Combustion CO<sub>2</sub>, CO

Products



#### 6.0 Accidental release measures

Spill or leak procedures Avoid breathing dust. Minimize the release of

particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local

requirements.

Environmental precautions Do not discharge into drains (See also section 13

Disposal Considerations).

### 7.0 Handling and Storage

Advice on safe handling and Ke protection against fire du

Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive

heat, sparks, and open flames.

Requirements for storage rooms and advice on storage compatibility

Keep container closed and store at room temperature.

Keep away from strong oxidizers.

### 8.0 Exposure control/ personal protection

**Exposure Limit Values** 

USA OSHA (TWA)/PEL): 15 mg/m<sup>3</sup> (Total Dust)

5 mg/m<sup>3</sup> (Respirable Fraction) 10 mg/m<sup>3</sup> (Inhalable Particulate)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate)

3 mg/m<sup>3</sup> (Respirable Particulate) 3 mg/m<sup>3</sup> (Alveolengängige Fraktion)

TRGS 900 (Luftgrenzwert):

Exposure Controls

Respiratory protection

protection Not required under intended use

Ventilation Good general ventilation should be sufficient under

intended use

Protective gloves

Not required under intended use

Eye protection Not required under intended use

Other protective equipment Not required under intended use

### 9.0 Physical and chemical properties

pH Not applicable

Boiling point Not applicable Flash point Not applicable

Melting point 100 - 150°C (Softening Point)

Flammability Non-flammable solid (according to test methods of

USA 16 CFR 1500.44 and 84/449/EEC and as

amended (Annex V) A.10)

**Explosive properties** Toner material, like most organic material in powder

form, is capable of creating a dust explosion



Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity (H<sub>2</sub>O=1) 1.4 - 1.6 Solubility in Water Negligible

Solubility in Organic Partially soluble in toluene and xylene

**Solvents** 

Partition coefficient Not applicable

Viscosity Not applicable

Vapor density Not applicable Evaporation rate Physical state Fine powder

Color Black

Odor Slight plastic odor Other None known

### 10.0 Stability and reactivity

Stability Stable under normal storage conditions

Incompatibilities Strong oxidizers

Hazardous decomposition  $CO_2$ , CO

products

Hazardous polymerization Will not occur

### 11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures Acute Toxicity:

Ingestion: LD<sub>50</sub>: oral-rat>5000 mg/kg, not harmful.

Eye Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Skin Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Chronic Toxicity: No data available

Other Toxicity Data:

Mutagenicity: Negative, does not indicate mutagenic potential,

(Ames Test: Salmonella typhimurium).

Carcinogenicity: Not a known or suspected carcinogen according to

any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

### 12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems.



### Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

#### 14.0 **Transportation information**

Not a regulated article under DOT, IATA, ADR, or RID

**UN Number** None

Class None

Proper Shipping Name None

Packing Group None

Special Precautions None

#### 15.0 Regulatory information

All chemical substances in this product comply with **US EPA TSCA Inventory** 

all rules or orders under TSCA.

Contains p-Xylene - [CAS No. 106-42-3] US EPA TSCA 12(b)

**US California Proposition 65** None

> All components in this product are compliant with **EU Notification**

> > EU Chemical Inventory regulations.

No European Risk Phrases (labeling data) **EU R&S Phrase Information** 

**Dangerous Components (CAS** None

No.) wt%

**USA Labeling** 

Symbol Not required

Hazard Warning Not required

Safety Advice Not required

Hazardous Component(s) None

#### 16.0 Other information

Date Prepared: July 1, 2004

**HP-DMS Document Control** 

Number:

Revision Information:

**EU** Information

This MSDS was prepared in compliance with EU

Directive 91/155/EEC as amended by 2001/58/EC and

This document replaces all prior versions of the MSDS

**USA OSHA Hazard Communications regulations** 

(29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be



# Material Safety Data Sheet construed as guaranteeing specific properties of the product as described or its

suitability for a particular application.