

**MATERIAL SAFETY DATA****MANUFACTURER:** Mautz Paint Co.

**ADDRESS:** 939 E. Washington Ave. Madison, WI.  
**EMERGENCY TEL.** (608) 262-3702 or (608) 255-1661  
**PRODUCT CLASS:** Water Based Latex Paint  
**TRADE NAME:** Interior Latex Primer/Sealer  
**MFG. CODE ID.** 4464-S

STOCK NO.COMMODITY CODE

7396

73-250-16000

**HAZARDOUS INGREDIENTS**

INGREDIENT	% WEIGHT	TLV-PPM	mg/m3
Ethylene Glycol (CAS 107-21-1)	1.8	50.0	
Phenyl Mercuric Acetate (CAS 62-38-4)	.01		.10

**PHYSICAL DATA**

**BOILING RANGE:** 212 ° F **VAPOR DENSITY:** Heavier than air **EVAPORATION RATE:** Slower than ether **PERCENT VOLATILE BY VOLUME:** 70.2 **WEIGHT PER GALLON:** 10.30 lbs.

**FIRE AND EXPLOSION HAZARD DATA**

This Section Not Applicable

**HEALTH HAZARD DATA**

**THRESHOLD LIMIT VALUE:** See Hazardous Ingredients **EFFECTS OF OVEREXPOSURE:** Not known. Some irritation of eyes, respiratory tract and skin may occur. Ingestion may result in nausea or abdominal pain. **EMERGENCY AND FIRST AID PROCEDURES:** Ingestion: Induce vomiting. Notify a physician. Eye Contact: Flush with water. Notify a physician. Skin Contact: Wash with soap and water. Contaminated clothing should be removed and washed prior to reuse. Inhalation: Remove to fresh air. Restore breathing if necessary. Contact physician.

**REACTIVITY DATA**

**STABILITY:** Stable **INCOMPATIBILITY:** None **HAZARDOUS DECOMPOSITION PRODUCTS:** None **HAZARDOUS POLYMERIZATION:** Will not occur. **CONDITIONS TO AVOID:** None

**SPILL OR LEAK PROCEDURES**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Ventilate area. Soak up spill with absorbent material (sawdust). Smaller spills may be flushed with water and drained in a manor acceptable to local, state, and federal laws. **WASTE DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

**SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:** None usually required. Concentrated areas or spray application may require NIOSH approved chemical respirator (TC23C) to remove airborne particles and vapors during application. **VENTILATION:** Local exhaust to maintain TLV of most hazardous ingredient (SEE HAZARDOUS INGREDIENTS) below acceptable limit. **PROTECTIVE GLOVES:** Yes, **EYE PROTECTION:** Safety glasses designed to protect eyes from liquid splash. **OTHER PROTECTIVE EQUIPMENT:** Eye Bath/Safety Shower.

**SPECIAL PRECAUTIONS**

**PRECAUTIONS TO BE TAKEN WHEN HANDLING AND STORING:** Keep from Freezing. **OTHER PRECAUTIONS:** None.