

8-30-05

EASTMAN KODAK -- 146 3025;KODAK ELON DEVELOPING AGENT;KAN 900615 - DEVELOPER, PHOTOGR
MATERIAL SAFETY DATA SHEET
NSN: 6750001416180
Manufacturer's CAGE: 19139
Part No. Indicator: A
Part Number/Trade Name: 146 3025;KODAK ELON DEVELOPING AGENT;KAN 900615

General Information

Item Name: DEVELOPER, PHOTOGRAPHIC
Company's Name: EASTMAN KODAK COMPANY
Company's Street: 343 STATE STREET
Company's City: ROCHESTER
Company's State: NY
Company's Country: US
Company's Zip Code: 14650
Company's Emerg Ph #: 716-722-5151
Company's Info Ph #: 716-477-3194 800-242-2424 (MSDS)
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 002
Status: SE
Date MSDS Prepared: 04AUG93
Safety Data Review Date: 12FEB96
Supply Item Manager: CX
MSDS Preparer's Name: UNKNOWN
MSDS Serial Number: BYDHV
Specification Number: O-C-00275D(FED SPEC)
Spec Type, Grade, Class: NONE
Hazard Characteristic Code: T6
Unit Of Issue: LG
Unit Of Issue Container Qty: 1 LB.
Type Of Container: PPP-C-186,A,I
Net Unit Weight: 1 LB.

Ingredients/Identity Information

Proprietary: NO
Ingredient: P-METHYLAMINOPHENOL SULFATE (METOL)
Ingredient Sequence Number: 01
Percent: 100
NIOSH (RTECS) Number: SL8650000
CAS Number: 55-55-0
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Physical/Chemical Characteristics

Appearance And Odor: SOLID;WHITE;ODORLESS
Boiling Point: SOLID
Melting Point: 520F,271C
Vapor Pressure (MM Hg/70 F): NEGLIGIBLE
Decomposition Temperature: UNKNOWN
Evaporation Rate And Ref: UNKNOWN
Solubility In Water: MODERATE
Corrosion Rate (IPY): UNKNOWN

Fire and Explosion Hazard Data

Flash Point: NONE
Extinguishing Media: **COMBUSTIBLE SOLID** WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.
Special Fire Fighting Proc: USE A SELF-CONTAINED BREATHING APPARATUS AND

FULL PROTECTIVE EQUIPMENT.

Unusual Fire And Expl Hazrds: THE FINELY DISPURSED DUST FROM THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PRESENCE OF SOURCES OF IGNITION.

Reactivity Data

Stability: YES

Cond To Avoid (Stability): DUSTY CONDITIONS WITH SOURCES OF IGNITION.

Materials To Avoid: STRONG OXIDIZING AGENTS.

Hazardous Decomp Products: CARBON DIOXIDE,CARBON MONOXIDE,OXIDES OF NITROGEN AND SULFUR.

Hazardous Poly Occur: NO

Health Hazard Data

LD50-LC50 Mixture: ORAL LD50 (RAT) IS 237 MG/KG

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: YES

Health Haz Acute And Chronic: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION AND ALLEGIC SKIN REACTION.INGEST:HARMFUL IF SWALLOWED.INHAL:MAY CAUSE RESPIRATORY IRRITATION.CHRONIC:MAY CAUSE BLOOD DAMAGE(ANIMAL STUDY).

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Signs/Symptoms Of Overexp: EYES/INHAL:IRRITATION.SKIN:IRRITATION,RASH.

Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.

Emergency/First Aid Proc: SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.GET MEDICAL ATTENTION IF ALLERGIC REACTION OCCURS.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.INGEST:INDUCE VOMITING AS DIRECTED BY PHYSICIAN.GET PROMPT QUALIFIED MEDICAL ATTENTION.

Precautions for Safe Handling and Use

Steps If Matl Released/Spill: SMALL SPILLS:SCOOP OR SWEEP UP AND REMOVE. LARGE SPILLS:FLUSH TO SEWER WITH PLENTY OF WATER.

Neutralizing Agent: NOT REPORTED.

Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Precautions-Handling/Storing: STORE IN A COOL,DRY,WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.

Other Precautions: ROUTINE USE OF A NONALKALINE(ACIDIC) HAND CLEANER MAY REDUCE THE RISK OF ALLERGIC SKIN REACTION.MINIMIZE DUST GENERATION.USE WITH ADEQUATE VENTILATION.EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUE;DISPOSE OF PROPERLY.

Control Measures

Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR DUST.

Ventilation: LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL(10 AIR CHANGES/HOUR).

Protective Gloves: IMPERVIOUS.

Eye Protection: SAFETY GLASSES WITH SIDESHIELDS.

Other Protective Equipment: PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.

Suppl. Safety & Health Data: NONE

=====
Transportation Data
=====

Trans Data Review Date: 96043
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
AFI PSN Code: ZZZ
AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
MMAC Code: NR
Additional Trans Data: NOT REGULATED AS SPECIFIED BY KODAK BLDES CODE
0017.

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES
Technical Review Date: 12FEB96
Label Date: UNDATED
MFR Label Number: UNKNOWN
Label Status: D
Common Name: 146 3041;KODAK ELON DEVELOPING AGENT;KAN 900615
Signal Word: CAUTION!
Acute Health Hazard-Moderate: X
Contact Hazard-Moderate: X
Fire Hazard-Slight: X
Reactivity Hazard-None: X
Special Hazard Precautions: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE
IRRITATION AND ALLEGIC SKIN REACTION.INGEST:HARMFUL IF SWALLOWED.INHAL:MAY
CAUSE RESPIRATORY IRRITATION.CHRONIC:MAY CAUSE BLOOD DAMAGE (ANIMAL STUDY).
FIRST AID: SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.GET MEDICAL
ATTENTION IF ALLERGIC REACTION OCCURS.EYES:FLUSH WITH WATER FOR 15 MINUTES.
GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL
RESPIRATION IF NEEDED.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.INGEST:INDUCE
VOMITING AS DIRECTED BY PHYSICIAN.GET PROMPT QUALIFIED MEDICAL ATTENTION.
Protect Eye: X
Protect Skin: X
Label Name: EASTMAN KODAK COMPANY
Label Street: 343 STATE STREET
Label City: ROCHESTER
Label State: NY
Label Zip Code: 14650
Label Country: US
Label Emergency Number: 716-722-5151

=====
URL for this msds <http://siri.org>. If you wish to change, add to, or
delete information in this archive please send updates to dan@siri.org.
=====