Material Safety Data Sheet

Steris Laboratories 620 N. 51st Ave. Phoenix, AZ 85043

Product: LIDOCAINE

HYDROCHLORIDE

Injection, USP

MSDS No: STR / P0050 Revision: N/A Date: May 10, 1991

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: LIDOCAINE HYDROCHLORIDE INJECTION, USP

Description: Lidocaine Hydrochloride

Other Designations: NDC #(s): 0402-0055; 0402-0056

CAS: 73-78-9

Chemical Name: 2-(Diethylamino)-2',6'-acetoxylidide, monohydrochloride ($C_{14}H_{22}N_2O\cdot HC1$)

Manufacturer:

Steris Laboratories, Inc. 620 N. 51st Avenue Phoenix, Arizona 85043

Phone: (602) 278-1400

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:

CAS Number:

Percent:

Exposure Limits:

Lidocaine Hydrochloride

73-78-9

1% & 2% N/A

SECTION III. PHYSICAL DATA

Appearance & Odor: Clear aqueous solution.

Boiling point: N/A
Vapor pressure: N/A
Water solubility (%): Soluble
Vapor density (air=1): N/A
pH: 5.0-7.0

Evaporation rate: N/A Specific gravity (H₂O=1): 0402-0055=1.003 0402-0056=1.004

Material Safety Data Sheet

Steris Laboratories 620 N. 51st Ave. Phoenix, AZ 85043

Product: LIDOCAINE

HYDROCHLORIDE INJECTION, USP

Internal ID: 01

MSDS No: STR / P0050 Revision: N/A Date: May 10, 1991

SECTION IV. FIRE AND EXPLOSION DATA

Flash Point (method): N/A

Limits: LEL %: N/A

UEL %: N/A

Extinguishing Media: Water spray, dry chemical, carbon dioxide or foam, as appropriate for surrounding materials and fire.

Unusual fire or explosion hazards: Emits toxic fumes.

Special fire-fighting procedures: Wear self-contained breathing apparatus and

protective clothing.

SECTION V. REACTIVITY DATA

Material is stable . Hazardous polymerization will not occur .

Chemical incompatibilities: Avoid strong oxidizing agents.

Hazardous decomposition Products: Emits toxic fumes of HCl and NO.

SECTION VI. HEALTH HAZARD INFORMATION

This product is not considered a carcinogen by N.T.P., I.A.R.C. Monograph, or OSHA.

Primary entry route(s): Inhalation, Ingestion, Absorption

Acute effects: Eye, skin and/or respiratory tract irritation, lightheadedness, dizziness, drowsiness, convulsions, unusually slow heartbeat, difficulty in breathing, itching, skin rash, and unusual swelling.

Chronic effect(s): Possible hypersensitization.

First aid:

Eye contact: Flush eyes with water. Seek medical advice/attention.

Skin contact: Remove contaminated clothing. Flush with water. medical advice/attention. Seek

Inhalation: Remove person to fresh air. Seek medical attention.

Ingestion: Flush mouth with water. Seek medical advice/attention.

FOR ADDITIONAL INFORMATION REFER TO THE PRODUCT PACKAGE INSERT.

Page 2 ---

MSDS P0050 continues on page 3

--- Page 2

UNIVERSITY OF WISCONSIN WHITEWATER CEN REC/STORES 500 NORTH FREMONT ST WHITEWATER, WI 53190

=== MSDS TRACKING INFORMATION === MID: 1053997 LIDOCAINE HCL INJ

CUST: Ø172674-ØØ7 PID: 1023959

2 of 3 IMG: I:53997 2 PAGE:

PACKET: 81598-1001

Material Safety Data Sheet

Steris Laboratories 620 N. 51st Ave. Phoenix, AZ 85043 Product: LIDOCAINE HYDROCHLORIDE

INJECTION, USP

Internal ID: 01

MSDS No: STR / P0050 Revision: N/A Date: May 10, 1991

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: Wear the recommended personal protection equipment. Wipe working surface to dryness, then wash with soap and water.

Waste management / Disposal: Dispose of in accordance with federal, state, and local regulations.

Handle all pharmaceutical products in a way that will avoid contact with and inhalation of dust, fumes, mists, and/or vapors associated with the product. Store at room temperature.

SECTION VIII. SPECIAL PROTECTION INFORMATION

Personal protective equipment:

Goggles: Safety goggles.

Gloves: Disposable, surgical latex gloves.

Respirator: NIOSH approved respirator.

Other: Disposable protective apparel (protect exposed skin).

Workplace considerations:

Ventilation: Local exhaust recommended.

Prepared by: Janet Mehta

Date: 5/10/91

Supersedes: N/A

The information contained herein is believed to be complete and accurate. However, it is the user's responsibility to determine the suitability of the information for their particular purpose. Steris Laboratories assumes no additional liability or responsibility resulting from the use of, or reliance on this information.

Page 3 ---

End of MSDS P0050

--- Page 3

UNIVERSITY OF WISCONSIN WHITEWATER CEN REC/STORES 500 NORTH FREMONT ST WHITEWATER, WI 53190

=== MSDS TRACKING INFORMATION === MID: 1053997 LIDOCAINE HCL INJ

PID: 1023959 CUST: 0172674-007

IMG: I:53997 3 PAGE: 3 of 3

PACKET: 81598-1001