



**5. HEALTH HAZARD DATA**

**THRESHOLD LIMIT VALUE:** Not known

**ROUTES OF ENTRY:**

**INHALATION:** Possible when spray-applying or sanding dry paint

**SKIN:** No

**INGESTION:** Possible to ingest liquid

**ACUTE OR CHRONIC HEALTH HAZARDS:** This product is certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This product conforms to ASTM D-4236,

**EFFECTS OF OVEREXPOSURE:** No effects known

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin, eye and respiratory disorders and impaired functions from pre-existing disorders may be aggravated by exposure to this product.

**EMERGENCY AND FIRST AID:**

**EYES:** Immediately flush eyes with water for at least 15 minutes and seek medical attention.

**SKIN:** Wipe excess from skin and flush with water.

**INGESTION:** Consult physician, hospital or poison control center

**INHALATION:** Remove victim to fresh air and treat for symptoms

**CARCINOGENICITY:** THE INGREDIENTS OF THIS PRODUCT ARE ON THE TOXIC SUBSTANCES CONTROL ACT (TSCA) INVENTORY.

**6. REACTIVITY DATA**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** None known

**INCOMPATIBILITY (MATERIALS TO AVOID):** No incompatibilities known

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may yield carbon dioxide, carbon monoxide and unknown organic compounds.

**HAZARDOUS POLYMERIZATION:** Will not occur

**CONDITIONS TO AVOID:** No conditions known

**7. SPILL OR LEAK PROCEDURES**

**STEPS TO BE TAKEN IN CASE OF RELEASE OR SPILL:** Soak up residue with absorbent material and place in non-leaking container for proper disposal. Flush area with water to remove trace residue.

**WASTE DISPOSAL METHOD:** Material is non-hazardous per CFR 40 Part 261, definitions for hazardous wastes. Dispose as residual process waste.

**PRECAUTIONS TO BE TAKEN IN HANDLING OR STORING:** No special precautions are necessary.

**8. SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:** Use NIOSH-certified mask when spray-applying or sanding dried paint.

**PROTECTIVE GLOVES:** None required

**EYE PROTECTION:** Avoid contact with eyes. Wear splash goggles when handling or transferring large quantities of paint or if there is a likelihood of contact with eyes.

**OTHER PROTECTIVE EQUIPMENT:** None required

**VENTILATION:** Use good local ventilation to control vapor and nuisance dusts.

**OTHER PROTECTION:** None

**9. SPECIAL INFORMATION**

**DATE PREPARED:** 12/10/90

**APPROVED BY:** P.E. Moll, Dir. Process Development/Product Safety

**THE INFORMATION CONTAINED HEREIN IS PROVIDED FOR THE PURPOSE OF DISCLOSING PRODUCT HAZARDS AND DOES NOT CONSTITUTE PRODUCT SPECIFICATIONS. ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, ARE HEREBY DISCLAIMED.**