

JUL 19 1993

**MATERIAL SAFETY DATA SHEET**  
FRC - DIVISION OF CINE MAGNETICS INC.

**SECTION I**

**PRODUCT NAME:** MITSUBISHI SLM-AC ACTIVATOR

**CATALOGUE NUMBER(S):** 60-18608-002

**MANUFACTURER:** FRC - Division of Cine Magnetics Inc.

524 South Columbus Avenue Mt. Vernon, NY 10550

**PRODUCT INFORMATION:** (914)-667-1002

**PREPARATION DATE OF MSDS:** 6/1/92

**EXPOSURE or ACCIDENT EMERGENCY:** CHEMTREC (800) 424-9300

**SECTION II: COMPONENT AND REGULATORY INFORMATION**

COMPONENTS(REGULATORY LISTS)	CAS REG #	OSHA PEL	ACGIH TLV	%WT
Water	7732-18-5	N/A	N/A	60-100
Sodium Sulfite	7757-83-7	N/A	N/A	3-7
Potassium Hydroxide (A)	1310-58-3	N/A	(TWA) 2 mg/m3	1-5
N-Aminoethylethanolamine	111-41-1	N/A	N/A	1-5
Sodium Hydroxide (A)	1310-73-2	(TWA) 2 mg/m3	(TWA) 2 mg/m3	1-5

**REGULATORY LISTS FOR APPLICABLE COMPONENTS**

- A - CERCLA HAZARDOUS SUBSTANCE LIST
- B - SARA TITLE III EXTREMELY HAZARDOUS SUBSTANCE LIST (SECTION 302)
- C - SARA TITLE III TOXIC CHEMICAL SUBSTANCE LIST (SECTION 313)
- D - CALIFORNIA (PROP. 65) LIST OF CANCER CAUSING SUBSTANCES
- E - RESOURCE CONSERVATION AND RECOVERY ACT HAZARDOUS WASTE LIST

**DOT SHIPPING NAME:** Potassium Hydroxide Solution

**HAZARD CLASS:** Corrosive Material

**ID #:** UN 1814

**NFPA RATING:** HEALTH - 2 FLAMMABILITY - 0 REACTIVITY - 0

**SECTION III: PHYSICAL DATA**

**pH:** 13.8    **SPECIFIC GRAVITY:** 1.10    **SOLUBILITY IN WATER:** Completely soluble.  
**BOILING POINT:** Approx. 212 F    **EVAPORATION RATE:** Not Available  
**VOLATILE ORGANIC CONTENT:** 0 Lbs/Gallon    **VAPOR PRESSURE:** Not Available  
**%VOLATILITY (as Water):** 60-100 as Water.    **VAPOR DENSITY:** Not Available  
**APPEARANCE AND ODOR:** Colorless, odorless solution.

**SECTION IV: FIRE AND EXPLOSION DATA**

**FLASH POINT (METHOD USED):** None

**FLAMMABLE LIMITS - LOWER EXPOSURE LIMIT:** N/A    **UPPER EXPOSURE LIMIT:** N/A

**EXTINGUISHING MEDIA:** Any applicable to the primary cause of fire.

**SPECIAL FIREFIGHTING PROCEDURES:** Evacuate personnel to a safe area. Firefighters should wear self-contained breathing apparatus.

**UNUSUAL FIRE HAZARDS:** Excessive heat may release sulfur dioxide vapors.

**SECTION V: REACTIVITY**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** None

**INCOMPATIBILITY (AVOID):** Avoid strong acids.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Sulfur Dioxide

**POLYMERIZATION:** Does not polymerize.

**CONDITIONS TO AVOID:** None

\* CEILING VALUE; (TWA) - TIME WEIGHTED AVERAGE; N/A - NOT APPLICABLE

**SECTION VI: SPILL AND WASTE DISPOSAL INFORMATION**

**\*\*\*\* SPILLS \*\*\*\***

Use appropriate protective equipment. Dike the spill and soak up with absorbant material. Prevent liquid from entering sewers or waterways. Dispose of in accordance with Federal, State, and Local Regulations.

**\*\*\*\* WASTE DISPOSAL \*\*\*\***

Discharge to sewer requires the approval of permitting authority and may require pretreatment. Treatment, storage, transportation, and disposal must be in accordance with Federal, State, and Local Regulations.

**SECTION VII: HEALTH HAZARDS AND FIRST AID INFORMATION**

**\*\*\*\* HEALTH HAZARDS \*\*\*\***

**EYE CONTACT:** Irritation or burning may occur with possible tissue destruction. May cause moderate to severe corneal injury, with iritis.

**SKIN CONTACT:** Reddening, swelling or burning may occur. Prolonged or repeated exposure may result in the absorption of potentially harmful amounts of aminoethyl-ethanolamine.

**INGESTION:** Corrosion of tissue may occur. Nausea, vomiting, or abdominal pain possible. Large doses of sodium sulfite may cause circulatory disturbances and central nervous system depression.

**INHALATION:** Concentrated mists may irritate or damage respiratory tract and lungs. May cause nausea or vomiting.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Sulfites may cause allergic reactions in some asthmatics.

**CARCINOGENICITY:** None of the chemicals used in this product are listed on NTP, IARC, or OSHA listings of human carcinogens.

**\*\*\*\* FIRST AID \*\*\*\***

**EYE:** Flush with water for 15 minutes. Obtain medical attention. Check for corneal injury.

**SKIN:** Remove contaminated clothing. Wash the exposed area thoroughly with water. Contact a physician. Wash contaminated clothing before re-use.

**INGESTION:** If conscious, give 2 glasses of water. Do not induce vomiting. Obtain prompt medical attention.

**INHALATION:** Remove to fresh air. If adverse symptoms develop, contact a physician.

**SECTION VIII: SPECIAL PROTECTION INFORMATION**

**VENTILATION:** Ten room volumes per hour is recommended under normal conditions.

**PROTECTIVE EQUIPMENT RECOMMENDED:** Chemical splash goggles, latex or neoprene gloves, lab coat, and eye wash station. For poorly ventilated areas a NIOSH cartridge respirator is recommended.

**SECTION IX: SPECIAL PRECAUTIONS**

**STORAGE and HANDLING PRECAUTIONS:** Store in a well ventilated area. Keep container tightly capped when not in use. Do not store food, drink, or tobacco in areas where contamination could occur with this product.

**OTHER PRECAUTIONS:** Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not take internally. Keep out of reach of children.