


33 DCLO14  
Grease, Lithium #1

MSDS  
Name



MOBIL  
MOBILITH SHC PM Revised: 10/6/1999

Item Number:  
4ZF48

Mfg. Model Number:  
MOBILITH SHC PM

644047-00 MOBILITH SHC PM  
MATERIAL SAFETY DATA BULLETIN

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ~~MOBILITH SHC PM~~  
SUPPLIER: MOBIL OIL CORP.

NORTH AMERICA MARKETING AND REFINING  
3225 GALLOWES RD.  
FAIRFAX, VA 22037

24 - HOUR EMERGENCY (CALL COLLECT): 609-737-4411  
PRODUCT AND MSDS INFORMATION: 800-662-4525 609-224-4644  
CHEMTREC: 800-424-9300 202-483-7616

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAMES AND SYNONYMS: SYN. HYDROCARBONS AND ADDITIVES  
INGREDIENTS CONSIDERED HAZARDOUS TO HEALTH:  
THIS PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE  
EXPOSURE LIMITS ESTABLISHED BY U.S. AGENCIES. IT IS NOT HAZARDOUS TO  
HEALTH AS DEFINED BY THE EUROPEAN UNION DANGEROUS  
SUBSTANCES/PREPARATIONS DIRECTIVES. SEE SECTION 15 FOR A REGULATORY  
ANALYSIS OF THE INGREDIENTS.  
SEE SECTION 15 FOR EUROPEAN LABEL INFORMATION.  
SEE SECTION 8 FOR EXPOSURE LIMITS (IF APPLICABLE).

3. HAZARDS IDENTIFICATION

US OSHA HAZARD COMMUNICATION STANDARD: PRODUCT ASSESSED IN ACCORDANCE  
WITH OSHA 29 CFR 1910.1200 AND DETERMINED NOT TO BE HAZARDOUS.  
EFFECTS OF OVEREXPOSURE: NO SIGNIFICANT EFFECTS EXPECTED.  
EMERGENCY RESPONSE DATA: LIGHT TAN GREASE. DOT ERG NO. - NA

4. FIRST AID MEASURES

EYE CONTACT: FLUSH THOROUGHLY WITH WATER. IF IRRITATION OCCURS, CALL  
A PHYSICIAN.

Date copied and placed  
into MSDS: 06/26/03  
2/27/2003

SKIN CONTACT: WASH CONTACT AREAS WITH SOAP AND WATER. HIGH PRESSURE ACCIDENTAL INJECTION THROUGH THE SKIN REQUIRES IMMEDIATE MEDICAL ATTENTION FOR POSSIBLE INCISION, IRRIGATION AND/OR DEBRIDEMENT. INHALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION: NOT EXPECTED TO BE A PROBLEM. HOWEVER, IF GREATER THAN 1/2 LITER (PINT) INGESTED, IMMEDIATELY GIVE 1 TO 2 GLASSES OF WATER AND CALL A PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL CENTER FOR ASSISTANCE. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

---

#### 5. FIRE-FIGHTING MEASURES

---

EXTINGUISHING MEDIA: CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG. SPECIAL FIRE FIGHTING PROCEDURES: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE. PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING STREAMS, SEWERS, OR DRINKING WATER SUPPLY. SPECIAL PROTECTIVE EQUIPMENT: FOR FIRES IN ENCLOSED AREAS, FIRE FIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE. FLASH POINT C(F): > 200(392) (ASTM D-92). FLAMMABLE LIMITS - LEL: NA, UEL: NA. NFPA HAZARD ID: HEALTH: 0, FLAMMABILITY: 1, REACTIVITY: 0. HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE. METAL OXIDES. ELEMENTAL OXIDES.

---

#### 6. ACCIDENTAL RELEASE MEASURES

---

NOTIFICATION PROCEDURES: REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES. U. S. COAST GUARD REGULATIONS REQUIRE IMMEDIATE REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING INTERMITTENT DRY CREEKS. REPORT SPILL TO COAST GUARD TOLL FREE NUMBER (800) 424-8802. IN CASE OF ACCIDENT OR ROAD SPILL NOTIFY CHEMTREC (800) 424-9300. PROCEDURES IF MATERIAL IS RELEASED OR SPILLED: SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL. ENVIRONMENTAL PRECAUTIONS: PREVENT SPILLS FROM ENTERING STORM SEWERS OR DRAINS AND CONTACT WITH SOIL. PERSONAL PRECAUTIONS: SEE SECTION 8

---

#### 7. HANDLING AND STORAGE

---

HANDLING: HIGH PRESSURE INJECTION UNDER THE SKIN MAY OCCUR DUE TO THE RUPTURE OF PRESSURIZED LINES. ALWAYS SEEK MEDICAL ATTENTION. STORAGE: DO NOT STORE IN OPEN OR UNLABELLED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL.

---

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

VENTILATION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. RESPIRATORY PROTECTION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. EYE PROTECTION: GENERALLY EYE CONTACT IS UNLIKELY WITH THIS TYPE MATERIAL. IF EYE CONTACT IS LIKELY, SAFETY GLASSES WITH SIDE SHIELDS OR CHEMICAL TYPE GOGGLES SHOULD BE WORN. SKIN PROTECTION: IF PROLONGED OR REPEATED SKIN CONTACT IS LIKELY, OIL

IMPERVIOUS GLOVES SHOULD BE WORN. GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.  
EXPOSURE LIMITS: THIS PRODUCT DOES NOT CONTAIN ANY COMPONENTS WHICH HAVE RECOGNIZED EXPOSURE LIMITS.

---

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

---

TYPICAL PHYSICAL PROPERTIES ARE GIVEN BELOW. CONSULT PRODUCT DATA SHEET FOR SPECIFIC DETAILS.

APPEARANCE: GREASE  
COLOR: LIGHT TAN  
ODOR: STRONG  
ODOR THRESHOLD-PPM: NE  
PH: NA  
BOILING POINT C(F): > 316(600)  
DROP POINT C(F): NA  
FLASH POINT C(F): > 200(392) (ASTM D-92)  
FLAMMABILITY: NE  
AUTO FLAMMABILITY: NE  
EXPLOSIVE PROPERTIES: NA  
OXIDIZING PROPERTIES: NA  
VAPOR PRESSURE-MMHG 20 C: NA  
VAPOR DENSITY: NE  
EVAPORATION RATE: NE  
RELATIVE DENSITY, 15/4 C: 0.9  
SOLUBILITY IN WATER: NEGLIGIBLE  
PARTITION COEFFICIENT: NE  
VISCOSITY AT 40 C, CST: > 414.0  
VISCOSITY AT 100 C, CST: NE  
POUR POINT C(F): NA  
FREEZING POINT C(F): NE  
VOLATILE ORGANIC COMPOUND: NE  
NOTE: MOST PHYSICAL PROPERTIES FOR OIL COMPONENT.

NA=NOT APPLICABLE NE=NOT ESTABLISHED D=DECOMPOSES  
FOR FURTHER TECHNICAL INFORMATION, CONTACT YOUR MARKETING REPRESENTATIVE

---

#### 10. STABILITY AND REACTIVITY

---

STABILITY (THERMAL, LIGHT, ETC.): STABLE.  
CONDITIONS TO AVOID: EXTREME HEAT.  
INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS.  
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE. METAL OXIDES.  
ELEMENTAL OXIDES.  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

---

#### 11. TOXICOLOGICAL DATA

---

---ACUTE TOXICOLOGY---

ORAL TOXICITY (RATS): PRACTICALLY NON-TOXIC (LD50: GREATER THAN 2000 MG/KG). ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

DERMAL TOXICITY (RABBITS): PRACTICALLY NON-TOXIC (LD50: GREATER THAN 2000 MG/KG). ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

INHALATION TOXICITY (RATS): NOT APPLICABLE ---HARMFUL CONCENTRATIONS OF MISTS AND/OR VAPORS ARE UNLIKELY TO BE ENCOUNTERED THROUGH ANY CUSTOMARY OR REASONABLY FORESEEABLE HANDLING, USE, OR MISUSE OF THIS PRODUCT.

EYE IRRITATION (RABBITS): PRACTICALLY NON-IRRITATING. (DRAIZE SCORE:

GREATER THAN 6 BUT 15 OR LESS). ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

SKIN IRRITATION (RABBITS): PRACTICALLY NON-IRRITATING. (PRIMARY IRRITATION INDEX: GREATER THAN 0.5 BUT LESS THAN 3). ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

---OTHER TOXICOLOGY DATA---

THIS PRODUCT IS FORMULATED WITH A SYNTHETIC HYDROCARBON AS THE BASE STOCK. THE MOBIL ENVIRONMENTAL AND HEALTH SCIENCES LABORATORY HAS TESTED REPRESENTATIVE SYNTHETIC BASE STOCKS TO ASSESS THEIR POTENTIAL ADVERSE EFFECTS ON HUMAN HEALTH. ASSESSMENT OF HUMAN HEALTH EFFECTS WAS BASED ON ACUTE ORAL, DERMAL, AND INHALATION TOXICITY; EYE AND SKIN IRRITATION; SUBCHRONIC DERMAL TOXICITY AND REPRODUCTIVE STUDIES; GUINEA PIG SENSITIZATION; AND MUTAGENICITY AND CHROMOSOMAL DAMAGE ASSAYS. NONE OF THESE BASE STOCKS APPEARS TO POSE A HEALTH HAZARD TO HUMANS UNDER CONDITIONS OF EXPECTED USE.

---

## 12. ECOLOGICAL INFORMATION

---

ENVIRONMENTAL FATE AND EFFECTS: NOT ESTABLISHED.

---

## 13. DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL: PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED, CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION. SUCH BURNING MAY BE LIMITED PURSUANT TO THE RESOURCE CONSERVATION AND RECOVERY ACT. IN ADDITION, THE PRODUCT IS SUITABLE FOR PROCESSING BY AN APPROVED RECYCLING FACILITY OR CAN BE DISPOSED OF AT AN APPROPRIATE GOVERNMENT WASTE DISPOSAL FACILITY. USE OF THESE METHODS IS SUBJECT TO USER COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS AND CONSIDERATION OF PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

RCRA INFORMATION: THE UNUSED PRODUCT, IN OUR OPINION, IS NOT SPECIFICALLY LISTED BY THE EPA AS A HAZARDOUS WASTE (40 CFR, PART 261D), NOR IS IT FORMULATED TO CONTAIN MATERIALS WHICH ARE LISTED HAZARDOUS WASTES. IT DOES NOT EXHIBIT THE HAZARDOUS CHARACTERISTICS OF IGNITABILITY, CORROSIVITY, OR REACTIVITY AND IS NOT FORMULATED WITH CONTAMINANTS AS DETERMINED BY THE TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP). HOWEVER, USED PRODUCT MAY BE REGULATED.

---

## 14. TRANSPORT INFORMATION

---

USA DOT: NOT REGULATED BY USA DOT.  
RID/ADR: NOT REGULATED BY RID/ADR.  
IMO: NOT REGULATED BY IMO.  
IATA: NOT REGULATED BY IATA.

---

## 15. REGULATORY INFORMATION

---

GOVERNMENTAL INVENTORY STATUS: ALL COMPONENTS COMPLY WITH TSCA.  
EU LABELING: EU LABELING NOT REQUIRED.  
U.S. SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) TITLE III:  
THIS PRODUCT CONTAINS NO "EXTREMELY HAZARDOUS SUBSTANCES".  
SARA (311/312) REPORTABLE HAZARD CATEGORIES: NONE.  
THIS PRODUCT CONTAINS NO CHEMICALS REPORTABLE UNDER  
SARA (313) TOXIC RELEASE PROGRAM.  
THIS PRODUCT HAS BEEN AUTHORIZED BY USDA FOR USE UNDER THE FOLLOWING  
CATEGORY: H2 - LUBRICANTS WITH NO FOOD CONTACT

THE FOLLOWING PRODUCT INGREDIENTS ARE CITED ON THE LISTS BELOW:

CHEMICAL NAME	CAS NUMBER	LIST CITATIONS
LITHIUM HYDROXIDE MONOHYDRATE (0.15%)	1310-66-3	22
LITHIUM-SOAP THICKENER (7.41%)	7620-77-1	22
HEXANEDIOIC ACID, MONOMETHYL ESTER, LITHIUM SALT (2.38%)	64601-11-2	22
PENTANEDIOIC ACID, MONOMETHYL ESTER, LITHIUM SALT (0.34%)	64601-12-3	22
FATTY ACIDS, C16-22, LITHIUM SALTS (3.82%)	68783-36-8	22

--- REGULATORY LISTS SEARCHED ---

1=ACGIH ALL	6=IARC 1	11=TSCA 4	16=CA P65 CARC	21=LA RTK
2=ACGIH A1	7=IARC 2A	12=TSCA 5A2	17=CA P65 REPRO	22=MI 293
3=ACGIH A2	8=IARC 2B	13=TSCA 5E	18=CA RTK	23=MN RTK
4=NTP CARC	9=OSHA CARC	14=TSCA 6	19=FL RTK	24=NJ RTK
5=NTP SUS	10=OSHA Z	15=TSCA 12B	20=IL RTK	25=PA RTK
				26=RI RTK

CODE KEY: CARC=CARCINOGEN; SUS=SUSPECTED CARCINOGEN; REPRO=REPRODUCTIVE

16. OTHER INFORMATION

USE: PAPER MACHINE GREASE

NOTE: MOBIL PRODUCTS ARE NOT FORMULATED TO CONTAIN PCBS.

PLEASE CALL THE CUSTOMER RESPONSE CENTER ON 800-662-4525 FOR FORMULATION DISCLOSURE.

\*\*\*\*\*  
 FOR INTERNAL USE ONLY: MHC: 1\* 1\* NA 1\* 1\*, MPPEC: A, TRN: 644047-00,  
 GLIS: 400422, CMCS97: 971123, REQ: US - MARKETING, SAFE USE: L  
 EHS APPROVAL DATE: 06OCT1999  
 \*\*\*\*\*

\*\*\*\*\*  
 LEGALLY REQUIRED INFORMATION IS GIVEN IN ACCORDANCE WITH APPLICABLE  
 INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT  
 WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR  
 PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT  
 ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL  
 WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF  
 MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO  
 THE USE OR SUITABILITY OF THE PRODUCT. NOTHING IS INTENDED AS A  
 RECOMMENDATION FOR USES WHICH INFRINGE VALID PATENTS OR AS EXTENDING  
 ANY LICENSE UNDER VALID PATENTS. APPROPRIATE WARNINGS AND SAFE HANDLING  
 PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS. USE OR RE-  
 TRANSMISSION OF THE INFORMATION CONTAINED HEREIN IN ANY OTHER FORMAT  
 THAN THE FORMAT AS PRESENTED IS STRICTLY PROHIBITED. MOBIL NEITHER  
 REPRESENTS NOR WARRANTS THAT THE FORMAT, CONTENT OR PRODUCT FORMULAS  
 CONTAINED IN THIS DOCUMENT COMPLY WITH THE LAWS OF ANY OTHER COUNTRY  
 EXCEPT THE UNITED STATES OF AMERICA.  
 \*\*\*\*\*