

# MATERIAL SAFETY DATA SHEET

FUJI PHOTO FILM U.S.A., INC. 555 TAXTER ROAD • ELMSFORD, NY 10523 • (914) 789-8100 EMERGENCY TELEPHONE NUMBER CHEMTREC: (800) 424-9300

Revision Date: 07/01/91

Product No.

61534000

Page

MSDS NO.: FUJI111-NC

## SECTION 1 CHEMICAL PRODUCTS IDENTIFICATION

#### MS 850 TONER

CONTAINER SIZE: 90 GRAMS/BTL X 1 BTL/BOX

PROCESS VOLUME MADE:

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME MAGNETITE	CAS NO. 1309-38-2	OSHA PEL 10 MG/M3		REGULATION	
			ACGIH TLV	CODE	PERCENT
			5 MG/M3	BV	<70
				BV	<50
STYRENE ACRYL COPOLYMER	25153-46-2			BV	<20
POLYPROPYLENE	9003-07-0		3.5 MG/M3	BDEHIV	<5
CARBON BLACK	1333-86-4	3.5 MG/M3	3.5 MG/MG	BV	<5
METAL COMPLEX	72869-85-3	·		ÐV	

### REGULATION CODE DESCRIPTION

- B. EPA TSCA INVENTORY LIST 1989
- NEW JERSEY RIGHT TO KNOW LIST 1989
- CANADIAN INGREDIENT DISCLOSURE LIST

- H. PENNSYLVANIA HAZARDOUS SUBSTANCE LIST
- MASSACHUSETTS SUBSTANCE LIST
- V. SARA TITLE III SECTION 311 AND 312

## SECTION 3 HAZARDS IDENTIFICATION

ROUTES OF ENTRY .....: INHALATION, INGESTION, SKIN, EYES

CARCINOGEN/POTENTIAL CARCINOGEN (Y/N) WARC MONOGRAPHS? N

OSHA? N

LD50: NA

HMIS PATINGS

H-1; F-1; R-0; P-C

### HEALTH HAZARDS (ACUTE OVEREXPOSURE)

NTP? N

METAL FUME FEVER; MUSCULAR ACHES AND FEVER WITH CHILLS; SWEETISH OR METALLIC TASTE; DRYNESS OF THE THROAT; NARCOSIS; IRREGULAR HEARTBEAT; CONJUNCTIVITIS; CORNEAL HYPOPLASIA; ECZEMA; BRONCHITIS.

## HEALTH HAZARDS (CHRONIC OVEREXPOSURE)

CHRONIC BRONCHITIS OR SIDEROSIS; PNEUMATOTUMORS; THE EXTRACTS OF CARBON BLACK ARE SUSPECTED AS CARCINOGENIC BY IARC.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE . . . : NO SPECIFIC CONDITION SPECIFIED.

## SECTION 4 FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

**EYES** 

IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES AND SEEK MEDICAL ATTENTION.

#### SKIN

IMMEDIATELY WASH WITH SOAP AND WATER AND SEEK MEDICAL ATTENTION IF BURNED OR IRRITATED.

Product No.

61534000

Page

2

MSDS NO.: FUJI111-NC

### SECTION 4 FIRST AID MEASURES - CONT'D

IMMEDIATELY REMOVE VICTIM TO FRESH AIR. IF VICTIM IS NOT BREATHING INITIATE CPR. SEEK MEDICAL ATTENTION.

#### INGESTION

IMMEDIATELY SEEK MEDICAL ATTENTION. CALL LOCAL POISON CONTROL CENTER. DO NOT INDUCE VOMITING OR DILUTE INGESTED LIQUID BY DRINKING LARGE QUANTITIES OF WATER WITHOUT EMERGENCY MEDICAL INSTRUCTIONS. CONSULT 29 CFR 1910.151 REQUIREMENTS FOR MEDICAL SERVICES AND FIRST AID.

#### SECTION 5 FIREFIGHTING MEASURES

**UPPER** 

LOWER

FLAMMABLE LIMITS IN AIR (%): NA

NA

FLASH POINT ..... >400 C

METHOD.....NA

AUTOIGNITION TEMP . . . . . : NA

EXTINGUISHER MEDIA .....: CHOOSE MEDIA SUITABLE FOR SURROUNDING MATERIALS.

NFPA RATING: H-1; F-1; R-0; O-

#### SPECIAL FIREFIGHTING PROCEDURES

WATER SPRAY SHOULD BE USED TO COOL CONTAINERS EXPOSED TO FIRE AND TO DISPERSE VAPORS. AS IN ANY FIRE SITUATION, USE NIOSH/MSHA APPROVED POSITIVE PRESSURE BREATHING APPARATUS WHEN ANY MATERIAL IS INVOLVED IN A FIRE.

UNUSUAL FIRE AND EXPLOSION HAZAROS . . . : NONE

## SECTION 6 ACCIDENTAL RELEASE MEASURES/SHIPPING INFORMATION

### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

WEAR PERSONAL PROTECTIVE EQUIPMENT AND CLEAN UP THE SPILLED MATERIAL IN A MANNER TO PREVENT AIRBORNE RELEASE, PLACE MATERIAL IN A SUITABLE D.O.T. APPROVED CONTAINER FOR DISPOSAL.

#### WASTE DISPOSAL METHODS

DISCHARGE OF THIS WASTE TO A SANITARY SEWER MAY REQUIRE APPROVAL OF THE LOCAL PERMITTING AUTHORITY. OBSERVE ALL FEDERAL, STATE, AND LOCAL REGULATIONS WHEN DISPOSING OF ANY CHEMICAL SUBSTANCE.

#### SHIPPING INFORMATION

PROPER SHIPPING NAME......NA HAZARD CLASS ..... NA UN NUMBER......NA

### SECTION 7 HANDLING AND STORAGE

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

AVOID CONTACT WITH SKIN AND EYES. HARMFUL IF SWALLOWED. AVOID BREATHING DUST. STORE IN A COOL, DRY, WELL VENTILATED SPACE. DO NOT STORE NEAR STRONG ACIDS. STORE AWAY FROM INCOMPATIBLE SUBSTANCES LISTED IN INCOMPATIBILITY SECTION.

#### OTHER PRECAUTIONS

Page

61534000

MSDS NO.: FUJI111-NC

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION . . . : RESPIRATORY PROTECTION IS NOT GENERALLY REQUIRED UNDER NORMAL USE

CONDITIONS. IF RESPIRATORY PROTECTION IS NECESSARY, REFER TO FUJI'S RESPIRATOR SELECTION CRITERIA DOCUMENT FOR RESPIRATOR USE GUIDANCE. ALSO, REFER TO 29 CFR 1910.134 FOR OSHA COMPLIANCE

PURPOSES.

VENTILATION REQUIREMENTS .: GENERAL EXHAUST VENTILATION SATISFYING THE REQUIREMENTS OF ASHRAE

STANDARD 62-1989, "VENTILATION REQUIREMENTS FOR INDOOR AIR QUALITY" SHOULD BE MAINTAINED. FRESH OUTDOOR AIR SHOULD BE SUPPLIED AT A MINIMUM RATE OF 20 CFM/PERSON. THE VENTILATION EFFECTIVENESS SHOULD BE SUFFICIENT TO PRODUCE GOOD MIXING THROUGHOUT THE

OCCUPIED SPACE.

LOCAL EXHAUST ..... NOT GENERALLY REQUIRED.

MECHANICAL ..... : GENERAL EXHAUST VENTILATION IS SUGGESTED.

SPECIAL.....NONE

OTHER . . . . . . . . . . . . NONE

PROTECTIVE GLOVES . . . . . . : BUTYL RUBBER, NEOPRENE, PVC, OR NITRILE GLOVES ARE ACCEPTABLE.

EYE PROTECTION . . . . . : SAFETY GLASSES. EYE WASH. CONSULT 29 CFR 1910.133 FOR GENERAL

REQUIREMENTS FOR EYE AND FACE PROTECTION.

OTHER PROTECTIVE

CLOTHING OR EQUIPMENT . . . : PROTECTIVE APRON OR LAB COAT. CONSULT 29 CFR 1910.132 FOR GENERAL

REQUIREMENTS FOR PERSONAL PROTECTIVE EQUIPMENT.

WORK/HYGIENIC PRACTICES ..: WASH THOROUGHLY BEFORE EATING, DRINKING, SMOKING, OR LEAVING THE

WORK PLACE. CONSULT 29 CFR 1910.141 FOR GENERAL REQUIREMENTS FOR

SANITATION.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

VAPOR DENSITY (Air=1)......NA BOILING POINT . . . . . . . . . NA **pH....**:NA MELTING POINT.....>95 C SPECIFIC GRAVITY ....: 1.0-1.9

EVAPORATION RATE VAPOR PRESSURE (mm Hg): NA (NA)=1....:NA

PERCENT VOLATILE . . . . . . . 0 SOLUBILITY IN WATER . . . : INSOLUBLE

REACTIVITY IN WATER . . . . : NONE

APPEARANCE AND ODOR .: BLACK POWDER, PRACTICALLY ODORLESS.

## SECTION 10 STABILITY AND REACTIVITY

IS THIS CHEMICAL STABLE UNDER NORMAL CONDITIONS OF HANDLING/STORAGE (Y/N)? Y

CONDITIONS TO AVOID (REGARDING STABILITY) . . . . . . : EXCESSIVE HEAT.

INCOMPATIBILITY (MATERIALS TO AVOID)

HYDRAZINE; CHLORINE; POTASSIUM PERMANGANATE; STRONG OXIDERS.

BURNING MAY YIELD TOXIC OR SUFFOCATING GASES

Revision Date: 07/01/91

Product No.

61534000

Page

MSDS NO.: FUJI111-NC

## SECTION 10 STABILITY AND REACTIVITY - CONT'D

IS HAZARDOUS POLYMERIZATION POSSIBLE (Y/N)? . . . . . N

CONDITIONS TO AVOID (REGARDING POLYMERIZATION)..: NONE