

MSDS NO. MCR-008
 DATE PREP. 04/02/93
 PAGE 1 of 3

MINOLTA CORPORATION
 101 WILLIAMS DRIVE
 RAMSEY, NJ 07446

EMERGENCY TEL. NO.

CONTACT YOUR REGIONAL
 POISON CONTROL CENTER

INFORMATION TEL. NO.

201-825-4000

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT: MT Toner (P-P)

EQUIPMENT NO. RP507, RP600Z, RP605Z,
 RP606Z, RP607Z

SECTION 2 - PRODUCT AND COMPONENT HAZARD DATA

INGREDIENT	CAS NO.	OSHA PEL-TWA	ACGIH TLV-TWA	%
Styrene acrylate copolymer		N.AP.	N.AP.	>80%
Carbon black	1333-86-4	3.5mg/m3	3.5mg/m3	5-10%
Organic pigment		N.AP.	N.AP.	1-5%
Polypropylene	9003-07-0	N.AP.	N.AP.	1-5%
Amorphous silica	7631-86-9	N.AP.	N.AP.	< 1%

As total nuisance dust 15mg/m3 10mg/m3
 Toner, as a mixture, is considered a nuisance dust.

HMIS RATING: HEALTH: 0 FLAMMABILITY: 1 REACTIVITY: 1

SECTION 3 - EMERGENCY AND FIRST AID

INHALATION: Wash nostrils, rinse mouth.

INGESTION: Dilute stomach contents with several glasses of water.

EYES: Flush with water for 15 minutes.

SKIN: Wash with soap and water.

PRIMARY ROUTE OF ENTRY: Inhalation

SYMPTOMS OF OVEREXPOSURE

ACUTE: Minimal respiratory tract irritation may occur as with exposure to large amounts of any nontoxic dust. May cause cough and raise phlegm.

CHRONIC: None.

SECTION 4 - TOXICOLOGY AND HEALTH INFORMATION

HEALTH HAZARDS: Toner presents a low hazard for usual occupational settings. Based on available data, human exposure to toner has been shown to cause minimal respiratory tract irritation as may occur with large amounts of any non-toxic dusts. The results of one animal study where rats inhaled toner that was ten times more respirable than commercially available toner were observed to have no lung changes at low exposures (the most relevant level to potential human exposures). At higher levels a slight degree of lung fibrosis was observed due to excessive amounts of dust retained in the lungs for a prolonged interval.

ORAL LD₅₀ : >5.0g/kg (Rats)

DERMAL LD₅₀ : >2.0g/kg (Rats)

INHALATION LC₅₀: >0.41mg/l (Rats) for 4-hours

(This was the highest attainable concentration. There were no deaths during the study.)

EYE IRRITANT : Mild irritant. (Rabbits)

SKIN IRRITANT : Not an irritant (Rabbits)

SKIN SENSITIZER: N.AV.

MUTAGENICITY : No mutagenicity detected in Ames Assay.

CARCINOGENICITY: NTP: Not listed IARC MONOGRAPHS: Not listed OSHA REGULATED: Not listed

SECTION 5 - PHYSICAL DATA

APPEARANCE AND ODOR : Black powder, faint odor

BOILING POINT (°C) : N.AP.

SPECIFIC GRAVITY (H₂O=1): 1.15

VAPOR PRESSURE (mmHg): N.AP.

EVAPORATION RATE : N.AP.

VAPOR DENSITY (AIR=1): N.AP.

MELTING POINT (°C) : N.AV.

SOLUBILITY IN WATER : Negligible

pH : N.AP.

SECTION 6 - FIRE AND EXPLOSION DATA

FLASH POINT & METHOD: N.AP.

FLAMMABLE LIMITS IN AIR: LEL: N.AP. % UEL: N.AP. %

EXTINGUISHING MEDIA: Water, foam, dry chemical

SPECIAL FIREFIGHTING PROCEDURES: Avoid inhalation of smoke.

FIRE AND EXPLOSION HAZARDS: If dispersed in air, Toner, like most finely divided organic powders, may form an explosive mixture.
