



JUN 06 2002

# MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : **NALCO 7365**

APPLICATION :

COMPANY IDENTIFICATION :  
Ondeo Nalco Company  
Ondeo Nalco Center  
Naperville, Illinois  
60563-1198

EMERGENCY TELEPHONE NUMBER(S) : (800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH : 3 / 3 FLAMMABILITY : 1 / 1 REACTIVITY : 0 / 0 OTHER :

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

Hazardous Substance(s)	CAS NO	% (w/w)
Sodium Tolyltriazole	64665-57-2	1.0 - 5.0
Potassium Hydroxide	1310-58-3	1.0 - 5.0
Potassium Vanadate	14293-78-8	1.0 - 5.0
Sodium Bisulfate	7681-38-1	1.0 - 5.0

## 3. HAZARDS IDENTIFICATION

### \*\*EMERGENCY OVERVIEW\*\*

#### DANGER

Corrosive. May cause tissue damage.

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Keep container tightly closed and in a well-ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Protect product from freezing.

Wear a face shield. Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots.

Not flammable or combustible. May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

PRIMARY ROUTES OF EXPOSURE :

Eye, Skin



**MATERIAL SAFETY DATA SHEET**

PRODUCT

**NALCO 7365**

JUN 06 2002

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

**HUMAN HEALTH HAZARDS - ACUTE :**

**EYE CONTACT :**

Corrosive. Will cause eye burns and permanent tissue damage.

**SKIN CONTACT :**

May cause severe irritation or tissue damage depending on the length of exposure and the type of first aid administered.

**INGESTION :**

Not a likely route of exposure. Corrosive; causes chemical burns to the mouth, throat and stomach.

**INHALATION :**

Not a likely route of exposure. Irritating, in high concentrations, to the eyes, nose, throat and lungs.

**SYMPTOMS OF EXPOSURE :**

**Acute :**

A review of available data does not identify any symptoms from exposure not previously mentioned.

**Chronic :**

A review of available data does not identify any symptoms from exposure not previously mentioned.

**AGGRAVATION OF EXISTING CONDITIONS :**

A review of available data does not identify any worsening of existing conditions.

**4. FIRST AID MEASURES**

**EYE CONTACT :**

**PROMPT ACTION IS ESSENTIAL IN CASE OF CONTACT.** Immediately flush eye with water for at least 15 minutes while holding eyelids open. Get immediate medical attention.

**SKIN CONTACT :**

Immediately flush with plenty of water for at least 15 minutes. For a large splash, flood body under a shower. Remove contaminated clothing. Wash off affected area immediately with plenty of water. Get immediate medical attention. Contaminated clothing, shoes, and leather goods must be discarded or cleaned before re-use.

**INGESTION :**

**DO NOT INDUCE VOMITING.** If conscious, washout mouth and give water to drink. Get immediate medical attention.

**INHALATION :**

Remove to fresh air, treat symptomatically. Get medical attention.

**NOTE TO PHYSICIAN :**

Probable mucosal damage may contraindicate the use of gastric lavage. Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.



JUN 06 2002

## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### 5. FIRE FIGHTING MEASURES

FLASH POINT : None

EXTINGUISHING MEDIA :

Not expected to burn. Use extinguishing media appropriate for surrounding fire.

FIRE AND EXPLOSION HAZARD :

Not flammable or combustible. May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING :

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :

Restrict access to area as appropriate until clean-up operations are complete. Ensure clean-up is conducted by trained personnel only. Ventilate spill area if possible. Do not touch spilled material. Stop or reduce any leaks if it is safe to do so. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Notify appropriate government, occupational health and safety and environmental authorities.

METHODS FOR CLEANING UP :

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Wash site of spillage thoroughly with water. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

ENVIRONMENTAL PRECAUTIONS :

Do not contaminate surface water.

### 7. HANDLING AND STORAGE

HANDLING :

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Do not mix with acids. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

STORAGE CONDITIONS :

Store the containers tightly closed. Store separately from acids. Store in suitable labelled containers.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS :

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.



JUN 06 2002

**MATERIAL SAFETY DATA SHEET**

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

**ACGIH/TLV :**

Substance(s)

Potassium Hydroxide      CEILING: 2 mg/m<sup>3</sup>

**OSHA/PEL :**

Substance(s)

Potassium Hydroxide      CEILING: 2 mg/m<sup>3</sup>

**ENGINEERING MEASURES :**

General ventilation is recommended. Use local exhaust ventilation if necessary to control airborne mist and vapor.

**RESPIRATORY PROTECTION :**

If significant mists, vapors or aerosols are generated an approved respirator is recommended. A dust, mist, fume cartridge may be used. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

**HAND PROTECTION :**

Neoprene gloves, Nitrile gloves, PVC gloves, Butyl gloves, Rubber gloves

**SKIN PROTECTION :**

Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots. A full slicker suit is recommended if gross exposure is possible.

**EYE PROTECTION :**

Wear a face shield with chemical splash goggles.

**HYGIENE RECOMMENDATIONS :**

Eye wash station and safety shower are necessary. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

**HUMAN EXPOSURE CHARACTERIZATION :**

Based on our recommended product application and personal protective equipment, the potential human exposure is: Moderate

**9. PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE	Liquid
APPEARANCE	Yellow Dark Amber
ODOR	None
SPECIFIC GRAVITY	1.26 - 1.35 @ 77 °F / 25 °C
DENSITY	10.84 lb/gal
SOLUBILITY IN WATER	Complete
pH (100 %)	13.4



JUN 06 2002

**MATERIAL SAFETY DATA SHEET**

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

VISCOSITY 13 cps @ 77 °F / 23 °C  
FREEZING POINT 1 °F / -17 °C

**10. STABILITY AND REACTIVITY**

**STABILITY :**

Stable under normal conditions.

**HAZARDOUS POLYMERIZATION :**

Hazardous polymerization will not occur.

**CONDITIONS TO AVOID :**

Freezing temperatures.

**MATERIALS TO AVOID :**

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors.

**HAZARDOUS DECOMPOSITION PRODUCTS :**

Under fire conditions: Oxides of carbon, Oxides of nitrogen

**11. TOXICOLOGICAL INFORMATION**

No toxicity studies have been conducted on this product.

**SENSITIZATION :**

This product is not expected to be a sensitizer.

**CARCINOGENICITY :**

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

**HUMAN HAZARD CHARACTERIZATION :**

Based on our hazard characterization, the potential human hazard is: High

**12. ECOLOGICAL INFORMATION**

**ECOTOXICOLOGICAL EFFECTS :**

No toxicity studies have been conducted on this product.

**PERSISTENCY AND DEGRADATION :**

Chemical Oxygen Demand (COD) : 257,000 mg/l

**Biological Oxygen Demand (BOD) :**

Incubation Period	Value	Test Descriptor
-------------------	-------	-----------------



# MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 7365**

JUN 06 2002

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

5 d	1,700 mg/l	Product
-----	------------	---------

## ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: High

If released into the environment, see CERCLA/SUPERFUND in Section 15.

## 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: D002

Hazardous wastes must be transported by a licensed hazardous waste transporter and disposed of or treated in a properly licensed hazardous waste treatment, storage, disposal or recycling facility. Consult local, state, and federal regulations for specific requirements.

## 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are:

### LAND TRANSPORT :

Proper Shipping Name :	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Technical Name(s) :	POTASSIUM HYDROXIDE
UN/ID No :	UN 3266
Hazard Class - Primary :	8
Packing Group :	III
Flash Point :	None

DOT Reportable Quantity (per package) :	21,000 lbs
DOT RQ Component :	POTASSIUM HYDROXIDE

### AIR TRANSPORT (ICAO/IATA) :

Proper Shipping Name :	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Technical Name(s) :	POTASSIUM HYDROXIDE
UN/ID No :	UN 3266
Hazard Class - Primary :	8
Packing Group :	III
IATA Cargo Packing Instructions :	820
IATA Cargo Aircraft Limit :	60 L (Max net quantity per package)



**MATERIAL SAFETY DATA SHEET**

PRODUCT

**NALCO 7365**

JUN 06 2002

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

MARINE TRANSPORT (IMDG/IMO) :

Proper Shipping Name :	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Technical Name(s) :	POTASSIUM HYDROXIDE
UN/ID No :	UN 3266
Hazard Class - Primary :	8
Packing Group :	III

**15. REGULATORY INFORMATION**

NATIONAL REGULATIONS, USA :

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200 :

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Sodium Tolyltriazole : Irritant  
Potassium Hydroxide : Corrosive  
Potassium Vanadate : Eye irritant  
Sodium Bisulfate : Corrosive

CERCLA/SUPERFUND, 40 CFR 117, 302 :

This product contains the following Reportable Quantity (RQ) Substance. Also listed is the RQ for the product. If a reportable quantity of product is released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D.C. (1-800-424-8802).

<u>RQ Substance</u>	<u>RQ</u>
Potassium Hydroxide	21,000 lbs

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313 :

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355) :

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370) :

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

- X Immediate (Acute) Health Hazard
- Delayed (Chronic) Health Hazard
- Fire Hazard
- Sudden Release of Pressure Hazard
- Reactive Hazard



JUN 06 2002

MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7365

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372) :

This product contains the following substance(s), (with CAS # and % range) which appear(s) on the List of Toxic Chemicals

<u>Hazardous Substance(s)</u>	<u>CAS NO</u>	<u>% (w/w)</u>
Potassium Vanadate	14293-78-8	1.0 - 5.0

TOXIC SUBSTANCES CONTROL ACT (TSCA) :

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR / formerly Sec. 311 :

This product contains the following substances listed in the regulation:

<u>Substance(s)</u>	<u>Citations</u>
Potassium Hydroxide :	Sec. 311

CLEAN AIR ACT, Sec. 111 (40 CFR 60, Volatile Organic Compounds), Sec. 112 (40 CFR 61, Hazardous Air Pollutants), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances) :

None of the substances are specifically listed in the regulation.

CALIFORNIA PROPOSITION 65 :

This product does not contain substances which require warning under California Proposition 65.

MICHIGAN CRITICAL MATERIALS :

None of the substances are specifically listed in the regulation.

STATE RIGHT TO KNOW LAWS :

The following substances are disclosed for compliance with State Right to Know Laws:

Potassium Hydroxide	1310-58-3
Sodium Bisulfate	7681-38-1

NATIONAL REGULATIONS, CANADA :

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) :

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS CLASSIFICATION :

E - Corrosive Material

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.





JUN 06 2002

## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### INTERNATIONAL CHEMICAL CONTROL LAWS

#### EUROPE

The substances in this preparation are included in or exempted from the EINECS or ELINCS inventories.

#### THE PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippine Inventory of Chemicals & Chemical Substances (PICCS).

### 16. OTHER INFORMATION

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

\* The human risk is: Moderate

\* The environmental risk is: Low

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

### REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.



JUN 06 2002

## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 7365**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

---

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight# (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

---

Prepared By : Product Safety Department

Date issued : 10/18/2001

Replaces : 03/10/1998