

MATERIAL SAFETY DATA SHEET

N/A = Not Applicable

(Prepared According To 29 CFR 1910.1200)

Effective Date: 06/07

SECTION 1 - PRODUCT IDENTIFICATION

Product Name: North Woods™ Power Crystals
Generic Name: Drain maintainer
Suppliers Name: SUPERIOR CHEMICAL CORP.
Suppliers Address: 1331 Wisconsin Avenue, Sheboygan, WI 53081
Phone: 800-242-7694
EMERGENCY PHONE: 800-535-5053

Chemical Family: N/A
Formula: N/A

NPCA Hazardous Materials Identification System

Health	0
Flammability	0
Reactivity	0
Maximum Personal Protection	A

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS NO.	WT.%	PEL	TWA-TLV	STEL-TLV	CARCINOGEN
* Sodium Hydroxide	1310-73-2	< 100	No info	2mg/m3	No info	No

*Subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 & 40 CFR372.

SECTION 3 - PHYSICAL DATA

Boiling Range (F): 2530°F
Vapor Pressure: Unknown
% Volatile: Negligible
Solubility in Water: Partial
Physical Description: Orange pearls with citrus odor.

Specific Gravity: 2.13
Vapor Density: N/A
pH: 13.0 - 14.0
Evaporation Rate: N/A

SECTION 4 - FIRE & EXPLOSION HAZARD DATA

Flash Point (method used): N/A
Upper Explosive Limit: N/A
Lower Explosive Limit: N/A
Extinguishing Media: Water fog, CO2, Dry Chemical.
Special Fire Fighting Procedures: SCBA, Protective Clothing
Unusual Fire & Explosion Hazards: Extinguish all ignition sources, Flammable Hydrogen Gas may be liberated.

SECTION 5 - REACTIVITY DATA

Stability: Stable
Hazardous Polymerization: Will not occur.
Incompatibility (materials to avoid): Active metals, strong acids.
Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide.

SECTION 6 - STORAGE & HANDLING INFO

Precautions To Be Taken In Handling & Storage:
 Keep out of reach of children. For trained Institutional and Industrial personnel only. Keep container tightly closed when not in use.

SECTION 7 - HEALTH HAZARDS AND FIRST AID

Effects of Overexposure
Primary Route of Entry:
Skin: Destructive - overexposure may produce burns.
Eyes: Destructive - Exposure may cause burns, eye injury and blindness.
Inhalation: Excessive inhalation may damage respiratory tract. Possible nausea, dizziness, and difficulty breathing.
Ingestion: Extremely corrosive, large quantities could cause severe pain, nausea, even death.

First Aid Procedures:
Skin: Immediately flush skin with plenty of water while removing contaminated clothing. Seek medical attention if irritation persists.
Eyes: Flush with water for 15 minutes while lifting eyelids to assure complete removal. Get medical attention.
Inhalation: Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention.
Ingestion: Do not induce vomiting. If conscious, dilute stomach contents by drinking water. Call a physician immediately.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection: NIOSH/OSHA approved for your conditions.

Ventilation: General ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.

Protective Gloves: None required.

Eyes: Safety glasses or goggles.

Other Protective Equipment: None required.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled:
 Mop up or otherwise absorb and hold for disposal.

Waste disposal method:
 Any method in accordance with applicable laws.