s c Johnson Wax * K cane, Wisconsin 53403-5011 r. one: (414) 631-2777 Emergency Phone: (800) 228-5635

4=Very High 3=High 2=Moderate 1=Slight

HAZARD RATING NFPA HMIS 1 Health 4 Flammability 0=Insignificant | 0 Reactivity

MATERIAL SAFETY DATA SHEET SECTION I-PRODUCT IDENTIFICATION

	2				
PRODUCT NAME:			PRO	DUCT CODE	
OFF! INSECT REPELLENT				11810-24-25	
CHEMICAL OR COMMON NAME	DATE ISSUED:	SUPERSEDES:	PREPARED BY:		
NA	06/13/91	09/01/88	Terry A.	Meyers	
	,,			Info. Adm.	

SECTION II-INGREDIENT INFORMATION WEIGHT % EXPOSURE LIMIT INGREDIENTS 14.25 NOT ESTABLISHED N, N-Diethyl-Meta-Toluamide (CAS# 134-62-3) 1000 PPM ACGIH/OSHA TWA 70-80 Ethyl Alcohol (CAS# 64-17-5) 1000 PPM OSHA PEL NOT 110-20 Propane\Isobutane\N-Butane (CAS# ESTABLISHED 800 PPM 74-98-6,75-28-5,106-97-8) ACGIH/OSHA TWA

SECTION III-PHYSICAL DATA 0.78 SPECIFIC GRAVITY (H20=1): Dispensed as a spray APPEARANCE/ODOR: mist with perfume odor PERCENT VOLATILE BY VOLUME (%): ND VAPOR PRESSURE (mm Hg): ND VAPOR DENSITY (AIR=1): Appreciable SOLUBILITY IN WATER: ND BOILING POINT (°F): NA FREEZING POINT (°F): NA EVAPORATION RATE (BUTYL ACETATE=1): pH: NA

SECTION IV-FIRE AND EXPLOSION INFORMATION under 20(TCC) (Propellant) FLASH POINT (°F) (METHOD USED): FLAMMABLE LIMITS: ND Foam. CO2. Dry Chemical. Water Fog. EXTINGUISHING MEDIA: Normal fire fighting procedures may be used. SPECIAL FIREFIGHTING PROCEDURES: Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Fire fighters should wear self-contained breathing apparatus and protective clothing. No special hazards known UNUSUAL FIRE AND EXPLOSION HAZARDS:

SECTION V-HEALTH HAZARD DATA

Eye contact. PRIMARY ROUTE OF ENTRY: SIGNS AND SYMPTOMS: Direct contact of product with eyes can cause irritation. Product may cause distress and illness if taken internally. FIRST AID PROCEDURES: Flush eyes with water for 15 minutes. If irritation persists, seek medical aid. If product is swallowed, seek medical aid at

MATERIAL SAFETY DATA SHEET

S.C. Johnson Wax 1525 Howe Street

53403 Racine, Wisconsin

OFF! INSECT REPELLENT Product Number: 11810 Serial Number: 24-25

Page

SECTION V-HEALTH HAZARD DATA (cont.)

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:

SECTION VI-REACTIVITY DATA

STABILITY: Stable

STABILITY-CONDITIONS TO AVOID:

None known

INCOMPATIBILITY:

None known

HAZARDOUS DECOMPOSITION PRODUCTS:

When exposed to fire, produces normal products

of combustion.

HAZARDOUS POLYMERIZATION:

Will not occur.

HAZARDOUS POLYMERIZATION-CONDITIONS TO AVOID:

None known

SECTION VII-SPILL OR LEAK PROCEDURES

Eliminate all ignition STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: sources. Rinse affected area thoroughly with water.

WASTE DISPOSAL INFORMATION: Dispose of aerosol can by wrapping and placing in trash. Do not puncture or burn container. Dispose of spilled residues and multiple units in accordance with all Federal/State regulations and Local ordinances.

SECTION VIII-SPECIAL PROTECTION INFORMATION

No special requirements under normal use conditions. RESPIRATORY PROTECTION:

General room ventilation adequate. VENTILATION:

No special requirements under normal use conditions. PROTECTIVE GLOVES:

No special requirements under normal use conditions. EYE PROTECTION:

Use good personal hygiene practices. OTHER PROTECTIVE MEASURES:

SECTION IX-SPECIAL PRECAUTIONS

CAUTION: Keep out of reach of children. Harmful if PRECAUTIONARY LABELING: swallowed. Avoid contact with eyes and lips. Do not allow children to rub eyes if hands have been treated. In case of contact with eyes, flush with plenty of water. Do not apply to excessively sunburned or damaged skin. Flammable: Contents under pressure. See Section X.

OTHER HANDLING AND STORAGE CONDITIONS: Keep out of reach of children.

SECTION X-ADDITIONAL INFORMATION

EPA Registration No.: 4822-10. NFPA 30B Level 2 ADDITIONAL INFORMATION: Alternate names include : OFF! AEROSOL. Do not use near heat, sparks, or open flame. Do not puncture or incinerate containers. Exposure to temperatures above 120° F may cause bursting. Keep treated surfaces away from fire or flame until dry.

MATERIAL SAFETY DATA SHEET Page 3

5.C. Johnson Wax 1525 Howe Street Racine, Wisconsin

53403

OFF! INSECT REPELLENT Product Number: 11810 Serial Number: 24-25

SECTION XI-TRANSPORTATION INFORMATION			
DOT CLASS:			
DOT #:	·		
SHIPPING NAME:			
DOT NOTES:			

NA-Not Applicable, NE-Not Established, NSR-No Special Requirement, ND-Not Determined for this product The information herein is given in good faith. No warranty, expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations. The information contained in this form is confidential and is submitted solely for your organization's internal use.