

24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300

National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 SIGNALÉTIQUE

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

MATERIAL SAFETY

P5554 -04

Potassium meta-Bisulfite

Page: 1 Issued: 07/10/93

Effective:

03/09/92

J.T.BAKER INC., 222 Red School Lane, Phillipsburg, NJ 08865

SECTION I - PRODUCT IDENTIFICATION

Product Name:

Potassium meta-Bisulfite

Common Synonyms: Potassium Pyrosulfite; Pyrosulfurous Acid, Dipotassium Salt

Chemical Family: Potassium Compounds

Formula:

K25205

Formula Wt.:

222.33

CAS No.:

16731-55-8

NIOSH/RTECS No.: TT4920000

Product Use:

Laboratory Reagent

Product Codes:

2976

PRECAUTIONARY LABELING

BAKER SAF-T-DATA\* System

HEALTH

FLAMMABILITY

CONTACT

Laboratory Protective Equipment





# U.S. Precautionary Labeling

CAUTION!

MAY CAUSE IRRITATION, MAY BE HARMFUL IF SWALLOWED, MAY CAUSE ALLERGIC REACTION.

During use avoid contact with eyes, skin, clothing. Wash thoroughly after When not in use keep in tightly closed container.



24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300 National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 MATERIAL SAFETY DATA SHEET

FICHE HOJAS DE DATO: SIGNALÉTIQUE DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

P5554 -04 Potassium met Effective: 03/09/92	ta-Bisulfite Page: 2 Issued: 07/10/93
PRECAUTIONARY LABELING (CONTINUED)	
<u>Internat</u> :	ional Labeling
Causes burns. Irritating to respiratory system.  After contact with skin, wash immediately with plenty of soap and water.	
SAF-T-DATA* Storage Color Code: Orange	deuergr storade,
SECTION II - CO	MPONENTS
<u>Component</u> <u>CAS</u> Potassium meta-Bisulfite 16731-5	No. Weight % OSHA/PEL ACGIH/TLU 5-8 90-100 N/E N/E
SECTION III - PHYSICAL DATA	
Boiling Point: N/A	Vapor Pressure (mmHg): N/A
Melting Point: N/A	Vapor Density (air=1): N/A
Specific Gravity: 2.34 (H <sub>2</sub> 0=1)	Evaporation Rate: N/A
Solubility(H <sub>2</sub> O): Appreciable (>10%)	% Volatiles by Volume: 0
pH: N/A	
Odor Threshold (ppm): N/A	Physical State: Solid
Coefficient Water/Oil Distribution: N	<b>∕</b> A

Appearance & Odor: White crystalline solid. Faint odor.



24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300 National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 MATERIAL SAFET

SIGNALÉTIQUE

HOJAS DE DATOS DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

P5554 -04 Effective:

03/09/92

Potassium meta-Bisulfite

Page: 3

Issued: 07/10/93

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup): N/A

Autoignition Temperature: N/A

Flammable Limits:

Upper - N/A

Lower - N/A

Fire Extinguishing Media

Use extinguishing media appropriate for surrounding fire.

Special Fire-Fighting Procedures

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode.

<u>Unusual Fire & Explosion Hazards</u>
None identified.

Toxic Gases Produced

Explosion Data-Sensitivity to Mechanical Impact
None identified.

Explosion Data-Sensitivity to Static Discharge None identified.

SECTION U - HEALTH HAZARD DATA

Threshold Limit Value (TLV/TWA): Not Established

Short-Term Exposure Limit (STEL): Not Established

Permissible Exposure Limit (PEL): Not Established

Toxicity of Components

No information is available

Carcinogenicity: NTP: No IARC: No Z List: No OSHA Reg: No

Carcinogenicity

None identified.



24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300

National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 SIGNALÉTIQUE

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

MATERIAL SAFET

P5554 -04 Effective:

03/09/92

Potassium meta-Bisulfite

Page: 4

Issued: 07/10/93

SECTION U - HEALTH HAZARD DATA (CONTINUED)

Reproductive Effects

None identified.

Effects of Overexposure

INHALATION:

irritation of upper respiratory tract

SKIN CONTACT:

irritation

EYE CONTACT:

irritation

SKIN ABSORPTION: none identified

INGESTION:

irritation and burns to mouth and stomach, allergic

reaction may develop, may be fatal

CHRONIC EFFECTS: none identified

Target Organs

brain, GI tract, respiratory system, skin

Medical Conditions Generally Aggravated by Exposure

asthma

Primary Routes of Entry

inhalation, ingestion, eye contact, skin contact

Emergency and First Aid Procedures

INGESTION:

CALL A PHYSICIAN. If swallowed, if conscious, immediately

induce vomiting.

INHALATION:

If inhaled, remove to fresh air. If not breathing, give

artificial respiration. If breathing is difficult, give

oxygen.

SKIN CONTACT: In case of contact, flush skin with water.

EYE CONTACT:

In case of eye contact, immediately flush with plenty of

water for at least 15 minutes.

SARA/TITLE III HAZARD CATEGORIES and LISTS

Acute: Yes Chronic: Yes Flammability: No Pressure: No Reactivity: No



Eye/Skin Protection:

24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300 National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 FICHE SIGNAL ÉTIQUE

HOJAS DE DATOS DE SEGURIDAD

MATERIAL SAFETY DATA SHEET

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

Page: 5 Potassium meta-Bisulfite P5554 - 04 Tasued: 07/10/93 03/09/92 Effective: SECTION U - HEALTH HAZARD DATA (CONTINUED) Extremely Hazardous Substance: No CERCLA Hazardous Substance: SARA 313 Toxic Chemicals: No Yes TSCA Inventory: SECTION UI - REACTIVITY DATA Hazardous Polymerization: Will not occur Stability: Stable moisture, air, heat Conditions to Avoid: strong acids, water, most common metals, nitrates Incompatibles: Decomposition Products: oxides of sulfur SECTION VII - SPILL & DISPOSAL PROCEDURES <u>Steps to be Taken in the Event of a Spill or Discharge</u> Wear suitable protective clothing. Carefully sweep up and remove. Disposal Procedure Dispose in accordance with all applicable federal, state, and local environmental regulations. SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT Use adequate general or local exhaust ventilation to Ventilation: keep fume or dust levels as low as possible. Respiratory Protection: None required where adequate ventilation conditions If airborne concentration is high, use an appropriate respirator or dust mask.

Safety goggles, rubber gloves are recommended.



24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300 National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 FICHE SIGNALÉTIQUE

OJAS DE DATOS E SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

P5554 -04 Effective:

03/09/92

Potassium meta-Bisulfite

Page: 6 Issued: 07/10/93

MATERIAL SAFETY DATA SHEET

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

SAF-T-DATA\* Storage Color Code: Orange (general storage)

Storage Requirements

Keep container tightly closed. Suitable for any general chemical storage area. Isolate from incompatible materials.

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

# Domestic (D.O.T.)

Proper Shipping Name: F

Potassium metabisulfite (air only)

Hazard Class:

ORM-B

UN/NA: NA2693

Labels: NONE

Regulatory References: 49CFR 172.101; 173.500; 173.510

International (I.M.O.)

Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)

Marine Pollutants: No

#### AIR (I,C,A.O.)

Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)

U.S. Customs Harmonization Number: 28322000006

N/A = Not Applicable or Not Available

N/E = Not Established

The information in this Material Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and the Canadian WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes.

Exposure to this product may have serious adverse health effects. This

Continued on Page:

0020



24-Hour Emergency Telephone 908-859-2151 National Response Center 800-424-8802 Chemtrec 800-424-9300 National Response In Canada CANUTEC 613-996-6666

Outside U.S. and Canada Chemtrec 202-483-7616 FICHE SIGNALÉTIQUE

HOJAS DE DATOS DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

MATERALSAFET

P5554 -04 Effective:

03/09/92

Potassium meta-Bisulfite

Page: 7 Issued: 07/10/93

chemical may interact with other substances. Since the potential uses are so varied, Baker cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. Baker warrants that the chemical meets the specifications set forth on the label.

BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Baker will periodically

general safety information becomes avairevise this Material Safety Data Sheet.

Note: CHEMTREC, CANUTEC, and NATIONAL RESPONSE CENTER emergency telephone numbers are to be used ONLY in the event of CHEMICAL EMERGENCIES involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

COPYRIGHT 1993 J.T.BAKER INC. \* TRADEMARKS OF J.T.BAKER INC.

18-00 const tolera

Approved by Quality Assurance Department.