

SHERWIN-WILLIAMS MARTIN SENOUR -- B20W201 PROMAR 200 INTERIOR LATEX EG-SHEL ENAMEL -
MATERIAL SAFETY DATA SHEET
NSN: 801000F048557
Manufacturer's CAGE: 54636
Part No. Indicator: A
Part Number/Trade Name: B20W201 PROMAR 200 INTERIOR LATEX EG-SHEL ENAMEL

=====
General Information
=====

Item Name: PURE WHITE BASE PAINT
Company's Name: SHERWIN-WILLIAMS CO/MARTIN SENOUR CO
Company's Street: 101 PROSPECT AVE N W
Company's City: CLEVELAND
Company's State: OH
Company's Country: US
Company's Zip Code: 44115-1042
Company's Emerg Ph #: 216-566-2917/216-566-2902
Company's Info Ph #: 216-566-2902/216-566-2917
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 29NOV95
Safety Data Review Date: 24JUN96
Preparer's Company: SHERWIN-WILLIAMS CO/MARTIN SENOUR CO
Preparer's St Or P. O. Box: 101 PROSPECT AVE N W
Preparer's City: CLEVELAND
Preparer's State: OH
Preparer's Zip Code: 44115-1042
MSDS Serial Number: BZFPV

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: 2-(2-BUTOXYETHYOXY)-ETHANOL, DIETHYLENE GLYCOL MONOBUTYL ETHER
(BUTYL CARBITOL) *96-2*
Ingredient Sequence Number: 01
Percent: 2
NIOSH (RTECS) Number: KJ9100000
CAS Number: 112-34-5

Proprietary: NO
Ingredient: ETHYLENE GLYCOL, GLYCOL *96-2*
Ingredient Sequence Number: 02
Percent: 3
NIOSH (RTECS) Number: KW2975000
CAS Number: 107-21-1
OSHA PEL: 50 PPM
ACGIH TLV: C 127 MG/CUM
Other Recommended Limit: 10 MG/CUM

Proprietary: NO
Ingredient: CLAY (KAOLIN), ALUMINUM SILICATE *96-2*
Ingredient Sequence Number: 03
Percent: 6
NIOSH (RTECS) Number: GF1670500
CAS Number: 1332-58-7
ACGIH TLV: 10 MG/CUM TOTAL DUST

Proprietary: NO
Ingredient: CARBONIC ACID, CALCIUM SALT (1:1), CALCIUM CARBONATE, DURAMITE
Ingredient Sequence Number: 04
Percent: 2
NIOSH (RTECS) Number: FF9335000
CAS Number: 471-34-1
Other Recommended Limit: 10 MG/CUM (DUST)

Proprietary: NO
Ingredient: TITANIUM DIOXIDE, TITANIUM OXIDE (SUSPECTED ANIMAL CARCINOGEN,
IARC GROUP 3) *96-2*
Ingredient Sequence Number: 05
Percent: 14
NIOSH (RTECS) Number: XR2275000
CAS Number: 13463-67-7
OSHA PEL: 15 MG/CUM
ACGIH TLV: 10 MG/CUM (DUST)

Proprietary: NO
Ingredient: VOLATILE ORGANIC CONTENT: 1.22 LB/GAL; 146 GM/L
Ingredient Sequence Number: 06
NIOSH (RTECS) Number: 9999999VO
=====

Physical/Chemical Characteristics
=====

Boiling Point: 212-448F
Vapor Density (Air=1): >1
Specific Gravity: 1.27
Evaporation Rate And Ref: SLOWER THAN ETHER
Percent Volatiles By Volume: 61
pH: 9.5
=====

Fire and Explosion Hazard Data
=====

Extinguishing Media: CO2, DRY CHEMICAL, ALCOHOL FOAM
Special Fire Fighting Proc: WEAR FULL PROTECTIVE EQUIPMENT W/SCBA. WATER
SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.
WATER MAY BE USED TO COOL CONTAINERS.
Unusual Fire And Expl Hazrds: CLOSED CONTAINERS MAY EXPLODE (DUE TO THE
BUILD-UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.
=====

Reactivity Data
=====

Stability: YES
Hazardous Decomp Products: BY FIRE: CO2, CO
Hazardous Poly Occur: NO
=====

Health Hazard Data
=====

Route Of Entry - Inhalation: YES
Route Of Entry - Skin: NO
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: MAY CAUSE IRRITATION OF EYES, SKIN & UPPER
RESPIRATORY SYSTEM. REDNESS, ITCHING/BURNING SENSATION MAY INDICATE EYE/
EXCESSIVE SKIN EXPOSURE. PROLONGED OVEREXPOSURE TO SOLVENTS MAY CAUSE
ADVERSE EFFECTS TO THE LIVER & URINARY SYSTEMS.
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Explanation Carcinogenicity: NONE
Signs/Symptoms Of Overexp: IRRITATION, HEADACHE, NAUSEA, DIZZINESS,
REDNESS, ITCHING, BURNING SENSATION
Med Cond Aggravated By Exp: NONE
Emergency/First Aid Proc: INHALATION: REMOVE FROM EXPOSURE. RESTORE
FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL
CASES.
=====

Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: REMOVE ALL IGNITION SOURCES. VENTILATE &
REMOVE W/INERT ABSORBENT.
Waste Disposal Method: INCINERATE IN APPROVED FACILITY. DON'T INCINERATE
=====

CLOSED CONTAINER. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Precautions-Handling/Storing: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTAINERS W/COMPLETE & APPROPRIATE LABELING. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: USE ONLY W/ADEQUATE VENTILATION. AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT W/SKIN & EYES. THIS COATING MAY CONTAIN MATERIALS AS NUISANCE PARTICULATES WHICH MAY PRESENT HAZARDOUS LEVELS ONLY DURING SANDING/ABRADING OF THE DRIED FILM.

=====
Control Measures
=====

Respiratory Protection: IF EXPOSURE CAN'T BE CONTROLLED <APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR. WHEN SANDING/ABRADING THE DRIED FILM, WEAR A DUST/MIST RESPIRATOR APPROVED BY NIOSH/MSHA FOR DUST.

Ventilation: LOCAL EXHAUST: PREFERRED. GENERAL EXHAUST: ACCEPTABLE IF EXPOSURE IS MAINTAINED <APPLICABLE EXPOSURE LIMITS.

Protective Gloves: RECOMMENDED

Eye Protection: REQUIRED

Other Protective Equipment: SAFETY SPECTACLES W/UNPERFORATED SIDESHIELDS.
=====

=====
Transportation Data
=====

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES

Label Status: G

Common Name: B20W201 PROMAR 200 INTERIOR LATEX EG-SHEL ENAMEL

Special Hazard Precautions: MAY CAUSE IRRITATION OF EYES, SKIN & UPPER RESPIRATORY SYSTEM. REDNESS, ITCHING/BURNING SENSATION MAY INDICATE EYE/ EXCESSIVE SKIN EXPOSURE. PROLONGED OVEREXPOSURE TO SOLVENTS MAY CAUSE ADVERSE EFFECTS TO THE LIVER & URINARY SYSTEMS. IRRITATION, HEADACHE, NAUSEA, DIZZINESS, REDNESS, ITCHING, BURNING SENSATION

Label Name: SHERWIN-WILLIAMS CO/MARTIN SENOUR CO

Label Street: 101 PROSPECT AVE N W

Label City: CLEVELAND

Label State: OH

Label Zip Code: 44115-1042

Label Country: US

Label Emergency Number: 216-566-2917/216-566-2902