

SHERWIN-WILLIAMS -- B30W401;PROMAR 400 INTERIOR LATEX FLAT PAINT, PURE - PAINT
MATERIAL SAFETY DATA SHEET
NSN: 801000D004798
Manufacturer's CAGE: 54636
Part No. Indicator: A
Part Number/Trade Name: B30W401;PROMAR 400 INTERIOR LATEX FLAT PAINT,PURE
WT(BASE X)

=====
General Information
=====

Item Name: PAINT
Company's Name: SHERWIN-WILLIAMS CO
Company's Street: 101 PROSPECT AVE N W
Company's City: CLEVELAND
Company's State: OH
Company's Country: US
Company's Zip Code: 44115-1042
Company's Emerg Ph #: 216-566-2917
Company's Info Ph #: 216-566-2902
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 12SEP95
Safety Data Review Date: 17APR96
Supply Item Manager: CX
MSDS Preparer's Name: UNKNOWN
MSDS Serial Number: BYSNB
Specification Number: NONE
Spec Type, Grade, Class: NONE
Hazard Characteristic Code: N1
Unit Of Issue: NK
Unit Of Issue Container Qty: UNKNOWN
Type Of Container: UNKNOWN
Net Unit Weight: UNKNOWN

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: SILICA, CRYSTALLINE - QUARTZ
Ingredient Sequence Number: 01
Percent: 12
NIOSH (RTECS) Number: VV7330000
CAS Number: 14808-60-7
OSHA PEL: SEE TABLE Z-3
ACGIH TLV: 0.1 MG/M3 RDUST;9495
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: SILICA, CRYSTALLINE - CRISTOBALITE
Ingredient Sequence Number: 02
Percent: 3
NIOSH (RTECS) Number: VV7325000
CAS Number: 14464-46-1
OSHA PEL: SEE TABLE Z-3
ACGIH TLV: 0.05 MG/M3 RDUST9495
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: KAOLIN
Ingredient Sequence Number: 03
Percent: 4
NIOSH (RTECS) Number: GF1670500
CAS Number: 1332-58-7
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 2 MG/M3 TDUST; 9495

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: TITANIUM DIOXIDE

Ingredient Sequence Number: 04

Percent: 12

NIOSH (RTECS) Number: XR2275000

CAS Number: 13463-67-7

OSHA PEL: 15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9495

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: VOLATILE ORGANIC CONTENT=0.42 LBS/GAL

Ingredient Sequence Number: 05

NIOSH (RTECS) Number: 9999999VO

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Other Recommended Limit: NONE RECOMMENDED

Physical/Chemical Characteristics

Appearance And Odor: LIQUID;WHITE.ODOR NOT REPORTED.

Boiling Point: 212-213F

Vapor Density (Air=1): >1

Specific Gravity: 1.36

Decomposition Temperature: UNKNOWN

Evaporation Rate And Ref: <1 ETHER=1

Percent Volatiles By Volume: 70

pH: 9.5

Corrosion Rate (IPY): UNKNOWN

Fire and Explosion Hazard Data

Flash Point: NONE

Extinguishing Media: DRY CHEMICAL,CARBON DIOXIDE,ALCOHOL FOAM.WATER MAY INEFFECTIVE AS AN EXTINGUISHANT.

Special Fire Fighting Proc: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire And Expl Hazrds: FIRE CONDITIONS MAY EVOLVE YOXIC FUMES.

CONTAINERS MAY BURST AT ELEVATED TEMPERATURES.

Reactivity Data

Stability: YES

Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomp Products: CARBON DIOXIDE,CARBON MONOXIDE.

Hazardous Poly Occur: NO

Health Hazard Data

LD50-LC50 Mixture: LD50 FOR THIS PRODUCT IS NOT ESTABLISHED

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE

IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY

IRRITATION.CHRONIC:SOLVENTS MAY CAUSE LIVER AND URINARY DAMAGE.

Carcinogenicity - NTP: YES

Carcinogenicity - IARC: YES

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: CRYSTALLINE SILICA IS LISTED BY IARC AND

NTP.TITANIUM DIOXIDE(DUST) MAY CAUSE LUNG CANCER.

Signs/Symptoms Of Overexp: VAPORS MAY CAUSE HEADACHE,NAUSEA,DIZZINESS.

EYES/SKIN:REDNESS,ITCHING,BURNING.

Med Cond Aggravated By Exp: MANUFACTURER STATES NONE RECOGNIZED.

Emergency/First Aid Proc: SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.KEEP WARM AND QUIET.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: ELIMINATE SOURCES OF IGNITION.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A NON-COMBUSTIBLE INERT ABSORBANT(CLAY,SAND);PLACE IN PROPER CONTAINER FOR DISPOSAL.

Neutralizing Agent: NOT APPLICABLE.

Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.MFR STATES THAT THIS ITEM IS NOT CONSIDERED RCRA HAZARDOUS WASTE IAW 40CFR261.

Precautions-Handling/Storing: STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: THE SANDING DUST FROM THIS PRODUCT MAY BE CONSIDERED NUISANCE DUST FOR WHICH THE ACGIH TLV IS 10MG/M3;PEL IS 15MG/M3(TOTAL) OR 5MG/M3(RESPIRABLE FRACTION).

=====

Control Measures

=====

Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

Ventilation: LOCAL EXHAUST IS PREFERRED;GENERAL DILUTION VENTILATION IS ACCEPTABLE.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES WITH SIDESHIELDS.

Other Protective Equipment: PROVIDE A LOCAL EYE WASH STATION.

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.

Suppl. Safety & Health Data: NONE

=====

Transportation Data

=====

Trans Data Review Date: 96108

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

AFI PSN Code: ZZZ

AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

MMAC Code: NR

Additional Trans Data: NONE

=====

Disposal Data

=====

=====

Label Data

=====

Label Required: YES

Technical Review Date: 17APR96

MFR Label Number: UNKNOWN

Label Status: F

Common Name: B30W401;PROMAR 400 INTERIOR LATEX FLAT PAINT,PURE WT(BASE X)

Signal Word: CAUTION!

Acute Health Hazard-Slight: X

Contact Hazard-Slight: X

Fire Hazard-Slight: X
Reactivity Hazard-None: X
Special Hazard Precautions: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION.CHRONIC:SOLVENTS MAY CAUSE LIVER AND URINARY DAMAGE. STORE IN A COOL, DRY, WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE. FIRST AID: SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.KEEP WARM AND QUIET.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.
Label Name: SHERWIN-WILLIAMS CO
Label Street: 101 PROSPECT AVE N W
Label City: CLEVELAND
Label State: OH
Label Zip Code: 44115-1042
Label Country: US
Label Emergency Number: 216-566-2917