



SIGMA-ALDRICH

SIGMA CHEMICAL COMPANY
POST OFFICE BOX 14508
SAINT LOUIS, MISSOURI 63178, USA

ATTN: SAFETY DIRECTOR
UNIV OF WISCONSIN - WHITEWATER
PURCHASING OFFICE
800 W MAIN ST
WHITEWATER WI 53190-1705

EMERGENCY PHONE 1-314-771-5765

DATE 02/15/00
CUST#: 0-495-04629
PO#: 2152000

M A T E R I A L S A F E T Y D A T A S H E E T PAGE 1

THIS MSDS IS FOR A COMPONENT OF CATALOG #: BCA-1

CATALOG #: P0914
NAME: PROTEIN STANDARD (BOVINE SERUM ALBUMIN)
1 MG/ML

HAZARDS IDENTIFIED WITH THIS PRODUCT ARE THOSE ASSOCIATED WITH THE FOLLOWING COMPONENT(S). REFER TO THE MATERIAL SAFETY DATA SHEET(S) FOR THE LISTED ITEM(S).

CATALOG NUMBER	NAME	PERCENT
	SODIUM AZIDE	.05

- - - - MULTIPLE COMPONENT SPILL OR LEAK PROCEDURES - - - -

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

WEAR PROTECTIVE EQUIPMENT.
ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

WASTE DISPOSAL METHOD

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

LABEL PRECAUTIONARY STATEMENTS

SODIUM AZIDE MAY REACT WITH LEAD AND COPPER PLUMBING TO FORM HIGHLY EXPLOSIVE METAL AZIDES.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1999 SIGMA-ALDRICH CO.

LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

MATERIAL WAS SHIPPED TO THIS ADDRESS:

UNIV OF WISCONSIN - WHITEWATER
PETER MESNER
UPHAM HALL
800 W MAIN ST
WHITEWATER WI 53190

8014

We are Committed to the Success of our Customers through Science, Technology and Service.

