



MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OHIO 45401-0277

MSDS NO: DAP / 10103
INTERNAL ID: 10103
RELY-ON LATEX CAULK
REVISION: 1
DATE: AUGUST 24, 1988

NATIONAL PAINT
AND COATINGS
ASSOCIATION

HAZARDOUS MATERIAL
IDENTIFICATION
SYSTEM

HEALTH HAZARD	0 - MINIMAL
FLAMMABILITY HAZARD	0 - MINIMAL
REACTIVITY HAZARD	0 - MINIMAL
PERSONAL PROTECTION	B - GLASSES, GLOVES

SECTION I. MATERIAL IDENTIFICATION

TRADE/MATERIAL NAME: RELY-ON LATEX CAULK

DESCRIPTION: CAULK

CAS: MIXTURE

SHIPPING NAME (49 CFR 172.101): NA
D.O.T. SHIPPING NO. (49 CFR 172.101): NA
D.O.T. LABEL REQUIRED (49 CFR 172.101): NA
EPA HAZARD CLASS - IF DISCARDED (40 CFR 261): NA

MANUFACTURER: DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

PHONE: 1-800-543-3840
IN OHIO: 1-513-253-7154

SECTION II. INGREDIENTS AND HAZARDS

INGREDIENT NAME: CAS NUMBER: PERCENT: EXPOSURE LIMITS:

MINERAL OIL 64741-88-4 <3

REMAINING INGREDIENTS ARE NOT REGULATED BY OSHA AND ARE CONSIDERED TRADE SECRETS.

SECTION III. PHYSICAL DATA

APPEARANCE & ODOR: WHITE PASTE WITH A MILD ODOR

BOILING POINT: NA
VAPOR PRESSURE: NA
WATER SOLUBILITY (%): NEGLIGIBLE
VAPOR DENSITY (AIR=1): >1

EVAPORATION RATE: (N-BUTYL ACETATE =
1): <1
SPECIFIC GRAVITY (H2O=1): 1.6
% VOLATILE BY VOLUME: <25

VOC MATERIAL (G/LITER): 2 VOC LESS WATER LESS EXEMPT SOLVENT (G/LITER): 3



MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OHIO 45401-0277

MSDS NO: DAP / 10103
INTERNAL ID: 10103
RELY-ON LATEX CAULK
REVISION: 1
DATE: AUGUST 24, 1988

| SECTION IV. FIRE AND EXPLOSION DATA |

FLASH POINT (METHOD): (C.C.) NONE LIMITS: LEL %: NA UEL %: NA
EXTINGUISHING MEDIA: FOAM, CARBON DIOXIDE, DRY CHEMICALS
UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN
SPECIAL FIRE-FIGHTING PROCEDURES: USE WATER SPRAY TO COOL EXPOSED SURFACES.

| SECTION V. REACTIVITY DATA |

MATERIAL IS STABLE AT ROOM TEMPERATURE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.
CHEMICAL INCOMPATIBILITIES: STRONG OXIDIZERS AND CAUSTICS
CONDITIONS TO AVOID: EXCESSIVE HEAT
HAZARDOUS DECOMPOSITION PRODUCTS: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX

| SECTION VI. HEALTH HAZARD INFORMATION |

THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY IARC, OSHA AND NTP.
MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: NONE KNOWN
PRIMARY ENTRY ROUTE(S): INGESTION
ACUTE EFFECTS: NONE KNOWN
CHRONIC EFFECT(S): NONE KNOWN
FIRST AID:

EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
CONTACT A PHYSICIAN.

SKIN CONTACT: WASH WITH SOAP AND WATER.

INHALATION: REMOVE TO FRESH AIR. CONTACT A PHYSICIAN IMMEDIATELY.

INGESTION: DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN OR
REGIONAL POISON CONTROL CENTER IMMEDIATELY.



MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OHIO 45401-0277

MSDS NO: DAP / 10103
INTERNAL ID: 10103
RELY-ON LATEX CAULK
REVISION: 1
DATE: AUGUST 24, 1988

| SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES |

SPILL / LEAK PROCEDURES: USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.

WASTE MANAGEMENT / DISPOSAL: DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATIONS. DISCARDED MATERIAL SHOULD BE INCINERATED AT A PERMITTED FACILITY.

| SECTION VIII. SPECIAL PROTECTION INFORMATION |

PERSONAL PROTECTIVE EQUIPMENT:

GOGGLES: SAFETY GLASSES RECOMMENDED

GLOVES: RECOMMENDED FOR PROLONGED OR REPEATED CONTACT WITH SKIN.

RESPIRATOR: NONE REQUIRED. SEE VENTILATION SECTION BELOW.

WORKPLACE CONSIDERATIONS:

VENTILATION: PROVIDE SUFFICIENT MECHANICAL VENTILATION (LOCAL OR GENERAL EXHAUST) TO MAINTAIN EXPOSURE BELOW PEL AND TLV. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS. CHECK ALL LOW AREAS (BASEMENTS, SUMPS, ETC.) FOR VAPOR BEFORE ENTERING.

SAFETY STATIONS:
NOT REQUIRED

CONTAMINATED EQUIPMENT:
WASH CONTAMINATED CLOTHING BEFORE REUSE.

| SECTION IX. SPECIAL PRECAUTIONS |

STORAGE SEGREGATION: STORE AWAY FROM CAUSTICS AND OXIDIZERS.

SPECIAL HANDLING / STORAGE: KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT AND FREEZING. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

DOT CLASS: NA

UN REGISTER: NA

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.