

Home | Order Status | Register | View

GO 1-800-4 Item Number Search CFR Safety Resources ! MSDS **Regulation Resource Site** On-Line Catalog Site Home **G**0 Most Po Search Resource Site All **MSDS Database** in Hazard N ▶ Software - Ma **Material Safety Data Sheet** RTK Label Blar MSDS bxkng Name RISOGRAPH RA INK BLACK (S-569) ▶ Diamond Pane **FSC** 7510 Company RISO INC Do-It-Yourself **MSDS Safety Information** ▶ Panel Characte FSC: 7510 MSDS Date: 12/16/1994 Fast F MSDS Num: BXKNG LIIN: 00F032984 ► Confined Space Product ID: RISOGRAPH RA INK BLACK (S-569) ▶ Lockout Checl MFN: 02 Responsible Party CFR - 1910 L Cage: 0LJK9 Fire Protection Name: RISO INC Asbestos Fact Address: 300 ROSEWOOD DR STE 210 City: DANVERS MA 01923 Traffic Signs Info Phone Number: 508-777-7377 Parking Signs Emergency Phone Number: 508-777-7377 Review Ind: Y Industrial Sign Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 0LJK9 Name: RISO INC

Address: 300 ROSEWOOD DR STE 210

City: DANVERS MA 01923

Contractor Summary

Cage: 0LJK9
Name: RISO INC

Address: 300 ROSEWOOD DR STE 210

City: DANVERS MA 01923 Phone: 508-777-7377

Ingredients

Name: ADDITIVES

Name: PIGMENT

Cas: 64742-55-8 RTECS #: PY8036500

Name: HYDROTREATED LIGHT PARAFFINIC DISTILLATE, MINERAL OIL, PETROLEUM

DISTILLATES % Wt: 10-20

Cas: 64742-18-3 RTECS #: PY8032000

Name: MINERAL OIL, PETROLEUM DISTILLATES, ACID-TREATED HEAVY

NAPHTHENIC

% Wt: 10-20

Cas: 56-81-5 RTECS #: MA8050000



Tags



Name: GLYCERINE, 1,2,3,-TRIHYDROXYPROPANE, GLYCEROL, ANHYDROUS GLYCERINE, GLYCERIN % Wt: AND1t:10 OSHA PEL: 15 MG/CUM ACGIH TLV: 10 MG/CUM (VAPOR) Cas: 1333-86-4 RTECS #: FF5800000 Name: COLUMBIA CARBON, CARBON BLACK, LAMPBLACK, BLACK PEARLS (IARC CARC GROUP 3) - *95-2* % Wt: ANDlt;5 Other REC Limits: 3.5 MG/CUM (NIOSH) OSHA PEL: 3.5 MG/CUM ACGIH TLV: 3.5 MG/CUM ______ Cas: 64742-47-8 RTECS #: OA5504000 Name: KEROSENE (PETROLEUM), HYDROTREATED (C10-C15 SATURATED HYDROCARBONS 97%, C10 AROMATICS 3%) % Wt: ANDlt;5 Other REC Limits: 200 PPM EXXON Cas: 7732-18-5 RTECS #: ZC0110000 Name: WATER Name: RESIN ______ Name: EMULSIFIERS

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50(RATS): ANDgt; 2000 MG/KG
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: HIGH VAPOR CONCENTRATIONS ARE A LITTLE IRRITATING TO EYES
ANDamp; THE RESPIRATORY TRACT.
Explanation Of Carcinogenicity: NONE
Signs And Symptions Of Overexposure: IRRITATION
First Aid: EYES: FLUSH W/PLENTY OF WATER FOR 15 MINS. INHALATION: REMOVE TO
FRESH AIR IMMEDIATELY. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Handling and Disposal

Spill Release Procedures: MATERIAL SHOULD BE WIPED UP W/CLOTH/PAPER.
Waste Disposal Methods: INCINERATION IS PREFERABLE. DISPOSE OF IN ACCORDANCE
W/LOCAL, STATE ANDamp; FEDERAL REGULATIONS. NA 1923
Handling And Storage Precautions: STORE AT TEMPERATURE BETWEEN 11-86F.

Fire and Explosion Hazard Information

Flash Point Method: PMCC Extinguishing Media: CO2, DRY CHEMICAL, FOAM/WATER SPRAY Unusual Fire/Explosion Hazard: NO UNUSUAL FIRE ANDamp; EXPLOSION HAZARDS.

Control Measures

Respiratory Protection: REQUIRED IN CASE OF HANDLING A LARGE AMOUNT. Ventilation: MECHANICAL (GENERAL)
Protective Gloves: NOT NORMALLY REQUIRED
Eye Protection: NOT NORMALLY REQUIRED

Physical/Chemical Properties

B.P. Text: 212F

M.P/F.P Text: ANDIt;32F Spec Gravity: 1-1.02

Solubility in Water: NEGLIGIBLE

Appearance and Odor: EXTREMELY VISCOUS COLORED LIQUID W/SLIGHT ODOR

Reactivity Data

Stability Indicator: YES

Materials To Avoid: STRONG OXIDIZING AGENTS Hazardous Decomposition Products: NONE Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: RISOGRAPH RA INK BLACK (S-569)

Cage: 0LJK9

Company Name: RISO INC

Street: 300 ROSEWOOD DR STE 210

City: DANVERS MA

Zipcode: 01923

Health Emergency Phone: 508-777-7377

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998 Origination Code: G

Hazard And Precautions: HIGH VAPOR CONCENTRATIONS ARE A LITTLE IRRITATING TO

EYES ANDamp; THE RESPIRATORY TRACT.

IRRITATION

Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

About | Contact emedco | Catalog Request Jobs | Links | Privacy Statement

> ©Copyri 800-442-36: FAX 800-344-25