

DOD Hazardous Material Information July, 1998 For Cornell University Convenience Only

ROSS RUBBER CEMENT

FSC: 8040

NIIN: 00D007005

NSN: 804000D007005O

MANUFACTURERS CAGE: OHX07

PART NO INDICATOR: A

PART NUMBER TRADE NAME: ROSS RUBBER CEMENT

General Information

ITEM NAME: N/R

MANUFACTURERS NAME: CONROS CORP

MANUFACTURERS STREET: 1001 N SUMMIT ST

MANUFACTURERS P O BOX:

MANUFACTURERS CITY: TENAFLY

MANUFACTURERS STATE: NJ

MANUFACTURERS COUNTRY: US

MANUFACTURERS ZIP CODE: 07670

MANUFACTURERS EMERG PH: 800-387-5275

MANUFACTURERS INFO PH: 201-871-3403

DISTRIBUTOR VENDOR 1: ALL FLORDIA SCHOOL SUPPLY CO.

DISTRIBUTOR VENDOR 1 CAGE: 1G746

DISTRIBUTOR VENDOR 2:

DISTRIBUTOR VENDOR 2 CAGE:

DISTRIBUTOR VENDOR 3:

DISTRIBUTOR VENDOR 3 CAGE:

DISTRIBUTOR VENDOR 4:

DISTRIBUTOR VENDOR 4 CAGE:

SAFETY DATA ACTION CODE:

SAFETY FOCAL POINT: D

RECORD NO FOR SAFETY ENTRY: 001 TOT SAFETY ENTRIES THIS STK: 001

STATUS: SE

DATE MSDS PREPARED: 30JUL97

SAFETY DATA REVIEW DATE: 11SEP97

SUPPLY ITEM MANAGER: CX

MSDS PREPARERS NAME: JOGINDER KUKREJA

PREPARERS COMPANY: PREPARERS ST OR P O BOX:

PREPARERS CITY: PREPARERS STATE: PREPARERS ZIP CODE: OTHER MSDS NUMBER:

MSDS SERIAL NUMBER: CFKBY

SPECIFICATION NUMBER: SPEC TYPE GRADE CLASS:

HAZARD CHARACTERISTIC CODE: F3

UNIT OF ISSUE:

UNIT OF ISSUE CONTAINER QTY: N/K

TYPE OF CONTAINER: N/K NET UNIT WEIGHT: N/K

NRC STATE LICENSE NUMBER:

NET EXPLOSIVE WEIGHT:

NET PROPELLANT WEIGHT AMMO: COAST GUARD AMMUNITION CODE:

Physical & Chemical Characteristics

APPEARANCE AND ODOR: PALE YELLOW, TRANSLUCENT LIQUID.

BOILING POINT: 154F,68C MELTING POINT: N/K

VAPOR PRESSURE MM HG 70 F: N/K

VAPOR DENSITY AIR 1: N/K SPECIFIC GRAVITY: 0.686

DECOMPOSITION TEMPERATURE: N/K EVAPORATION RATE AND REF: N/K SOLUBILITY IN WATER: IMMISCIBLE PERCENT VOLATILES BY VOLUME: 85

VISCOSITY: PH: N/R

RADIOACTIVITY:

FORM RADIOACTIVE MATL: MAGNETISM MILLIGAUSS: N/P CORROSION RATE IPY: N/K

AUTOIGNITION TEMPERATURE:

Fire and Explosion Hazard Data

FLASH POINT: 0F,-18C

FLASH POINT METHOD: TCC LOWER EXPLOSIVE LIMIT: N/K UPPER EXPLOSIVE LIMIT: N/K

EXTINGUISHING MEDIA: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

SPECIAL FIRE FIGHTING PROC: COOL FIRE-EXPOSED CONTAINERS WITH WATER.

WHEN FIRE-FIGHTING, WEAR FULL PROTECTIVE EQUIPMENT INCLUDING

SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPL HAZRDS: USE OF WATER MAY SPREAD FIRE (SOLVENTS FLOAT ON WATER). HEATING MAY CAUSE PRESSURE BUILD-UP AND POSSIBLE

RUPTURE OF THE CONTAINERS.

Reactivity Data

STABILITY: YES

COND TO AVOID (STABILITY): HIGH TEMPERATURES

MATERIALS TO AVOID: NONE KNOWN HAZARDOUS DECOMP PRODUCTS: N/K

HAZARDOUS POLY OCCUR: NO CONDITIONS TO AVOID POLY: N/R

Health Hazard Data

LD50 LC50 MIXTURE: N/K

ROUTE OF ENTRY INHALATION: YES

ROUTE OF ENTRY SKIN: YES

ROUTE OF ENTRY INGESTION: YES

HEALTH HAZ ACUTE AND CHRONIC: EYES- IRRITATION. SKIN- IRRITATION. INHALATION- VAPOR HARMFUL. INGESTION- HARMFUL IF SWALLOWED.

CARCINOGENICITY NTP: NO CARCINOGENICITY IARC: NO CARCINOGENICITY OSHA: NO

EXPLANATION CARCINOGENICITY: N/R

SIGNS SYMPTOMS OF OVEREXP: EYES-IRRITATION. SKIN-IRRITATION.
MED COND AGGRAVATED BY EXP: NONE SPECIFIED BY MANUFACTURER.
EMERGENCY FIRST AID PROC: SKIN-IMMEDIATELY FLUSH WITH PLENTY OF WATER AND WASH THOROUGHLY. EYES-IMMEDIATELY FLUSH WITH PLENTY OF CLEAN WATER. INHALATION-REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN, CALL A PHYSICIAN. INGESTION- DO NOT INDUCE VOMITING. IMMEDIATELY

DRINK A LARGE QUANTITY OF MILK OR WATER AND CALL A PHYSICIAN.

Precautions for Safe Handling and Use

STEPS IF MATL RELEASED SPILL: REMOVE ALL IGNITION SOURCES. DIKE TO CONTAIN SPILLED LIQUID. WEARING RECOMMENDED PROTECTIVE EQUIPMENT (PLUS RESPIRATORY PROTECTION) AND USING EXPLOSION-PROOF EQUIPMENT, REMOVE BULK OF LIQUID. ADD DRY MATERIAL TO ABSORB REMAINING LIQUID AND PICK UP.

NEUTRALIZING AGENT: N/R

WASTE DISPOSAL METHOD: THIS PRODUCT, IF DISPOSED AS SHIPPED, MEETS EPA CRITERIA OF A HAZARDOUS WASTE AS SPECIFIED IN 40 CFR 261 ON THE BASIS OF ITS IGNITABILITY. DISPOSE OF IN A LICENSED HAZARDOUS WASTE DISPOSAL FACILITY IN ACCORDANCE WITH APPLICABLE LAWS.

PRECAUTIONS HANDLING STORING: DO NOT STORE OR HANDLE IN THE PRESENCE OF HEAT, SPARKS OR OPEN FLAME. GROUND OR BOND CONTAINERS WHEN TRANSFERRING.

OTHER PRECAUTIONS: NONE

Control Measures

RESPIRATORY PROTECTION: N/A VENTILATION: LOCAL EXHAUST

PROTECTIVE GLOVES: RUBBER OR VINYL GLOVES

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS OTHER PROTECTIVE EQUIPMENT: WORK CLOTHING

WORK HYGIENIC PRACTICES: LAUNDER ALL CONTAMINATED CLOTHING BEFORE

REUSE.

SUPPL SAFETY HEALTH DATA: NONE

Transportation Data

TRANSPORTATION ACTION CODE: TRANSPORTATION FOCAL POINT: D TRANS DATA REVIEW DATE: 97254

DOT PSN CODE: GJJ

DOT SYMBOL:

DOT PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S.

DOT CLASS: 3

DOT ID NUMBER: UN1993 DOT PACK GROUP: II

DOT LABEL: FLAMMABLE LIQUID **DOT DOD EXEMPTION NUMBER:**

IMO PSN CODE: HIN

IMO PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. o

IMO REG PAGE NUMBER: 3230

IMO UN NUMBER: 1993 IMO UN CLASS: 3.2

IMO SUBSID RISK LABEL: - IATA PSN CODE: MBV

IATA UN ID NUMBER: 1993

IATA PROPER SHIP NAME: FLAMMABLE LIQUID, N.O.S. *

IATA UN CLASS: 3

IATA SUBSID RISK CLASS:

IATA LABEL: FLAMMABLE LIQUID

AFI PSN CODE: MBV AFI SYMBOLS: *

AFI PROP SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S.

AFI CLASS: 3

AFI ID NUMBER: UN1993 AFI PACK GROUP: II

AFI LABEL:

AFI SPECIAL PROV: P5 AFI BASIC PAC REF: A7.3

MMAC CODE:

N O S SHIPPING NAME: HEXANE ADDITIONAL TRANS DATA:

Disposal Data

DISPOSAL DATA ACTION CODE: DISPOSAL DATA FOCAL POINT: DISPOSAL DATA REVIEW DATE: RECNUM FOR THIS DISP ENTR: TOT DISP ENTRIES PER NSN: LANDFILL BAN ITEM: **DISPOSAL SUPPLEMENTAL DAT: EPAHAZWST 1ST CODE NEW: EPAHAZWST 1ST NAME NEW: EPAHAZWST 1ST CHAR NEW: EPAACUTEHAZARD 1ST NEW: EPAHAZWST 2ND CODE NEW: EPAHAZWST 2ND NAME NEW: EPAHAZWST 2ND CHAR NEW: EPAACUTEHAZARD 2ND NEW: EPAHAZWST 3RD CODE NEW:**

EPAHAZWST 3RD NAME NEW: EPAHAZWST 3RD CHAR NEW: EPAACUTE 3RD HAZARD NEW:

Label Data

LABEL REQUIRED: YES

TECHNICAL REVIEW DATE: 11SEP97

LABEL DATE: MFR NUMBER: LABEL STATUS: F

COMMON NAME: ROSS RUBBER CEMENT

CHRONIC HAZARD: NO SIGNAL WORD: WARNING!

ACUTE HEALTH HAZARD NONE: ACUTE HEALTH HAZARD SLIGHT:

ACUTE HEALTH HAZARD MODERATE: X

ACUTE HEALTH HAZARD SEVERE:

CONTACT HAZARD NONE:

CONTACT HAZARD SLIGHT: X CONTACT HAZARD MODERATE:

CONTACT HAZARD SEVERE:

FIRE HAZARD NONE:

FIRE HAZARD SLIGHT: FIRE HAZARD MODERATE:

FIRE HAZARD SEVERE: X

REACTIVITY HAZARD NONE: X

REACTIVITY HAZARD SLIGHT:

REACTIVITY HAZARD MODERATE:

REACTIVITY HAZARD SEVERE:

SPECIAL HAZARD PRECAUTIONS: DO NOT STORE OR HANDLE IN THE PRESENCE OF HEAT, SPARKS/OPEN FLAME. IN CASE OF SPILL: REMOVE ALL IGNITION SOURCES. DIKE TO CONTAIN SPILLED LIQUID. WEARING RECOMMENDED PROTECTIVE EQUIPMENT (PLUS RESPIRATORY PROTECTION) AND USING EXPLOSION-PROOF EQUIPMENT, REMOVE BULK OF LIQUID. ADD DRY MATERIAL TO ABSORB REMAINING LIQUID AND PICK UP. FIRST AID: SKIN- IMMEDIATELY FLUSH WITH PLENTY OF WATER AND WASH THOROUGHLY. EYES- IMMEDIATELY FLUSH WITH PLENTY OF CLEAN WATER. INHALATION- REMOVE TO FRESH AIR. GIVE OXYGEN IF NEEDED, CALL A PHYSICIAN. INGESTION- DO NOT INDUCE VOMITING. IMMEDIATELY DRINK A LARGE QUANTITY OF MILK OR WATER AND CALL A PHYSICIAN.

PROTECT EYE: Y PROTECT SKIN: Y

PROTECT RESPIRATORY: Y LABEL NAME: CONROS CORP

LABEL STREET: 1001 N SUMMIT ST

LABEL P O BOX:

LABEL CITY: TENAFLY

LABEL STATE: NJ

LABEL ZIP CODE: 07670 LABEL COUNTRY: US

LABEL EMERGENCY NUMBER: 800-387-5275

YEAR PROCURED: