OB

EMERGENCY TEL: 1-800-228-5635

DATE OF LAST REVISION:

March 2, 1988

DOCUMENT SEQUENCE NO .:

183-36

1. IDENTIFICATION:

NAME:

Rubber Cement

SIZES:

Pint, quart, gallon

2. COMPOSITION:

Natural or synthetic rubber

Heptane (142-82-5) Ethyl alcohol (64-17-5)

3. PHYSICAL DATA:

(for heptane)

BOILING POINT:

200°F .

SPECIFIC GRAVITY:

less than 1.0 at 60°F

VAPOR PRESSURE:

76 mm Hg at 68°F

VAPOR DENSITY:

greater than air

EVAPORATION RATE:

not available

SOLUBILITY IN WATER:

negligible

APPEARANCE/ODOR:

amber viscous liquid, solvent odor.

FLASH POINT:

25°F (TCC) for cement

LOWER FLACUBILITY LIMIT:

1.21

UPPER FLANCIABILITY LIMIT:

7.5%

STABILITY:

stable

POLYMERIZATION:

will not occur

CONDITIONS TO AVOID:

avoid sparks and flames

INCOMPATIBLE MATERIALS:

strong oxidizing agenta

IMZARDOUS DECOMPOSITION PRODUCTS: carbon monoxide, carbon dioxide, hydrocarbons, and acrid products of combustion.

((

## 5. HEALTH HAZARD DATA:

This product is not considered toxic under Federal Hazardous Substances Act regulations, Title 16, Part 1500.

Neither the product nor any of the ingredients has been found to be a carcinogen or potential curcinogen by NTP, IARC, or OSHA.

The product is considered safe when used under normal use conditions.

Vapors harmful. May cause dizziness, nausea or headache. May cause skin or eye irritation. Wash hands with soap and water if skin contact occurs. If eye contact occurs wash eye out with tap water for 5 minutes. If irritation SAFE HANDLING AND USE PRECAUTIONS: persists, see a physician.

HANDLING AND STORAGE:

Keep cap on container when not in use. Use only in well ventilated area. Avoid skin contact with liquid. Keep away from heat, sparks, and open flame.

CLEAN UP PROCEDURES:

Wipe up with absorbent material and discard as solid waste.

WASTE DISPOSAL MEANS:

Discard as solid waste.

## 7. PERSONAL PROTECTION AND EXPOSURE CONTROL MEASURES:

EYE PROTECTION:

None under normal use conditions.

SKIN PROTECTION:

None under normal use conditions.

RESPIRATORY PROTECTION:

None under normal use conditions.

VENTILATION:

None under normal use conditions.