

Sept 19 '91

S.C. Johnson Wax  
 Racine, Wisconsin 53403-5011  
 Phone: (414) 631-2777  
 Emergency Phone: (800) 228-5635

4=Very High  
 3=High  
 2=Moderate  
 1=Slight  
 0=Insignificant

HAZARD RATING	
HMIS	NFPA
0 Health	
0 Flammability	
0 Reactivity	

## MATERIAL SAFETY DATA SHEET

### SECTION I-PRODUCT IDENTIFICATION

PRODUCT NAME: <b>SNAPBACK UHS RESTORER</b>			PRODUCT CODE <b>14135-6</b>
CHEMICAL OR COMMON NAME <b>NA</b>	DATE ISSUED: <b>05/29/90</b>	SUPERSEDES: <b>12/02/88</b>	PREPARED BY: <b>Terry A. Meyers Chemical Info. Adm.</b>

### SECTION II-INGREDIENT INFORMATION

INGREDIENTS	WEIGHT %	EXPOSURE LIMIT
Styrene\Acrylic Polymers	10-20	NE
[SARA, PA, NJ, MA] Glycol Ether (CAS# 34590-94-8)	5-10	100 PPM ACGIH/OSHA TWA, 150 PPM ACGIH/OSHA STEL, (SKIN)
Tributoxyethyl Phosphate (CAS# 78-51-3)	1-4	NOT ESTABLISHED
Water (CAS# 7732-18-5)	70-80	NA
[SARA, PA, NJ, MA] Zinc Oxide (CAS# 1314-13-2)	0.1-0.6	NA
See Regulatory Information (Section XII) for explanation of bracketed information.		

### SECTION III-PHYSICAL DATA

APPEARANCE/ODOR: <b>Milky blue liquid with mild citrus odor</b>	SPECIFIC GRAVITY (H2O=1): <b>1.02</b>
VAPOR PRESSURE (mm Hg): <b>ND</b>	PERCENT VOLATILE BY VOLUME (%): <b>NA</b>
SOLUBILITY IN WATER: <b>Complete</b>	VAPOR DENSITY (Air=1): <b>ND</b>
FREEZING POINT (°F): <b>about 32</b>	BOILING POINT (°F): <b>above 200</b>
pH: <b>8.1-8.5</b>	EVAPORATION RATE (Butyl Acetate=1): <b>ND</b>
VOC (as packaged, minus H2O):	THEORETICAL VOC (lb/gal):

### SECTION IV-FIRE AND EXPLOSION INFORMATION

FLASH POINT (°F) (Method Used): <b>NA</b>
FLAMMABLE LIMITS: <b>NA</b>
EXTINGUISHING MEDIA: <b>Foam. CO2. Dry Chemical. Water Fog.</b>
SPECIAL FIREFIGHTING PROCEDURES: <b>Normal fire fighting procedures may be used.</b>
UNUSUAL FIRE AND EXPLOSION HAZARDS: <b>No special hazards known</b>

# MATERIAL SAFETY DATA SHEET

Page 2

S.C. Johnson Wax  
1525 Howe Street  
Racine, Wisconsin 53403

SNAPBACK UHS RESTORER  
Product Number: 14135  
Serial Number: 6

## SECTION V-HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY: Skin contact.

SIGNS AND SYMPTOMS: No effects except under extreme exposure conditions.

FIRST AID PROCEDURES: Flush eyes with water for 15 minutes. If irritation persists, seek medical aid.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:

## SECTION VI-REACTIVITY DATA

STABILITY: Stable

STABILITY-CONDITIONS TO AVOID: None known

INCOMPATIBILITY: None known

HAZARDOUS DECOMPOSITION PRODUCTS: When exposed to fire, produces normal products of combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS POLYMERIZATION-CONDITIONS TO AVOID: None known

## SECTION VII-SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contains ammonia and zinc. Do not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Rinse affected area thoroughly with water.

WASTE DISPOSAL INFORMATION: No special method. Observe all applicable Federal/State regulations and Local ordinances regarding disposal of non-hazardous materials. Waste from normal product use may be sewerer to a public-owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.

## SECTION VIII-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: No special requirements under normal use conditions.

VENTILATION: General room ventilation adequate.

PROTECTIVE GLOVES: No special requirements under normal use conditions.

EYE PROTECTION: No special requirements under normal use conditions.

OTHER PROTECTIVE MEASURES: Use good personal hygiene practices.

## SECTION IX-SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING: NA

OTHER HANDLING AND STORAGE CONDITIONS: Wash thoroughly after handling. Keep from freezing. Keep out of reach of children.

# MATERIAL SAFETY DATA SHEET

Page 3

S.C. Johnson Wax  
1525 Howe Street  
Racine, Wisconsin 53403

SNAPBACK UHS RESTORER  
Product Number: 14135  
Serial Number: 6

## SECTION X-ADDITIONAL INFORMATION

ADDITIONAL INFORMATION: NA

## SECTION XI-TRANSPORTATION INFORMATION

DOT CLASS: Non Regulated.

DOT #: NA

SHIPPING NAME: Buffing or polishing compounds. NOI.

DOT NOTES: None

## SECTION XII-REGULATORY INFORMATION

There are no ingredients subject to the reporting requirements under California's Proposition 65.

MA - These ingredients are subject to the reporting requirements under the Massachusetts Hazardous Substance List.

NJ - These ingredients are subject to the reporting requirements under the New Jersey Right to Know Hazardous Substance List.

PA - These ingredients are subject to the reporting requirements under the Pennsylvania Hazardous Substance List.

SARA - These ingredients are subject to the reporting requirements under the Superfund Amendments and Reauthorization Act of 1986 Title III, Section 313 and 40 CFR Part 372.

NA-Not Applicable, NE-Not Established, NSR-No Special Requirement, ND-Not Determined

The information herein is given in good faith. No warranty expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations. The information contained in this form is confidential and is submitted solely for your organization's internal use.