



J.T. Baker Inc.
222 Red School Lane
Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
National Response Center 800-424-8802
Chemtrec 800-424-9300

National Response In Canada
CANUTEC 613-996-6666

Outside U.S. and Canada
Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
SIGNALÉTIQUE

HOJAS DE DATOS
DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
Effective: 03/09/92

Sodium Bicarbonate

Page: 1
Issued: 07/10/93

J.T.BAKER INC., 222 Red School Lane, Phillipsburg, NJ 08865

SECTION I - PRODUCT IDENTIFICATION


Product Name: Sodium Bicarbonate
Common Synonyms: Baking Soda; Sodium Acid Carbonate
Chemical Family: Inorganic Sodium Compounds
Formula: NaHCO₃
Formula Wt.: 84.01
CAS No.: 144-55-8
NIOSH/RTECS No.: UZ0950000
Product Use: Laboratory Reagent
Product Codes: 3506,3508,5597,3509,3510

PRECAUTIONARY LABELING

BAKER SAF-T-DATA* System

HEALTH 0 NONE	FLAMMABILITY 0 NONE	REACTIVITY 1 SLIGHT	CONTACT 1 SLIGHT
----------------------------	----------------------------------	----------------------------------	-------------------------------

Laboratory Protective Equipment



U.S. Precautionary Labeling

CAUTION!

MAY CAUSE IRRITATION.

During use avoid contact with eyes, skin, clothing. Wash thoroughly after handling. When not in use keep in tightly closed container.



J.T. Baker Inc.
222 Red School Lane
Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
National Response Center 800-424-8802
Chemtrec 800-424-9300

National Response In Canada
CANUTEC 613-996-6666
Outside U.S. and Canada
Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
SIGNALETIQUE

HOJAS DE DATOS
DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
Effective: 03/09/92

Sodium Bicarbonate

Page: 2
Issued: 07/10/93

=====

PRECAUTIONARY LABELING (CONTINUED)

=====

International Labeling

Do not breathe dust. Avoid contact with skin and eyes.

SAF-T-DATA* Storage Color Code: Orange (general storage)

=====

SECTION II - COMPONENTS

=====

<u>Component</u>	<u>CAS No.</u>	<u>Weight %</u>	<u>OSHA/PEL</u>	<u>ACGIH/TLV</u>
Sodium Bicarbonate	144-55-8	99-100	N/E	N/E

=====

SECTION III - PHYSICAL DATA

=====

Boiling Point: N/A

Vapor Pressure (mmHg): N/A

Melting Point: 50°C (122°F)
(at 760 mm Hg)

Vapor Density (air=1): N/A

Specific Gravity: 2.16
(H₂O=1)

Evaporation Rate: N/A

Solubility(H₂O): Moderate (1-10%)

% Volatiles by Volume: 0
(21°C)

pH: N/A

Odor Threshold (ppm): N/A

Physical State: Solid

Coefficient Water/Oil Distribution: N/A

Appearance & Odor: White crystalline powder. Odorless.



J.T. Baker Inc.
222 Red School Lane
Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
National Response Center 800-424-8802
Chemtrec 800-424-9300

National Response In Canada
CANUTEC 613-996-6666

Outside U.S. and Canada
Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
SIGNALETIQUE

HOJAS DE DATOS
DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
Effective: 03/09/92

Sodium Bicarbonate

Page: 3
Issued: 07/10/93

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point (Closed Cup): N/A

Autoignition Temperature: N/A

Flammable Limits: Upper - N/A Lower - N/A

Fire Extinguishing Media

Use extinguishing media appropriate for surrounding fire.

Special Fire-Fighting Procedures

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode.

Unusual Fire & Explosion Hazards

None identified.

Toxic Gases Produced

carbon monoxide, carbon dioxide

Explosion Data-Sensitivity to Mechanical Impact

None identified.

Explosion Data-Sensitivity to Static Discharge

None identified.

=====

SECTION V - HEALTH HAZARD DATA

=====

Threshold Limit Value (TLV/TWA): Not Established

Short-Term Exposure Limit (STEL): Not Established

Permissible Exposure Limit (PEL): Not Established

Toxicity of components

Oral Rat LD₅₀ for Sodium Bicarbonate

4220 mg/kg

Carcinogenicity: NTP: No IARC: No Z List: No OSHA Reg: No

Carcinogenicity

None identified.



J.T. Baker Inc.
222 Red School Lane
Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
National Response Center 800-424-8802
Chemtrec 800-424-9300

National Response In Canada
CANUTEC 613-996-6666

Outside U.S. and Canada
Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
SIGNALÉTIQUE

HOJAS DE DATOS
DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.
All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
Effective: 03/09/92

Sodium Bicarbonate

Page: 4
Issued: 07/10/93

=====

SECTION U - HEALTH HAZARD DATA (CONTINUED)

=====

Reproductive Effects

None identified.

Effects of Overexposure

INHALATION: none identified

SKIN CONTACT: irritation

EYE CONTACT: irritation

SKIN ABSORPTION: none identified

INGESTION: none identified

CHRONIC EFFECTS: none identified

Target Organs

none identified

Medical Conditions Generally Aggravated by Exposure

none identified

Primary Routes of Entry

skin contact, eye contact

Emergency and First Aid Procedures

INGESTION: If swallowed and the person is conscious, immediately give large amounts of water. Get medical attention.

INHALATION: If a person breathes in large amounts, move the exposed person to fresh air.

SKIN CONTACT: In case of contact, immediately wash skin with plenty of soap and water for at least 15 minutes.

EYE CONTACT: In case of eye contact, immediately flush with plenty of water for at least 15 minutes.

SARA/TITLE III HAZARD CATEGORIES and LISTS

Acute: No Chronic: No Flammability: No Pressure: No Reactivity: No



J.T. Baker Inc.
 222 Red School Lane
 Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
 National Response Center 800-424-8802
 Chemtrec 800-424-9300

National Response In Canada
 CANUTEC 613-996-6666

Outside U.S. and Canada
 Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

**FICHE
 SIGNALÉTIQUE**

**HOJAS DE DATOS
 DE SEGURIDAD**

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
 Effective: 03/09/92

Sodium Bicarbonate

Page: 5
 Issued: 07/10/93

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

Extremely Hazardous Substance: No
 CERCLA Hazardous Substance: No
 SARA 313 Toxic Chemicals: No
 TSCA Inventory: Yes

=====

SECTION VI - REACTIVITY DATA

=====

Stability: Stable Hazardous Polymerization: Will not occur
 Conditions to Avoid: heat, humidity
 Incompatibles: none identified
 Decomposition Products: carbon monoxide, carbon dioxide

=====

SECTION VII - SPILL & DISPOSAL PROCEDURES

=====

Steps to be Taken in the Event of a Spill or Discharge

Wear suitable protective clothing. Carefully sweep up and remove.

Disposal Procedure

Dispose in accordance with all applicable federal, state, and local environmental regulations.

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

=====

Ventilation: Use adequate general or local exhaust ventilation to keep fume or dust levels as low as possible.
 Respiratory Protection: None required where adequate ventilation conditions exist. If airborne concentration is high, use an appropriate respirator or dust mask.
 Eye/Skin Protection: Safety goggles, proper gloves are recommended.



J.T. Baker Inc.
 222 Red School Lane
 Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
 National Response Center 800-424-8802
 Chemtrec 800-424-9300

National Response In Canada
 CANUTEC 613-996-6666

Outside U.S. and Canada
 Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
 SIGNALÉTIQUE

HOJAS DE DATOS
 DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
 Effective: 03/09/92

Sodium Bicarbonate

Page: 6
 Issued: 07/10/93

=====

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

=====

SAF-T-DATA* Storage Color Code: Orange (general storage)

Storage Requirements

Keep container tightly closed. Suitable for any general chemical storage area.

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

=====

Domestic (D.O.T.)

Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)

International (I.M.O.)

Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)
 Marine Pollutants: No

AIR (I.C.A.O.)

Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)

U.S. Customs Harmonization Number: 2836300000

N/A = Not Applicable or Not Available

N/E = Not Established

 The information in this Material Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and the Canadian WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes.

Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, Baker cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. Baker warrants that the chemical meets the specifications set forth on the label.

Continued on Page: 7

0020



J.T. Baker Inc.
 222 Red School Lane
 Phillipsburg, NJ 08865

24-Hour Emergency Telephone 908-859-2151
 National Response Center 800-424-8802
 Chemtrec 800-424-9300

National Response In Canada
 CANUTEC 613-996-6666

Outside U.S. and Canada
 Chemtrec 202-483-7616

MATERIAL SAFETY DATA SHEET

FICHE
 SIGNALÉTIQUE

HOJAS DE DATOS
 DE SEGURIDAD

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

S2954 -02
 Effective: 03/09/92

Sodium Bicarbonate

Page: 7
 Issued: 07/10/93

=====

BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Baker will periodically revise this Material Safety Data Sheet.

Note: CHEMTREC, CANUTEC, and NATIONAL RESPONSE CENTER emergency telephone numbers are to be used ONLY in the event of CHEMICAL EMERGENCIES involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to Customer Service (1-800-JTBAKER) for assistance.

 COPYRIGHT 1993 J.T.BAKER INC.
 * TRADEMARKS OF J.T.BAKER INC.

===
 Approved by Quality Assurance Department.