# Mallinckrodt Material Safety Data

**Emergency Phone Number: 314-982-5000** 

Mallinckrodt provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Mallinckrodt makes no representations, or warranties, either express or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Mallinckrodt will not be responsible for damages resulting from use of or reliance upon this information.

Mallinckrodt, Inc., Science Products Division, P.O. Box M, Paris, KY 43061.

# SODIUM CHLORIDE PRODUCT IDENTIFICATION:

Synonyms: Salt

Formula CAS No.: 7647-14-5

Molecular Weight: 58.44

Chemical Formula: NaCl

Hazardous Ingredients: Sodium chloride

## PRECAUTIONARY MEASURES

WARNING! CAUSES EYE IRRITATION.

Avoid contact with eyes.

Wash thoroughly after handling.

# **EMERGENCY/FIRST AID**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. SEE SECTION 5.

Effective Date: 08-08-86 Supersedes 08-07-85

DOT Hazard Class: Not Regulated

#### **SECTION 1** Physical Data

Appearance: White crystalline.

Odor: Odorless.

Solubility: 36g/100cc water @ 20°C (68°F)

Boiling Point: 1413°C (2575°F) Melting Point: 801°C (1474°F)

Specific Gravity: 2.16

Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): 1.0 @ 865°C (1589°F) Evaporation Rate: No information found.

#### SECTION 2 Fire and Explosion Information

#### Fire:

Not considered to be a fire hazard.

#### Explosion:

Not considered to be an explosion hazard.

#### Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

#### Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

#### **SECTION 3** Reactivity Data

#### Stability:

Stable under ordinary conditions of use and storage.

### **Hazardous Decomposition Products:**

When heated to above 801°C (1474°F) it emits toxic fumes of

chloride and sodium oxide

#### Hazardous Polymerization:

Will not occur.

#### Incompatibilities:

Lithium, bromide trifluoride.

#### SECTION 4 Leak/Spill Disposal Information

Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal. Disposal: Whatever cannot be saved for reclamation may be delivered to an approved waste disposal facility, or if local ordinances allow, can be dissolved in sufficient amounts of water to meet water quality standards, and flushed down a sewer drain.

Ensure compliance with local, state and federal regulations.

SODIUM CHLORIDE

Effective Date: 08-08-86 Supersedes 08-07-85

#### **SECTION 5 Health Hazard Information**

#### A. EXPOSURE / HEALTH EFFECTS

#### Inhalation:

Inhalation of dust may cause mild irritation to mucous membranes, nose and throat. Symptoms may include coughing, dryness, and sore throat.

#### Ingestion:

Very large doses can cause vomiting, diarrhea, and prostration. Dehydration and congestion occur in most internal organs. Hypertonic salt solutions can produce violent inflammatory reactions in the gastrointestinal tract.

#### Skin Contact:

Not expected to be a health hazard.

#### **Eye Contact:**

May cause irritation.

#### Chronic Exposure:

No information found.

#### Aggrevation of Pre-existing Conditions:

No information found.

#### B. FIRST AID

#### Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

#### Ingestion:

If large amounts were swallowed, get medical advice.

#### Skin Exposure:

Wash exposed area with soap and water. Get medical advice if irritation develops.

#### Eye Exposure:

Wash thoroughly with running water. Get medical advice if irritation develops.

#### C. TOXICITY DATA (R

(RTECS, 1982)

Oral rat LD50: 3000 mg/kg. Reproductive effects cited.

#### **SECTION 6 Occupational Control Measures**

#### Airborne Exposure Limits:

None established.

#### Ventilation System:

In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

#### Personal Respirators:

(NIOSH Approved)

For conditions of use where exposure to the dust is apparent, a dust/mist respirator may be worn. For emergencies, a self-contained breathing apparatus may be necessary.

#### Skin Protection:

Wear protective gloves and clean body-covering clothing.

#### Eve Protection:

Use chemical safety goggles. Contact lenses should not be worn when working with this material. Maintain eye wash fountain and quick-drench facilities in work area.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

#### SECTION 7 Storage and Special Information

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage.

SODCH