MSDS Number: **S4466** * * * * * Effective Date: 11/02/01 * * * * * Supercedes: 11/17/99

MSDS

Material Safety Data Sheet

From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865





24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300

CUENTUES: LANS-14-1444

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

SODIUM NITRITE

1. Product Identification

Synonyms: Nitrous acid, sodium salt

CAS No.: 7632-00-0 Molecular Weight: 69.00 Chemical Formula: NaNO2

Product Codes: J.T. Baker: 3780, 3782 Mallinckrodt: 7824

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Sodium Nitrite	7632-00-0	97 - 100%	Yes

3. Hazards Identification

Emergency Overview

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HEAT, SHOCK, OR CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSIVE DECOMPOSITION. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

J.T. Baker SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate Flammability Rating: 0 - None

Reactivity Rating: 3 - Severe (Oxidizer)

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Yellow (Reactive)

Potential Health Effects

Inhalation:

Toxic. Causes irritation to the respiratory tract and systemic poisoning with symptoms paralleling ingestion.

Ingestion:

Toxic. Can irritate the mouth, esophagus, stomach, etc. Excessive amounts effect the blood and blood vessels. Signs and symptoms of nitrite poisoning include intense cyanosis, nausea, dizziness, vomiting, collapse, spasms of abdominal pain, rapid heart beat, irregular breathing, coma, convulsions, and death due to circulatory collapse. Estimated lethal dose 1 to 2 grams.

Skin Contact:

Causes irritation, redness and pain. May be absorbed through the skin causing systemic poisoning; symptoms may parallel ingestion.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Repeated exposure through any route may cause symptoms similar to acute toxicity.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Increases the flammability of any combustible material.

Explosion:

Contact with oxidizable substances may cause extremely violent combustion. May explode when heated to 537C (1000F) or on severe impact or on contact with cyanides, ammonium salts, cellulose, lithium, potassium

plus ammonia, and sodium thiosulfate.

Fire Extinguishing Media:

Water or water spray in early stages of fire. Foam may also be used, but avoid the use of multi-purpose dry chemical fire extinguishers where contact with sodium nitrite may occur. Water streams may scatter molten material.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Decomposition of sodium nitrite may leave a caustic residue.

6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage and moisture. Isolate from any source of heat or ignition. Avoid storage on wood floors. Separate from incompatibles, combustibles, organic or other readily oxidizable materials. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

White or yellowish-white crystalline granules.

Odor:

Odorless.

Solubility:

85.2 g/100 g water @ 20C (68F)

Density:

2.17

pH:

9.0 Aqueous solution

% Volatiles by volume @ 21C (70F):

٥

Boiling Point:

> 320C (> 608F)

Melting Point:

271C (520F)

Vapor Density (Air=1):

No information found.

Vapor Pressure (mm Hg):

No information found.

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

This material is stable in closed containers at room temperature. Material slowly oxidizes to sodium nitrate when exposed to air. Very hygroscopic.

Hazardous Decomposition Products:

Oxides of nitrogen.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Reacts vigorously with reducing materials and is incompatible with many substances including ammonium salts, cellulose, cyanides, lithium, potassium plus ammonia, sodium thiosulfate, aminoguanide salts, butadiene, phthalic acid, phthalic anhydride, reducants, sodium amide, sodium disulphite, sodium thiocyanate, urea, wood and organic matter.

Conditions to Avoid:

Heat, flame, ignition sources, shock, friction, incompatibles.

11. Toxicological Information

Oral rat LD50: 180 mg/kg; inhalation rat LC50: 5500 ug/m3; irritation: eye rabbit: 500 mg/24H mild. Investigated as a tumorigen, mutagen, reproductive effector.

Sodium Nitrite (7632-00-0)	No	No	None

12. Ecological Information

Environmental Fate: No information found. Environmental Toxicity: No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: RQ, SODIUM NITRITE

Hazard Class: 5.1, 6.1 UN/NA: UN1500 Packing Group: III

Information reported for product/size: 100LB

International (Water, I.M.O.)

Proper Shipping Name: SODIUM NITRITE

Hazard Class: 5.1, 6.1 UN/NA: UN1500 Packing Group: III

Information reported for product/size: 100LB

15. Regulatory Information

\Chemical Inventory Status - Part 1\ Ingredient	TSCA		Japan	Australia
Sodium Nitrite (7632-00-0)	Yes	Yes	Yes	Yes
\Chemical Inventory Status - Part 2\	- -		 anada	
Ingredient	Korea	DSL	NDSL	Phil.
		-		
Sodium Nitrite (7632-00-0)	Yes	Yes	No	Yes

\Federal, State & International	Regulations		-SARA 313	
Ingredient	~	PQ List	Chemical Catg.	
Sodium Nitrite (7632-00-0)		o Yes	No	
\Federal, State & International	Regulation	s - Part 2\- -RCRA-	-TSCA-	
Ingredient		261.33	8 (d) 	
Sodium Nitrite (7632-00-0)	100	No	No	
Chemical Weapons Convention: No TSCA SARA 311/312: Acute: Yes Chronic: No		CDTA: es Pressure:	No No	

Australian Hazchem Code: 1[T]

Reactivity: Yes (Pure / Solid)

Poison Schedule: S5

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 1 Other: Oxidizer

Label Hazard Warning:

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HEAT, SHOCK, OR CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSIVE DECOMPOSITION. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

Label Precautions:

Keep from contact with clothing and other combustible materials.

Store in a tightly closed container.

Remove and wash contaminated clothing promptly.

Avoid contact with eyes, skin and clothing.

Avoid breathing dust.

Use with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. In all cases, get medical attention.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 8.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING

Prepared by: Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)