S.C. Johnson Wax Racine, Wisconsin 53403-5011 Phone: (414) 631-2777 Emergency Phone: (800) 228-5635 Extension 092

International Emergency Phone: Extension 092

4=Very High HAZARD RATI 3=High HMIS 2=Moderate 1 Health 0=Insignificant 0 Reactivity

HAZARD RATING NFPA 1 Health 0 Flammability

MATERIAL SAFETY DATA SHEET SECTION I-PRODUCT IDENTIFICATION

PRODUCT NAME: SPRINT			PRODUCT CODE: 14080-13 to 14084-13	Ÿ
CHEMICAL OR COMMON NAME: NA	05/08/92 N	os sections with changes: o significant nanges.	PREPARED BY: Terry A. Meyers Chemical Info.	Adm.

SECTION II-INGREDIENT INFORMATION						
INGREDIENTS	WEIGHT %	EXPOSURE LIMIT				
Styrene\Acrylic Polymers (CAS# NACAS)	10-20	ND				
Dipropylene Glycol Methyl Ether (CAS# 34590-94-8CAS)	3-6	100 PPM ACGIH/OSHA TWA, 150 PPM ACGIH/OSHA STEL, (SKIN)				
Diethylene Glycol Monoethyl Ether (CAS# 111-90-0CAS)	1-2	NOT ESTABLISHED				
[PA,NJ,MA] Ammonium Hydroxide (CAS# 1336-21-6)	1-3	25 PPM ACGIH/OSHA TWA; 35 PPM ACGIH/OSHA STEL				
Water (CAS# 7732-18-5)	70-85	NOT ESTABLISHED				
See Regulatory Information (Section XII) for explanation of bracketed information.						

	PHYSICAL DATA
APPEARANCE/ODOR: Opaque, white emulsion with mild ammoniacal odor	SPECIFIC GRAVITY (H20=1): 1.03
VAPOR PRESSURE (mm Hg): ND	PERCENT VOLATILE BY VOLUME (%): NA
SOLUBILITY IN WATER: Complete	VAPOR DENSITY (Air=1): ND
	BOILING POINT (°F): above 200
рн: 8.8-9.2	EVAPORATION RATE (Butyl Acetate=1): NID
VOC (as packaged, minus H2O): ND	THEORETICAL VOC (lb/gal): ND

-	SEC	rion :	IV-F)	IRE AND	EXPLOSIO	N INFORMATION	
FLASH POINT (°F) (Met	hod Used):	NA					
FLAMMABLE LIMITS:	NA						
EXTINGUISHING MEDIA:	Foam.	CO2.	Dry	Chemic	al. Water	Fog.	

MATERIAL SAFETY DATA SHEET

Page 2

S.C. Johnson Wax 1525 Howe Street Racine, Wisconsin 53403

Product Number: 14080 Serial Number: 13

SECTION IV-FIRE AND EXPLOSION INFORMATION (cont.) Normal fire fighting procedures may be used.

SPECIAL FIREFIGHTING PROCEDURES:

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Container may melt and leak in heat of fire.

SECTION V-HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY: Skin contact.

SIGHS AND SYMPTOMS: Prolonged or repeated contact of undiluted product with skin may cause irritation

Wash skin with plenty of water. If irritation persists, FIRST AID PROCEDURES:

seek medical aid.

None known to S.C. MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:

Johnson Wax

SECTION VI-REACTIVITY DATA

STABILITY: Stable

None known STABILITY-CONDITIONS TO AVOID:

INCOMPATIBILITY: None known

When exposed to fire, produces normal products of MAZARDOUS DECOMPOSITION PRODUCTS:

combustion.

MAZARDOUS POLYMERIZATION: Will not occur.

MAZARDOUS POLYMERIZATION-COMDITIONS TO AVOID: None known

SECTION VII-SPILL OR LEAK PROCEDURES

Contains ammonia and zinc. Do STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: not let spilled or leaking material enter watercourse. May be toxic to not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Rinse affected area thoroughly with water.

MASTE DISPOSAL INFORMATION: No special method. Observe all applicable Federal/State regulations and Local ordinances regarding disposal of non-hazardous materials. Waste from normal product use may be sewered to a public-owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.

SECTION VIII-SPECIAL PROTECTION INFORMATION
RESPIRATORY PROTECTION: No special requirements under normal use conditions.

WENTILATION: General room ventilation adequate.

PROTECTIVE GLOVES: No special requirements under normal use conditions.

EYE PROTECTION: No special requirements under normal use conditions.

OTHER PROTECTIVE MEASURES: Use good personal hygiene practices. MATERIAL SAFETY DATA SHEET

Product Number: 14080

Page 3

1525 Howe Street Racine, Wisconsin 53403

Serial Number: 13

SECTION IX-SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING:

S.C. Johnson Wax

Wash thoroughly after handling. Keep from OTHER HANDLING AND STORAGE CONDITIONS: freezing. Keep out of reach of children.

SECTION X-ADDITIONAL INFORMATION

This MSDS also covers product codes: 4081 and 4084. ADDITIONAL INFORMATION:

EPA REGISTRATION #: NA

SECTION XI-TRANSPORTATION INFORMATION

DOT CLASS: Non Regulated.

001 #: NA

SHIPPING HAME: Buffing or polishing compounds, NOI.

SECTION XII-REGULATORY INFORMATION

All components of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

There are no ingredients subject to the reporting requirements under California's Proposition 65.

- These ingredients are subject to the reporting requirements under the Massachusetts Hazardous Substance List.

- These ingredients are subject to the reporting requirements under the New Jersey Right to Know Hazardous Substance List.

- These ingredients are subject to the reporting requirements under the Pennsylvania Hazardous Substance List.

NA-Not Applicable, NE-Not Established, NSR-No Special Requirement, ND-Not Determined The information herein is given in good faith. No warranty expressed or implied is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations. The information contained in this form is confidential and is submitted solely for your organization's internal use-R-106 (Rev 5 - 10/90)