

Safety Information

MSDS

TOP

FSC: 7510 NIIN: 01-316-7516 MSDS Date: 02/16/1988 MSDS Num: BKYY5

Submitter: F BT Tech Review: 08/23/1991 Status CD: C

Product ID: 58701, STAMP PAD INK, 2 OZ BLACK MFN: 01

Article: N Kit Part: N

Cage: EO365 Responsible Party

Name: SANFORD CORPORATION

Address: 2740 WASHINGTON BLVD Box: N/K City: BELLWOOD State: IL Zip: 60104

Country: NK

Info Phone Number: (800) 228-5635

Emergency Phone Number: (800) 228-5635

Preparer's Name: N/P

Proprietary Ind: N Review Ind: Y

Published: Y Special Project CD: N

Co. when other than Responsible Party Co.

Preparer

TOP

Cage: EO365 Assigned Ind: Y

Name: SANFORD CORPORATION

Address: 2740 WASHINGTON BLVD Box: N/K City: BELLWOOD State: IL Zip: 60104

Summary

Contractor

TOP

Cage: Name:

Address: 86874

SANFORD CORPORATION

City: 2740 WASHINGTON BLVD.

State: Zip:

BELLWOOD
Country:

Phone:

IL 60104

US

1-800-323-0749

Cage:

Name:

Address: EO365

SANFORD CORPORATION

Box:

City: 2740 WASHINGTON BLVD

State: N/K
Zip:

BELLWOOD
Country:

Phone:

IL 60104

US

1-800-323-0749

Description Information Item [TOP](#)

Item Manager:

GSA

Item Name: INK,STAMP PAD

Specification Number: TT-I-556

Type/Grade/Class: NK

Unit of Issue: EA

Quantitative Expression:

UI Container Qty: 0

Type of Container:

Ingredients TOP

Cas:

X

X

Code:

RTECS #:

Code:

Name: DYE

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

Cas: 7732-18-5

M

ZC0110000

M

Code:

RTECS #:

Code:

Name: WATER, H2O

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 56-81-5

M

MA8050000

M

Code:

RTECS #:

Code:

Name: GLYCERIN

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

15 MG/M3 TDUST

Code: M OSHA
STEL:

Code:

ACGIH TLV: 10 MG/M3 (MIST) 9293

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 111-46-6

M

ID5950000

M

Code:

RTECS #:

Code:

Name: GLYCOL ETHERS, DIETHYLENE GLYCOL

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 25322-68-3

M

TQ3500000

M

Code:

RTECS #:

Code:

Name: POLYETHYLENE GLYCOL

% Text: N/K

Environmental Wt:

Other REC Limits: 10 MG/CUM

OSHA PEL:

N/K

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Hazards Data

Health

[TOP](#)

LD50 LC50 Mixture

N/K

Route Of Entry Inds -- Inhalation:NO

Skin:NO

Ingestion:NO

Carcinogenicity Inds -- NTP:NO

IARC:NO

OSHA:NO

Health Hazards Acute And Chronic

PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.

Explanation Of Carcinogenicity

NONE

Signs And Symptions Of Overexposure

PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.

Medical Cond Aggravated By Exposure

N/K

First Aid

N/K

Spill Release Procedures

WIPE UP W/ABSORBENT MATERIAL & DISCARD AS SOLID WASTE.

Neutralizing Agent

N/K

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Handling And Storage Precautions

KEEP CAP ON BOTTLE WHEN NOT IN USE.

Other Precautions

THIS PRODUCT IS CONSIDERED SAFE WHEN USED UNDER NORMAL USE CONDITIONS.

Explosion Hazard Information Fire and [TOP](#)

Flash Point Method:

PMCC

Flash Point:

Flash Point Text: >390F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

N/K

Fire Fighting Procedures

N/K

Unusual Fire/Explosion Hazard

N/K

Measures Control [TOP](#)

Respiratory Protection

NONE UNDER NORMAL USE CONDITIONS

Ventilation

NONE UNDER NORMAL USE CONDITIONS

Protective Gloves

NONE UNDER NORMAL USE CONDITIONS

Eye Protection

NONE UNDER NORMAL USE CONDITIONS

Other Protective Equipment

N/K

Work Hygienic Practices

N/K

Supplemental Safety and Health

N/K

Physical/Chemical Properties [TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: >550F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: <0.1

Vapor Density: N/K

Volatile Org Content %:

Spec Gravity: 1.2-1.3

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: N/K

Solubility in Water: COMPLETE

Appearance and Odor: BLACK LIQUID W/BLAND ODOR.

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: N/K

Materials To Avoid: N/K

Hazardous Decomposition Products: N/K

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

Transport Information:

N/P

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information:

N/P

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.