

**SUPER CLEAN ACQUISITIONS LLC
CONSUMER
MATERIAL SAFETY DATA SHEET**

SECTION I: IDENTITY

Product/Material Name: Super Clean All Wheel Cleaner

Chemical Name: Mixture

Chemical Family/classification: Acidic aqueous liquid

Molecular Weight: NA

Chemical Formula , NA

Material Use: Automotive Wheel Cleaner

HMS HAZARD RATING:

{0 -Minimal; 1 -Slight; 2 -Moderate; 3 -Serious; 4 -Severe}

Health 2

Flammability :0

Reactivity : 0

WARNING STATEMENTS (if Applicable):

WARNING! EYE AND SKIN IRRITANT. Avoid contact.

MANUFACTURER SUPPLIER NAME & ADDRESS

In the US:

SUPER CLEAN ACQUISITIONS LLC

51 E MARYLAND AVE

ST PAUL MN

Telephone: (651) 489-8211

Telecopier: (651) 489-8247

IN THE EVENT OF AN EMERGENCY PLEASE CALL :

1-800-304-5068

Date Prepared /updated 03/30/05

Preparer: Kevin LaCroix

SECTION II : PRODUCT/HAZARDOUS INGREDIENTS INFORMATION

INGREDIENTS - CHEMICAL/COMMON NAME	EXPOSURE LIMITS -TVL	LD 50	LC 50	%
Water [CASRN 7732 - 18 -5]	ND	ND	ND	60-100
2-Butoxyethanol [CASRN 111-78-2]	PEL/TWA: 25 ppm skin (OSHA, ACGIH)	Oral, rat: 470 mg/kg Intraperitoneal rat: 220 mg/kg Skin, guinea pig: 230 mg/kg	Inhalation, 7 hr. mouse: 700 ppm Inhalation, rat : 2800 mg/m3	5-Jan
Sodium dodecylbenzene sulfonate [CASRN 25155-30-0]	ND	Oral, rat: 438 mg/kg Intravenous, mouse: 105 mg/kg	ND	1-5
Nonylphenol ethoxylate [CASRN 68412-64-4]	ND	Oral, rat: 3000 mg/kg Dermal, rabbit: 4000 mg/kg	ND	1-5
Sulfamic Acid [CASRN 5328-14-9]	ND	ND	ND	1-5
Other additives [CASRN, NA]	ND	ND	ND	1-5

Note: Product contains no materials currently classified as carcinogenic per the Annual Report of the National Toxicology Program (NTP), OSHA Hazard Communication Standard or the International Agency for Research on Cancer (IARC, Group 1, 2A or 2B)

PAGE 2

PRODUCT NAME: Super Clean All Wheel Cleaner

SECTION III: FIRST AID MEASURES

Signs/Symptoms:

Eyes: Irritation, redness, tearing, pain.
Skin: Irritation, redness, dryness and peeling.
Respiratory system: Nasal and respiratory irritation.

Eye contact: Immediately flush with plenty of clean water for at least 15 minutes. Consult a physician if irritation persists.

Skin contact: Remove clothing. Immediately flush skin with plenty of clean water for 15 minutes. Call a physician if irritation persists.

Inhalation: Remove from area of exposure. If breathing is difficult or irritation persists, call a physician.

Ingestion: Do not induce vomiting. Give plenty of water or milk and call physician immediately. Do not give anything by mouth to an unconscious or convulsing person.

SECTION IV: HEALTH HAZARD DATA

Exposure Limits:

See Section II, Product/Ingredient

PRIMARY ROUTES OF ENTRY:

Eye Contact
 Skin Contact
 Skin Absorption
 Inhalation (Acute)
 Inhalation (Chronic)
 Ingestion

EFFECTS OF EXPOSURE

Acute - WARNING! EYE AND SKIN IRRITANT

Eyes: Can cause irritation. Avoid contact.
Skin: Can cause irritation. Avoid contact.
Respiratory system: Can cause irritation following inhalation of mists.
Ingestion: Can cause severe irritation or burns to digestive tract. Do not swallow.

Chronic - No chronic effects known.

Medical Conditions Generally Aggravated by Exposure: Pre-existing skin disorders.

TOXICOLOGY DATA (Product)

Acute Data (Median Lethal Dose - species)

Oral LD50-rat: 5.0 g/kg
Dermal LD50- rabbit: ND
Inhalation LC 50 - rat: ND

Irritancy Data

Eye irritation - rabbit: primary eye irritant
Skin irritation - rabbit: primary skin irritant
Sensitization - guinea pig: ND

Other: No evidence of carcinogenicity, teratogenicity, mutagenicity, respiratory toxicity, sensitizing ability or synergistic substances.

NA - Not Applicable ; ND - No Data Available

PAGE3

PRODUCT NAME: Super Clean All Wheel Cleaner

SECTION V: EMPLOYEE PROTECTION

Ventilation: General ventilation and local exhaust recommended. Build up of mists/vapors in the working atmosphere must be prevented.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Respirators should be used when engineering or other controls are not technically feasible. When required, use only a MSHA/NIOSH approved air supplied respirator or an air-purifying respirator.

Eye: Safety goggles or face shield.

Gloves (specify): Impervious type gloves, such as rubber, neoprene, nitrile, polyethylene.

Clothing: Protective clothing such as a coverall or apron may be used to minimize skin contact.

Footwear: No special requirement.

Other: Eye wash and safety shower recommended in industrial settings

Work Hygienic Practices: Avoid skin and eye contact. Do not wear contaminated clothing. Launder before re-use or discard. Wash hands thoroughly after handling.

Storage/Handling: Maintain ambient temperatures. Avoid prolonged breathing of mists. Use with adequate ventilation. Corrosive to the eyes and skin. Severe internal irritation and damage can result when ingested avoid contact with eyes, skin or clothing. Do not swallow. Keep container tightly closed when not in use.

Keep out of reach of children.

SECTION VI: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ~ (212 F) 100 C	Specific Gravity (Water=1): 1.04
Vapor Pressure (mm . Hg. @ 25 C): ND	Vapor Density (Air=1): ND
Percent VOCs: 4-5%	Evaporation Rate (Water=1): 1
Solubility in Water: Complete	Freeze Point: -30 deg f (2 c)
pH-Value: (NEAT): 1.5	Viscosity @40 °c, cSt: ND
Odor Threshold:ND	Coefficient of Water/Oil Distribution: na
Appearance, Odor & Physical State: Clear colorless liquid	

SECTION VII: FIRE AND EXPLOSION DATA

FLAMMABILITY Yes [] No [X] Aqueous fluid

Flash Point (COC): NA

Fire Point (COC): NA

Autoignition Temperature: NA

Flammability limits in Air, % Vol.: Upper - NA Lower - NA

Extinguishing Media:
Use media appropriate for any surrounding combustible substances (Waterfog, CO2, dry chemical, foam).

Special Firefighting Procedures/Unusual and Explosion Hazards:
Cool fire exposed containers with water. Do not enter confined areas without full protective equipment, including a positive pressure NIOSH approved self-contained breathing apparatus.

EXPLOSION DATA

Sensitivity to Mechanical Impact: NA

Sensitivity to Static Discharge: NA

NA - Not Applicable ; ND - No Data Available

PAGE 4
PRODUCT NAME: Super Clean All Wheel Cleaner

SECTION VIII: REACTIVITY

Stability: Stable at ambient temperatures

Hazardous Polymerization: Will not occur

Conditions and Materials to Avoid (Incompatibilities):

Strong bases
Strong oxidizers.

Hazardous Combustion or Decomposition Products:
Smoke, fumes, oxides of carbon

SECTION IX: ENVIRONMENTAL PROTECTION

CHEMTREC EMERGENCY PHONE NUMBER 1-800-424-9300 24 hrs for U.S. > transportation related spills, leaks, fire, exposure or accident.

Spill or leak Procedures:
Use best engineering practices when attempting cleanup of a large spill.

Large spills - Wear respirator and appropriate protective clothing. Stop source of leak if possible. Dike, contain spill and recover free liquid. Prevent entry into waterways. Neutralize and/or soak up residue with an inert absorbent such as clay, sand or other suitable materials; Store and dispose of properly. Flush area with water. Where feasible and appropriate, remove contaminated soil.

Small spills - Neutralize and/or soak up spill with an inert absorbent such as clay, sand or other suitable materials; Store in a closed container and dispose of properly.

Regulatory spill reporting requirements may apply; Contact governmental agency or legal counsel for advice.

Waste Disposal Method:
If discarded as supplied, material meets RCRA characteristic definition of corrosivity, 0002. The toxicity characteristic has not been evaluated. Under RCRA, the applicable hazardous waste classification must be evaluated prior to disposal of the material. Use of the product, processing contamination may render the resulting material hazardous or alter waste classification.

All recovered material should be packaged, labeled, transported and disposed of or reclaimed in accordance with local, state and Federal regulations regarding air pollution, water pollution or health.
CAUTION: Improper disposal or reuse of the empty container may be hazardous and illegal. Cutting or welding of empty containers may cause explosion or toxic fumes from residues. Do not pressurize or expose to open flame or heat. Keep container closed and drum bungs in place. RE to applicable governmental regulations.

PAGE5

PRODUCT NAME: Super Clean All Wheel Cleaner

SECTION X: REGULATORY INFORMATION

TRANSPORTATION

Special Shipping Information/DOT Proper Shipping Name:
Not Regulated

CHEMICAL CONTROL REGULATIONS:

TSCA Status: All components of this material appear on the Toxic Substance Control Act Chemical Substances Inventory.
CEPA Status: All components of this product appear on the Canadian Domestic substances list

Canadian Workplace Hazardous Material Identification System (WHMIS) Classification:

Material is a controlled product.

- Class A - Compressed Gas
- Class B-1 - Flammable Gases
- Class B-2 - Flammable Liquids
- Class B-3 - Combustible Liquids
- Class B-4 - Flammable Solids
- Class B-5 - Flammable Aerosols
- Class C - Oxidizing Material
- Class D-1 - Reactive Flammable Materials
- Class D, Div.1 - Materials Causing Immediate and Serious Toxic Effects
- Class D-1A - Very Toxic Material
- Class D-1 B - Toxic Material
- Class D, Div.2 - Materials Causing Other Toxic Effects
- Class D-2A - Very Toxic Materials
- Class D-2B - Toxic Materials
- Class E - Corrosive Material
- Class O-3 - Biohazardous Infectious Material
- Class F - Dangerously Reactive Material

EPCRA - Emergency Planning and Community Right to Know Act (SARA Title III):
Section 302/304 Extremely Hazardous Substance: NA

CERCLA Section 102 (a) Hazardous Substance: NA

Section 311 Hazard Category

- Acute (immediate)
- Chronic (delayed)
- Fire
- Sudden Release of Pressure
- Reactive
- Not applicable

Section 313 Toxic Release Inventory Chemical/Category:

Glycol Ethers, 4.5 % (wt.) max.

U.S. STATE RIGHT TO KNOW LAWS

New Jersey Worker and Community Right to Know Act, N.J.A.C. 8:59-5 Labeling Information: See Section II.

California Safe Drinking Water Enforcement Act (Proposition 65):

This product contains one or more chemicals known to the State of California to cause cancer or reproductive harm.

NOTICE:

The information presented herein is compiled from sources considered to be dependable, believed to be accurate to the best of Super Clean Acquisitions LLC knowledge and offered in good faith for the purpose of hazard communication. Because product use is beyond our control no warranty is given expressed or implied. Super Clean Acquisitions LLC cannot assume any liability for the use of information contained herein. To determine applicability or effect of any law or regulation with respect to the product use is beyond our control no warranty is given expressed or implied. Super Clean Acquisitions LLC cannot assume any liability. user should consult a legal advisor or appropriate governmental agency.

5/2/08

RECEIVED FEB 2 2009

SUPER CLEAN Tough Task 4-11-05 1005621
SUPER CLEAN ACQUISITIONS LLC

CONSUMER

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTITY

Product/Material Name: Super Clean Tough Task

Chemical Name: Mixture

Chemical Family/Classification; Alkaline aqueous liquid

Molecular Weight: NA

Chemical Formula ; NA

Material Use: Multi-purpose cleaner/degreaser

HMIS HAZARD RATING;

[0 .Minimal; 1 .Slight; 2 -Moderate; 3 .Serious; 4 -Severe]

Health 3

Flammability :0

Reactivity : 1

WARNING STATEMENT\$ (If Applicable):

NTS (If Applicable)

DANGER! CAUSES EYE AND SKIN BURNS. Avoid contact.