

8-30-05

# TOSHIBA MATERIAL SAFETY DATA SHEET

Date of Preparation : November 28, 1997 MSDS : T1350KWU7W  
Date of Revised : October 22, 2002 Page 1 of 6

## SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : T-1350 Black Toner  
Used for : Toshiba Copiers, 1340,1350,1360 and 1370  
Company Name : Toshiba TEC Corporation  
Address : 1-1, Kanda nishikichou, Chiyoda-ku, Tokyo 101-8442, Japan  
Telephone Number : +81-3-3438-6854  
Manufacturer Name : (1) Toshiba America Business Solutions, Inc.  
Toner Products Division (Mitchell Plant)  
901 North Foster Street, Mitchell, SD. 57301-0070 U.S.A.

Contact : (1) Toshiba America Information Systems, Inc.  
Emergency Telephone. No. : +1-800-424-9300  
For calls within the U.S. only.  
(2) Toshiba of Canada Limited  
Telephone. No. : +1-905-405-3500  
For calls within Canada only.

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS No.	wt. %
Styrene acrylate copolymer	25036-16-2	>86
Carbon black	1333-86-4	5 - 8
Polypropylene	9003-07-0	2 - 4
Inorganic pigment	25869-005	< 2
	-----	Trade Secret

## SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview : If used as intended, the product does not present acute or chronic health hazard.  
Physical Hazards : This product is not classified as flammable or combustible. It will burn in case of fire.  
Routes of Exposure : Avoid contact with strong oxidizers such as chromate, bromate and nitrates.  
: Inhalation, dermal contact, incidental ingestion

# MATERIAL SAFETY DATA SHEET

Product Identity : T-1350 Black Toner

MSDS : T1350KWU7W

Page 2 of 6

- 
- Inhalation : Excessive inhalation may cause irritation of the nose, throat and respiratory tract.
- Eye Contact : Non-irritant.
- Dermal Contact : Non-irritant, non-sensitiser.
- Ingestion : Not currently known.
- Chronic Effects : See Section 11 Supplemental Health Information.
- Carcinogenicity : See Section 11 Supplemental Health Information.
- Reproductive/Developmental : Not identified.
- Target Organs : Prolonged breathing of high concentrations may cause adverse effects on the respiratory system.
- Signs and Symptoms of Exposure : Prolonged exposure to dusts of this product may irritate the respiratory system.
- Medical Conditions Aggravated by Exposure to This Product : Respiratory disorders, such as asthma, may be aggravated by prolonged exposure to high concentrations of this product.

## SECTION 4 FIRST AID MEASURES

- Eye Contact : Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a physician.
- Skin Contact : Wash with soap and water. Wash clothing before reuse. If irritation occurs or is persistent, seek medical attention.
- Ingestion : Dilute stomach contents with several glasses of water.
- Inhalation : Remove from exposure area to fresh air immediately. Contact a physician if there is any difficulty in breathing or other signs of distress.

## SECTION 5 FIRE FIGHTING MEASURES

- General Hazard : Product will burn in case of fire.
- Flash Point : Not applicable
- Flammable Limits : Not applicable
- Autoignition Temperature : Not applicable
- Flammability classification : Not applicable
- Extinguishing Media : Foam, halon, carbon dioxide, dry chemical & water fog.
- Unusual Fire & Explosion Hazard : Combustible powder. Dust of this product at sufficient concentrations can form explosive mixtures with air.
- Fire Fighting Procedures : None
- Hazardous Combustion Products : Carbon monoxide, carbon dioxide and smoke.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

- Spills or Leaks : Vacuum-clean spilled toner and carefully transfer into sealable waste container. If no vacuum-cleaner is available, sweep slowly to minimize generation of dust during clean-up. Residue can be removed with soap and cold water.
-

# MATERIAL SAFETY DATA SHEET

Product Identity : T-1350 Black Toner

MSDS : T1350KWU7W

Page 3 of 6

---

## SECTION 7 HANDLING AND STORAGE

Handling : Avoid dust, keep away from ignition sources.  
Prevention of Fire and Explosion : This material is capable of creating a dust explosion.  
Keep away from heat, sparks & flame.  
Storage : Keep container in cool and dry area.  
Hygienic Practices : Avoid inhalation and ingestion. Avoid getting in eyes, on skin or clothing.  
Wash hands thoroughly after handling, and before eating, drinking, or smoking.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits  
OSHA PELs (TWA)  
as the product : 15mg/m<sup>3</sup> (Total dust)  
5mg/m<sup>3</sup> (Respirable fraction)  
Carbon black : 3.5 mg/m<sup>3</sup>  
Other substances : Not listed  
ACGIH TLVs (TWA)  
as the product : 10mg/m<sup>3</sup> (Total dust)  
3mg/m<sup>3</sup> (Respirable fraction)  
Carbon black : 3.5 mg/m<sup>3</sup>  
Other substances : Not listed  
DFG-MAK (TWA)  
as the product : 4mg/m<sup>3</sup> (Inhalable fraction)  
1.5mg/m<sup>3</sup> (Respirable fraction)  
All substances : Not listed  
NOHSC (TWA)  
All substances : Not listed  
Engineering Controls : Maintain adequate ventilation.  
Eye Protection : Not required under intended use.  
Skin Protection : Not required under intended use.  
Respiratory Protection : Not required under intended use.

---

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Fine solid powder  
Color : Black  
Scent : Odorless  
Melting Point : 110 - 150 degree (Softening point)  
Specific Gravity(H<sub>2</sub>O=1) : 1.1 - 1.5  
Vapor Pressure : Not applicable  
Vapor Density (Air=1) : Not applicable  
Evaporation Rate : Not applicable  
Solubility in Water : Negligible  
pH Value : Not a water-based product, therefore not applicable.

---

# MATERIAL SAFETY DATA SHEET

Product Identity : T-1350 Black Toner

MSDS : T1350KWU7W

Page 4 of 6

---

## SECTION 10 STABILITY AND REACTIVITY

Stability : Stable  
Incompatibility : Not identified.  
Hazardous Decomposition Products : Carbon monoxide and carbon dioxide.  
Hazardous Polymerization: : Will not occur.

## SECTION 11 SUPPLEMENTAL HEALTH INFORMATION

Acute oral toxicity : LD50 is greater than 5,000mg/kg.  
(This was the highest attainable mass.)  
Acute inhalation : LC50(4H) is in excess of 2.16mg/l.  
(This was the highest attainable concentration.)  
Eye irritation : Non-irritant.  
Skin irritation : Non-irritant.  
Skin sensitization : Non-sensitiser.  
Mutagenicity : Negative in the Ames test.  
Carcinogenicity : : In 1996, the IARC classified carbon black as a Group 2B carcinogen  
(possible human carcinogen).  
Chronic Effects : : In a study in rats by chronic inhalation exposure to a typical toner, a mild  
to moderate degree of lung fibrosis was observed in 92 % of the rats in  
the high concentration (16 mg/m<sup>3</sup>) exposure group, and a minimal to mild  
degree of fibrosis was noted in 22% of the animals in the middle (4  
mg/m<sup>3</sup>) exposure group. These findings are attributed to "lung  
overloading", a general response to excessive amounts of any dust  
retained in the lungs for a prolonged period.

## SECTION 12 ECOLOGICAL INFORMATION

This material has not been tested concerning environmental effects  
(fish toxicity, bird toxicity, invertebrate toxicity, phyto-toxicity and environmental fate).

## SECTION 13 DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulation.  
Empty plastic container may be recycled.

## SECTION 14 TRANSPORTATION INFORMATION

Special Precautions : None  
International Transport Information  
UN Classification Number : Not applicable  
DOT Identification Number : Not applicable  
Domestic Transportation : Not applicable  
Other Information : Not applicable

---

# MATERIAL SAFETY DATA SHEET

Product Identity : T-1350 Black Toner

MSDS : T1350KWU7W

Page 5 of 6

---

## SECTION 15 REGULATORY INFORMATION

IARC : See section 11.

### US/Canada Information

OSHA Hazard Communication Standard, 29CFR 1910. 1200

: Not regulated.

Toxic Substance Control Act (TSCA)

: All chemical substances in this product comply with all applicable rules or orders under TSCA.

RCRA (40 CFR 261) : Product or components not listed.

CERCLA/SARA Information : Not regulated.

NTP Annual Report on Carcinogens

: Not listed as an NTP carcinogen.

California Proposition 65 : Neither toner, or any of the components, are listed as chemicals known to the State of California to cause cancer or reproductive system effects.

Controlled Products Regulations(Canada)

: This product has been classified in accordance with the hazard criteria of the CPR.

Workplace Hazardous Materials Information System(Canada)

: No toxicology information available

Other State Regulations : Carbon black is listed in the New Jersey Right to Know List, Pennsylvania Hazardous Substance List, and Massachusetts Substance List.

U.S./Canada Label Statements

: LOW HAZARD FOR RECOMMENDED HANDLING. Minimize dust generation and accumulation. Use with adequate ventilation.

### EU Information

Label Information According to Directives 67/548 EEC & 88/379 EEC

Symbol & Indication : Not required

Risk Phrase : Not required

Safety Advise Phrase : Not required

EEC Directive(76/548 EEC, 79/831 EEC, 92/32 EEC)

: All chemical substances in this product comply with all applicable rules or order under EEC Directive.

The Subject of Specific Provisions in Relation to Protection of Man or the Environment.Directive 76/769/EEC

: Not required

National requirement : : No specific regulations or restrictions.

---

## SECTION 16 OTHER INFORMATION

National Fire Protection Association (NFPA) Classification :

Flammability : 1

Reactivity : 0

Health : 0

( 0 = insignificant, 1 = slight )

Hazardous Materials Information Systems (HMIS) :

Red (Flammability) : 1

Yellow (Reactivity) : 0

Blue (Acute Effects) : 0

( 0 = insignificant, 1 = slight )

---

# MATERIAL SAFETY DATA SHEET

Product Identity

: T-1350 Black Toner

MSDS : T1350KWU7W

Page 6 of 6

---

Notice

: Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Toshiba Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

References

: IARC (1996) IARC Monographs on the Evaluation of the Carcinogenic Risks of Chemicals to Humans, Vol. 65, Printing Processes and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp. 149-261.  
H. Muhle, B. Bellmann, O. Creutzenberg, C. Dasenbrock, H. Ernst, R. Kilpper, J. C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka, and R. Mermelstein (1991).  
Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats, Fundamental and Applied Toxicology 17, pp. 280-299.

Abbreviation

: (1) OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA).  
(2) ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA).  
(3) DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft.  
(4) TWA stands for Time Weighted Average.  
(5) IARC stands for International Agency for Research on Cancer.  
(6) NTP stands for National Toxicology Program (USA).  
(7) NIOSH stands for National Institute for Occupational Safety and Health (USA).  
(8) DOT stands for Department of Transportation (USA).  
(9) NOHSC stands for National Occupational Health and Safety Commission (Australia).

---

Prepared by

: Toshiba TEC Corporation  
Quality Assurance Department  
6-78 Minami-cho, Mishima-shi, Shizuoka-ken,  
411-8520 Japan

---